

FINNISH APL ASSOCIATION

# FINNAPL IDIOM LIBRARY

SECOND EDITION

Jul. 13, 1982



Helsinki 1982

# FINNAPL IDIOM LIBRARY

SECOND EDITION

Jul. 13, 1982

Foreword to First Edition .....	1
Foreword to Second Edition .....	2
The Use of Idioms in APL, A. Juvonen .....	3
How to Use this Idiom Library, T. Laurmaa .....	9
Table of Functions .....	13
Idiom List, T. Kunnas (editor) .....	14
Synonym List .....	51
Permuted Index .....	58

Copyright 1981, 1982 Finnish APL Association (FinnAPL)

ISBN 951-99397-9-2

Helsinki 1982



## FOREWORD OF FIRST EDITION

-----

The publication of this APL idiom collection was initiated by the FinnAPL Working Group of Programming Techniques in spring 1981, when good ways of teaching and promoting efficient use of APL were being discussed. It is a widely known fact that some idiom containing booklets and APL workspaces exist. However, the working group discovered several deficiencies in the usefulness of these sources: difficult and slow access, the relatively small amount of idioms and the lack of appropriate search methods. These arguments led to the decision of building a versatile, easy-to-use idiom library, from which any APL user can find practical tools for daily work. The goal of this publication is to promote good and efficient APL usage by means of APL idioms, and facilitate and speed up APL programming.

The first and most important source of idioms has been the Working Group itself - the experience and everybody's own idiom reservoirs. The members of the group are:

Arto Juvonen	TMT-Team
Seppo Kaltio	TMT-Team
Timo Kunnas	Helsinki University of Technology
Timo Laurmaa	Bank of Helsinki
Hannu Lehto	Datema
Heimo Penttinen	Finnish Broadcasting Company
Tauno Ylinen	Ministry of Finance

Also the following publications were very useful:

A.J. Perlis, S. Rugaber:  
Programming with Idioms in APL,  
APL Quote Quad, vol. 9, no. 4, 1979

K.E. Iverson:  
Notation as a Tool of Thought  
Communications of the ACM, vol. 23, no. 8,  
August 1980

O.I. Franksen:  
Computing - An Economy of Thought  
NordDATA81, Copenhagen 1981

R.P. Polivka, S. Pakin:  
APL: The Language and Its Usage  
Prentice-Hall, 1975

R.A. Smith  
A Programming Technique for Non-rectangular  
Data, APL79 Conference Proceedings, ACM.

The Finnish APL Association is pleased to receive any comments and new idioms in order to increase the versatility and quality of this idiom library.

#### FOREWORD OF SECOND EDITION

---

The second edition of the FinnAPL Idiom Library differs from the first one in several aspects: the number of idioms has been increased from 452 to 631, most of the idioms have been tested with a computer, many errors have been corrected, some explanations have been made easier to understand, and a function-based index has been included. The publication is also introduced in a more compact version (FinnAPL Pocket Idiom Library).

The working group for this edition has been:

Akif Ali	Helsinki University of Technology
Timo Kunnas	Helsinki University of Technology
Timo Laurmaa	Bank of Helsinki

FinnAPL wishes to thank for the numerous contributions by APL users from several countries, and is still pleased to receive comments and new idioms to help in developing future editions of the library.

Finnish APL Association FinnAPL  
P.O. Box 1005  
SF-00101 Helsinki 10  
FINLAND

## THE USE OF IDIOMS IN APL

---

Arto Juvonen  
TMT-Team

### 1. INTRODUCTION

---

Idiom is a speech form that is peculiar within the usage of a given language. In APL, an idiom is a meaningful primitive structure constructed from primitive functions. Idiom is characterized by ease of recognition, frequency of occurrence and flexibility in use. Due to APL's conciseness and functional nature the language contains a large number of useful idioms, whose familiarity makes the programming effort more efficient and unravels programs made by others.

An idiom is an APL primitive construct like the APL primitive and derived functions because of its presence in the language. However, an idiom has a special connotation, that cannot be directly derived from its constituents. Once the idiom is learned, the meaning can be perceived from the program line without analyzing the structure function by function. Let us take as an example the 'if'-idiom `[1` in a conditional branch statement. Due to the expression `→LINE[1COND` the program branches to line LINE, if COND (1 or 0) is true. Otherwise execution continues at the next line. The expression might be difficult to decipher, if the idiom is not familiar. After learning the behavior of the idiom the use and understanding of it is trivial.

One of the main characteristics of an idiom is its conciseness. It is easy to remember and recognize and quick to type. Because of this it is not necessary to define an idiom as a function, although this is quite common. Idioms are often more useful as part of another expression. By writing the idiom straight to the function line the naming problem can be avoided. A person acquainted with the idiom does not have to know in which workspace and with which name the expression is saved, and does not have to copy the function into the workspace. Also the problem of having a different object of the same name in the workspace can be avoided. Moreover, the reader of the program does not have to recognize the name. It is also useful to use idiomatic expressions in the library subroutines instead of the equivalent

defined functions to avoid chained calls and thus group definitions or copying of defined library functions one by one during the first application programming test run.

The difference between an idiom and a defined function can easily be seen. An important difference is their length. Idioms are almost always expressed naturally in one line. A defined function may contain more complicated, e.g. iterative structures. If an idiom is embedded in a defined function, it is useful to write it in a general form to allow wider use. Thus in a defined function the idiom is hidden in the jungle of shape and reshape functions that guarantee the compatibility of the arguments. If the idiom is written as part of the function line, the simplest form according to the current arguments can be used. There are also idioms that cannot be written as a function because of the great number of arguments or some other special feature. Such idioms are e.g. templates, that can be used to create new idioms.

## 2. THE USE OF IDIOMS IN WRITING AND READING PROGRAMS

---

No language contains a perfect set of functions for every need encountered in solving problems. APL idioms can often be used as APL primitive functions. They make the language more expressive and bring the language nearer to the human thought structures. Idioms act as an intermediate language in man-machine communication. Thus, mastering a group of basic idioms is necessary for efficient APL programming allowing the lines to be written from left to right and not a function at a time from right to left.

Idioms act also as a means of conveying thoughts between the program writer and the reader. Understanding a program is a discontinuous process. The meaning of a line is first unclear. After initial research the reader can make a hypothesis of the meaning. Additional studying verifies the model. Insight is more easily attained if the program writer and reader share a large number of idioms. Not knowing the idiom written by someone else interrupts understanding of the program flow. The reader can study the result of functions applied to sample arrays element by element, but making a hypothesis of the meaning of the expression may be very difficult.

Thus both in writing and reading programs



mastering a large set of idioms is an invaluable tool. Idioms should be learned early while learning other language fundamentals, as this helps to organize the students understanding of the numerous possibilities of the primitive functions and their combinations. Idioms are best learned by encountering them in different environments and by using them. New idioms can be found by using one-line solutions, as this helps avoiding splitting of data and thought.

### 3. EXAMPLES OF IDIOMS

---

Idioms can be classified for example in the following manner:

1. Structural
2. Sorting
3. Searching
4. Tests
5. Forming boolean vectors
6. Text processing
7. Numerical
8. Object generators
9. Subvector processing
10. Templates

Changing the structure of an array is common because of the compatibility requirements of functions. A typical example is forming a vector into a one line matrix  $V \leftarrow (1, pV) pV$  or a 'column vector'  $V \leftarrow \Omega(1, pV) pV$ . A numeric vector can be reshaped also with the idiom  $V \leftarrow V * .+, 0$ . Often operating with higher dimensional arrays may be cumbersome. E.g. multiplying an array A of shape k,m,n with array B of shape k,m,l,n so that the elements along the second axis of A are also used for multiplying the elements along the third axis of B necessitates forming a new axis in A after the second axis. The new axis is first shaped to contain a dimension of length one. The dimension is replicated l times by indexing:

$S \leftarrow (1, pA)[2\ 3\ 1\ 4] pA$  and  $S \leftarrow S[;;, (pB)[3] p1;]$ . An array is restructured often by the transpose function  $T \Omega A$ . The element  $T[I]$  specifies, where the i:th axis of the argument array will be located in the resulting array. Thus forming a new axis after the i:th axis and replicating it n times can be generally stated with the idiom  $(\Phi \Phi(I+1), 1 pA) \Omega(N, pA) pA$ .

Sorting arrays is based on the grade primitive function  $\Phi$ . The task of idioms is to create suitable numeric arguments for the grade function.



For example a word list can be sorted with the idiom  $I \leftarrow \uparrow(pA) \uparrow \uparrow A \uparrow M$ , where  $A$  contains the alphabet used and  $M$  the words to be sorted. By using this idiom a sorting of 8 to 10 columns can be performed at a time. Sorting a wider matrix or taking other factors into consideration requires sorting to be started with the least significant sorting factor and indexing the next factor with the resulting grade vector. E.g. forming the grade vector  $I$  by using the first two columns of a numeric matrix  $M$  would be performed by using first the second column  $I \leftarrow \uparrow M[;2]$  and then the first one  $I \leftarrow I[\uparrow M[I;1]]$ .

Often we have to sort numeric codes in vector  $A$  to the corresponding sequence  $S$  e.g. for summing. The required grade vector can be formed with the idiom  $I \leftarrow \uparrow S \uparrow A$ .  $A[I]$  can be used to get the lengths of the subvectors to be summed.

Searching is often based on location function  $()$  or compression of indices  $L/\uparrow pL$ . The location function can be used e.g. to locate the index of the first positive element in vector  $V$ :  $(V>0)\uparrow 1$  or the index of the first occurrence of vector  $A$  in matrix  $M$ :  $(M \wedge, = A)\uparrow 1$ .

Test idioms are very frequent. Good examples are the test of numericity of an array  $A$ :  $0 \in 0 \setminus 0 pA$ , and the test of emptiness:  $0 \in pA$ , and the test of equalness of all elements in vector  $A$ :  $\wedge / A = \uparrow A$ .

Forming a modification of a logical vector is often fundamental when using the APL way of solving problems. E.g. the following transformations can be performed to a logical vector (array):

Turn on all 0's after the first 1

```
L ←      0 0 1 0 1 0 1
v\L      0 0 1 1 1 1 1
```

Leave on the 1's preceding the first 0

```
L ←      1 1 1 0 1 0 1
^L      1 1 1 0 0 0 0
```

Leave on only the first 1

```
L ←      0 0 1 0 1 1 1
<L      0 0 1 0 0 0 0
```

Create a vector of running even parity

```
L ←      1 0 0 1 1 0 1
≠L      1 1 1 0 1 1 0
```

Leave on the first 1 on each group of 1's  
 $L \leftarrow 0\ 1\ 1\ 0\ 1\ 1\ 1$   
 $L \rightarrow \neg 1 \downarrow 0, L \quad 0\ 1\ 0\ 0\ 1\ 0\ 0$   
 Generally  $L \rightarrow ((\neg p p L) \uparrow \neg 1) \downarrow 0, L$

Leave on the first group of 1's  
 $L \leftarrow 0\ 1\ 1\ 0\ 1\ 1\ 0$   
 $L \wedge \wedge \backslash L = v \backslash L \quad 0\ 1\ 1\ 0\ 0\ 0\ 0$

Leave on the groups of 1 in B indicated by the corresponding 1 in vector L  
 $L \leftarrow 0\ 1\ 0\ 0\ 0\ 0\ 1\ 0\ 1$   
 $B \leftarrow 1\ 1\ 1\ 0\ 1\ 1\ 0\ 1\ 1$   
 $B \wedge A \in (L \wedge B) / A \leftarrow + \backslash B \rightarrow \neg 1 \downarrow 0, B \quad 1\ 1\ 1\ 0\ 0\ 0\ 0\ 1\ 1$

Text processing often aims at finding a character or a character string satisfying given conditions. Because APL primitive functions use a character as an element, the text and word processing area contains many idioms to perform higher level operations. Some examples are deletion of blanks from a character vector V:  $(V \neq ' ') / V$ , deleting leading blanks  $(v \backslash V \neq ' ') / V$  and trailing blanks:  $(\neg 1 \uparrow (V \neq ' ') / \neg 1 p V) / V$ . Replacing each element A in vector V with B:  $V[(V=A) / \neg 1 p V] \leftarrow B$  is simple, and the idiom  $V[L / \neg 1 p L] \leftarrow B[(L \leftarrow I \leq p A) / I \leftarrow A \backslash V]$  can be used, if A and B are vectors. The occurrences of vector A in vector V can be located with the idiom  $I \leftarrow (V[I \leftarrow . + \neg 1 + \neg 1 p A] \wedge . = A) / I \leftarrow (I = 1 \uparrow A) / \neg 1 p I \leftarrow (1 - p A) \downarrow V$ . In it the possible starting locations are found by the initial letter and the length of A. The substrings of V starting from these indices are compared with A.

Vectors are often the most convenient way to handle data because of flexible selection and indexing. A vector is often divided into variable length parts (subvectors) that must be operated on analogously. In the following examples a boolean vector P indicates the partitioning of the argument vector.

$P \leftarrow 1\ 0\ 0\ 0\ 1\ 0\ 1$   
 $A \leftarrow 1\ 2\ 3\ 4\ 5\ 6\ 7$  and  $L \leftarrow 1\ 1\ 0\ 1\ 0\ 0\ 1$

The lengths of the parts  
 $Z \leftarrow Z - \neg 1 \downarrow 0, Z \leftarrow (1 \oplus P) / \neg 1 p P \quad 4\ 2\ 1$

The sum of the elements of parts in A  
 $Z \leftarrow Z - \neg 1 \downarrow 0, Z \leftarrow (1 \oplus P) / + \backslash A \quad 10\ 11\ 7$

The or-reduction of the parts in vector L  
 $Z \leftarrow (P / L) \geq Z / 1 \oplus Z \leftarrow (P \vee L) / P \quad 1\ 0\ 1$

A template is a model that can be used to create useful structures. In the following templates « stands for a suitable function or another idiom. Template  $(pA)p\ll A$  means raveling array A, operating on it and reshaping it back to the original shape. By using this template and a suitable idiom we can e.g. change the elements A in array S to B:  $V[(V=A)/!pV\leftarrow S]\leftarrow B$  and  $S\leftarrow(pS)pV$ .

Using numerical calculation instead of conditional branching is often useful. E.g. idiom  $(X\>B)+Y\>\sim B$  can be used to select an element from X if the corresponding element in B is true, otherwise from Y. The idiom  $X\>1\sim 1[B\>1]$  can be used to negate the elements of X indicated by B.

The template  $A\>B\>.\>C$  encourages to use outer product to compute all needed combinations and to select the needed ones with the diagonal transpose... For example adding the vector X to the columns of matrix M can be performed with the idiom  $1\>1\>2\>X\>.\>M$ .

## HOW TO USE THIS IDIOM LIBRARY

---

Timo Laurmaa  
Bank of Helsinki

### 1. THE PARTS OF THE IDIOM LIBRARY

---

#### 1.1 Idiom List

The library is based on an idiom list containing 631 APL idioms. Every idiom consists of an APL expression, a brief verbal description, the description of arguments and parameters, and an index number. The list is sorted in a 'functionally alphabetical' order; therefore two very similar idioms will not be far from each other. The functionally alphabetical order is based on the order of functions listed in the Table of Functions so that e.g. expressions containing  $\uparrow$  are found in the beginning of the list and so on.

The argument description states the requirements set to the variables in the expression (arguments or parameters). The most common requirements include information of the rank or shape of the array as well as the type, according to the following rules:

- Naming convention of data objects:
  - X,Y arguments
  - G,H parameters
  - A,B intermediate results etc.
- Data type expressions (in argument descriptions):
  - C = character
  - B = logical (boolean)
  - I = integer
  - D = any numeric data type
  - A = any data type, no limitations
- Representation of the ranks of arrays:
  - 0 = scalar
  - 1 = vector
  - 2 = matrix
  - = (empty) no limitations; the shape is mentioned separately, if necessary
- Examples
  - X $\leftarrow$ D2 argument X is a numeric matrix
  - G $\leftarrow$ I0 parameter G is an integer scalar

## 1.2 Permuted index

The bulk of this idiom library consists of an alphabetical index sorted according to a so-called permuted index (keyword in context) method. This method is used in order to facilitate finding appropriate idioms with the assistance of typical keywords. A verbal description with  $n$  words will usually occur in  $n$  places in the index, at the place of each word of the description. This provides an easy way to find a suitable idiom even if its description is not completely known. The index contains a reference to the index numbers in the idiom list. If a description corresponds to two idioms with numbers clearly unequal, it is likely that the desired result can be achieved with two highly different solutions (nearly equal numbers would indicate similarly built expressions).

## 1.3 Synonym List

Same results can be achieved in several different ways in APL. This list is a collection of certain idioms from the idiom list that perform (at least approximately) similar operations. (They may differ from each other for instance by requirements set for their arguments.) The synonym list gives a good insight of how to produce similar results in many different ways in APL. Studying these differences will certainly help widening the understanding of APL idioms and expressions.

## 2. LIMITATIONS OF THE IDIOM LIBRARY

---

APL idiom library has been designed for the most common programming circumstances. Consequently, some idioms will not work as desired in every special situations. The idioms will generally work with at least the default values of a VS APL empty workspace, which usually apply also in application workspaces. Possible circumstances for unexpected behaviour of certain idioms might be for instance

- DPP=4      Printing precision is small
- DCT=0.1    Comparison tolerance is high

The index origin OIO deserves special consideration. As the default value is one, every idiom (unless the description states differently) will work if OIO = 1. Several idioms include OIO in the APL expression, which means that the idiom works with both possible OIO values. Exception

cases (works only if DIO = 0) are reported separately in the verbal description. The great majority of the idioms will work in the expected way, independent of parameter values.

This publication intends to present only efficient idioms that promote good APL programming style. It is, however, sometimes difficult to decide if an APL expression will be efficient in every situation. Therefore, especially in handling very large data objects there is a danger that huge amounts of cpu time will be spent or that a WS FULL occurs unexpectedly. If the idiom is good in principle ( (X\X)=1pX is a typical example), but in some conditions may turn out to be inefficient, this is mentioned in the verbal description. Avoiding WS FULL problem is possible for instance with the thumb rule stating that the outer product \*. may easily cause a WS FULL if large data objects are being handled.

Some idioms include numeric or character constants which make the idioms more recognizable but seem to reduce their generality. For instance, the idiom DIVIDING A 400x12 CHARACTER MATRIX INTO ONE PAGE contains the constants 400 and 12, which clearly have to be modified according to the column width and page length.

Certain idioms contain the delta function  $\Delta$  needed when chaining expressions. If these idioms are used, the workspace should contain this function defined in the following way:

```
      vZ←A Δ B
[1]   Z←A
      v
```

This function causes the rightmost expression to be processed first. The leftmost expression will then be executed independently of the result of the previous one.

### 3. EXAMPLES OF THE USE OF THE IDIOM LIBRARY

---

#### 3.1 Finding an idiom to perform a desired task

If we want to use the idiom library to find an expression that underlines a text vector, we can examine words UNDERLINE, TEXT and VECTOR in the index. If the desired idiom belongs to the library, some of these key words will very likely be found in the index. As related idioms are described as UNDERLINING A STRING and UNDERLINING

WORDS, key word UNDERLINING will show where a suitable idiom can be found.

### 3.2 How can decode T be used

Because the idiom list is sorted according to a functional order, most idioms using T are grouped in the same part of the list, near its beginning. Studying idioms in this way will help learning new ways of applying APL functions and thus widen the APL way of thinking.

### 3.3 Removing duplicate lines or elements

The index part contains several idioms under the keyword DUPLICATE. These idioms have been collected to the synonym list. By comparing these idioms it is possible to find an expression that will work properly and efficiently in the desired situation, like finding different words from a word matrix.

### 3.4 What does expression $A \cdot +, 0$ do

Idioms based on the outer product can easily be found in the idiom list. The verbal description of idiom  $X \cdot +, 0$  shows that this is a way to form a one-column matrix from a vector.



# TABLE OF FUNCTIONS

1	...	37	GRADE UP ▲
38	...	44	GRADE DOWN ▼
45	...	63	ENCODE τ
64	...	84	DECODE ↓
85	...	101	EXECUTE ⬆
102	...	111	FORMAT ▽
112	...	120	BRANCH →
121	...	123	ROLL / DEAL ?
124	...	128	MATRIX INVERSION / MATRIX DIVISION ▤
129	...	134	GEOMETRICAL ○
135	...	142	FACTORIAL / BINOMIAL :
143	...	204	OUTER PRODUCT ∙.ω
205	...	246	INNER PRODUCT α.ω
247	...	310	SCAN ω\ ω†
311	...	374	REDUCTION ω/ ω†
375	...	412	TAKE ↑
413	...	448	DROP ↓
449	...	449	CEILING / MAXIMUM ↑
450	...	462	FLOOR / MINIMUM ↓
463	...	479	MAGNITUDE / RESIDUE ↓
480	...	490	EXPAND \
491	...	513	COMPRESS /
514	...	527	TRANSPOSE ⊗
528	...	537	REVERSE / ROTATE ⊕ ⊗
538	...	548	MEMBER OF €
549	...	563	INDEX GENERATOR / INDEX OF \
564	...	569	LOGICAL ~ ∨ ^ ∇ *
570	...	575	COMPARISON < ≤ = ≥ > *
576	...	598	RAVEL / CATENATE ,
599	...	609	AXIS / INDEXING [
610	...	618	SHAPE / RESHAPE ρ
619	...	628	ARITHMETIC + - * ÷
629	...	631	MISCELLANEOUS

## IDIOM LIST

---

GRADE UP  $\Delta$ 

- 1  $1.5 \times (\Delta \Delta X) + \Phi \Delta \Delta \Phi X$  X+D1  
*Ascending cardinal numbers (ranking, shareable)*
- 2  $Y[A_1[\backslash A + \Delta A[\Delta(+\backslash X)[A + \Delta Y]]]$  X+B1; Y+D1  
*Maximum scan ( $\backslash$ ) over subvectors of Y indicated by X*
- 3  $Y[A_1[\backslash A + \Delta A[\Delta(+\backslash X)[A + \nabla Y]]]$  X+B1; Y+D1  
*Minimum scan ( $\backslash$ ) over subvectors of Y indicated by X*
- 4  $Y[\Delta Y] \wedge . = X[\Delta X]$  X+D1; Y+D1  
*Test if X and Y are permutations of each other*
- 5  $X[A[\Delta(+\backslash(\rho X) \leftarrow \backslash \square IO, Y)[A + \Delta X]]]$  X+D1; Y+I1;  $(\rho X) \leftrightarrow +/Y$   
*Sorting subvectors of lengths Y*
- 6  $Y[A[X/\Delta(+\backslash X)[A + \Delta Y]]]$  X+B1; Y+D1  
*Minima ( $/$ ) of elements of subvectors of Y indicated by X*
- 7  $A[\Delta(+\backslash X)[A + \Delta Y]]$  X+B1; Y+D1  
*Grading up subvectors of Y indicated by X*
- 8  $(\rho X) \rho(+, X)[\square IO + A[\Delta[A + \neg 1 \uparrow \rho X]]] \Delta A + (\Delta, X) - \square IO$  X+D2  
*Sorting rows of matrix X into ascending order*
- 9  $(\rho X) \rho(+, X)[A[\Delta(+, \Phi(\Phi \rho X) \rho 1 \uparrow \rho X)[A + \Delta, X]]]$  X+D2  
*Sorting rows of matrix X into ascending order*
- 10  $(\Delta \Delta(G+1), \rho \rho X) \Phi(Y, \rho X) \rho X$  G+I0; Y+I0; X+A  
*Adding a new dimension after dimension G Y-fold*
- 11  $(Y, X, Z, \dots)[\Delta \Delta G]$  X+A1; Y+A1; Z+A1; ... ; G+I1  
*Merging X, Y, Z ... under control of G (mesh)*
- 12  $(X, Y)[\Delta \Delta G]$  X+A1; Y+A1; G+B1  
*Merging X and Y under control of G (mesh)*
- 13  $\Delta \Delta X$  X+D1  
*Ascending cardinal numbers (ranking, all different)*
- 14  $Y[A[X/\Delta(+\backslash X)[A + \nabla Y]]]$  X+B1; Y+D1  
*Maxima ( $/$ ) of elements of subvectors of Y indicated by X*
- 15  $A[\Delta(+\backslash X)[A + \nabla Y]]$  X+B1; Y+D1  
*Grading down subvectors of Y indicated by X*
- 16  $(Y, X)[\Delta \nabla G]$  X+A1; Y+A1; G+B1  
*Merging X and Y under control of G (mesh)*
- 17  $\Delta \nabla X$  X+D1  
*Descending cardinal numbers (ranking, all different)*

- 18  $X[\Delta(1+pY)\downarrow Y\downarrow \Phi X;]$  X←A2; Y←A1  
*Sorting rows of X according to key Y (alphabetizing)*
- 19  $X[\Delta+\downarrow A<.-\Phi A\leftarrow X,0;]$  X←D2  
*Sorting a matrix into lexicographic order*
- 20  $X[\Delta X]^\wedge.=\downarrow pX$  X←I1  
*Test if X is a permutation vector*
- 21  $Y[\Delta X++\downarrow X]$  X←B1; Y←A1  
*Rotate first elements (1Φ) of subvectors of Y indicated by X*
- 22  $1\downarrow \Delta X$  X←D1  
*Index of (first) minimum element of X*
- 23  $\sim 1\downarrow \Delta X$  X←D1  
*Index of (first) maximum element of X*
- 24  $X[(\Delta X)[\downarrow .5 \times pX]]$  X←D1  
*Median*
- 25  $(X, ' ' ' ')[(\square I O+pX)[\Delta(\downarrow pX), (' ' ' '=X)/\downarrow pX]$  X←C1  
*Doubling quotes (for execution)*
- 26  $(X, '*')[(\square I O+pX)[\Delta(\downarrow pX), (Y \times pG)pG]$  X←C1; Y←I0; G←I1  
*Inserting Y \*'s into vector X after indices G*
- 27  $(pX) \geq \Delta(\downarrow pX), Y$  X←D1; Y←I1  
*Expansion vector with zero after indices Y*
- 28  $(X, A_p H)[\Delta(\downarrow pX), A_p Y] \Delta A+G \times p, Y$  X←A1; Y←I1; G←I0; H←A0  
*Catenating G elements H after indices Y in vector X*
- 29  $((A_p H), X)[\Delta(A_p Y), \downarrow pX] \Delta A+G \times p, Y$  X←A1; Y←I1; G←I0; H←A0  
*Catenating G elements H before indices Y in vector X*
- 30  $\Delta Y \downarrow X$  Y←A1; X←A1  
*Grade up according to key Y*
- 31  $A \Delta A[\Delta G] \leftarrow A+Y, X$  X←A1; Y←A1; G←B1  
*Merging X and Y under control of G (mesh)*
- 32  $X[\Delta Y[X]]$  X←I1; Y←D1  
*Sorting indices X according to data Y*
- 33  $X[\Delta X[\downarrow Y];]$  X←D2  
*Sorting a matrix according to Y:th column*
- 34  $\Delta X \times^{-1} \downarrow [Y]$  X←D1; Y←I0  
*Choosing sorting direction during execution*
- 35  $X[\Delta X]$  X←D1  
*Sorting X into ascending order*

```

36  Y[ΔX]                                X←A1; Y←A1
    Sorting Y according to X

37  ΔX                                    X←I1
    Inverting a permutation

---
    GRADE DOWN  ▼

38  X[▽+!A<.-@A←X,0;]                    X←D2
    Sorting a matrix into reverse lexicographic order

39  X[Φ▽+\(1pX)ε+\□IO,Y]                X←D1; Y←I1
    Reversal (Φ) of subvectors having lengths Y

40  Y[Φ▽+\X]                              X←B1; Y←A1
    Reversal (Φ) of subvectors starting at indices X

41  (+/X)†▽X                             X←B1
    Indices of ones in logical vector X

42  X[▽' '×X]                             X←C1
    Moving all blanks to end of text

43  X[▽Y]                                X←A1; Y←B1
    Moving elements satisfying condition Y to the start of X

44  X[▽X]                                X←D1
    Sorting X into descending order

---
    ENCODE  τ

45  τ101((1+[2@[/,X)p2)τX                X←IO
    Binary format of decimal number X

46  1 0τ10 10τ1-□IO-1X                  X←IO
    Helps locating column positions 1..X

47  Φ((0,1pX)+.=+!~A)+.×(-X)×.*A+((pX)p2)τ-1+12*pX  X←D1
    Polynomial with roots X

48  □IO+(pX)τ-□IO-(,(X=(pX)p[!X)^X=Φ(ΦpX)p[/X)/1×/pX  X←D2
    Index pairs of saddle points

49  Φ'0123456789ABCDEF'[□IO+(([/16@,X)p16)τX]        X←I
    Conversion from decimal to hexadecimal

50  (,X)/1+Aτ-1+1×/A←pX                  X←C2
    Transforming connectivity matrix X into a connectivity list

51  □IO+(pX)τ(1×/pX)-□IO                X←A
    Matrix of all indices of X

```

- 52  $(([2 \oplus 1 + X) \rho 2) \tau 0, 1X$  X+I0  
*All binary representations up to X (truth table)*
- 53  $((1 + [10 \oplus X) \rho 10) \tau X$  X+I0  
*Digits of X separately*
- 54  $((1 + [Y \oplus X) \rho Y) \tau X$  X+D0; Y+D0  
*Representation of X in base Y*
- 55  $\square IO + (\rho X) \tau (-\square IO) + (, X \epsilon Y) / 1 \rho, X$  X+A; Y+A  
*Indices of elements Y in array X*
- 56  $, ' ', \Phi '0123456789ABCDEF' [\square IO + 16 \ 16 \tau - \square IO - \square AV, X]$  X+C1  
*Conversion of characters to hexadecimal representation ( $\square AV$ )*
- 57  $\Phi (3 \rho 100) \tau X$  X+D  
*Separating a date YYMMDD to YY, MM, DD*
- 58  $\square IO + (X, Y) \tau (1X \times Y) - \square IO$  X+I0; Y+I0  
*All pairs of elements of 1X and 1Y*
- 59  $((\rho X) \rho 2) \tau^{-1} + 12 * \rho X$  X+A1  
*Matrix for choosing all subsets of X (truth table)*
- 60  $(X \rho 2) \tau^{-1} + 12 * X$  X+I0  
*All binary representations with X bits (truth table)*
- 61  $1 + Y \tau X$  X+D; Y+D0  
*Incrementing cyclic counter X with upper limit Y*
- 62  $0 \ 1 \tau X$  X+D  
*Integer and fractional parts of positive numbers*
- 63  $10 \ 100 \ 1000 \tau X$  X+I  
*Decoding numeric code ABBCCC into a matrix*
- DECODE 1
- 64  $A \Delta A[3 \ 6] \leftarrow ' : ' \Delta A \leftarrow \mp 1000 \ 13 \uparrow 3 \downarrow \square TS$   
*Representation of current time (24 hour clock)*
- 65  $A \Delta A[5 \ 8] \leftarrow ' - ' \Delta A \leftarrow \mp 1000 \ 13 \uparrow \square TS$   
*Representation of current date (descending format)*
- 66  $\rightarrow Y[1 + 2 \downarrow X]$  Y+I1; X+B1  
*Case structure with an encoded branch destination*
- 67  $G \downarrow Y \boxtimes X \cdot \cdot * \Phi - \square IO - 1 \rho X$  X+D1; Y+D1; G+D0  
*Interpolated value of series (X,Y) at G*
- 68  $' * 0 \oplus ' [\square IO + 2 \downarrow X \cdot \cdot \geq 1 [ / , X]$  X+I2; 1ppX  $\leftrightarrow$  2  
*Barchart of two integer series (across the page)*

- 69  $(X \cdot \cdot +, 0) \cdot Y$  X+D1; Y+D1  
Value of polynomial with coefficients Y at points X
- 70  $((A \cdot A) = \cdot pA + 2 \cdot X \wedge \cdot = \Phi X) \cdot X$  X+A2  
Removing duplicate rows
- 71  $B \cdot pA \Delta A[\cdot \cdot IO + B[1] \cdot \cdot \cdot IO - X] + 1 \Delta A + (x/B + 0 \cdot 0 + [/, X) \cdot p0$  X+C2  
Transforming connectivity list X into a connectivity matrix
- 72  $100 \cdot 100 \cdot 13 \cdot \cdot \cdot TS$   
Encoding current date
- 73  $(1 - ('' = X) \cdot 1) \cdot X$  X+C1  
Removing trailing blanks
- 74  $(12 \cdot p7 \cdot p31 \cdot 30)[X] - 0 \cdot [^{-1} + 2 \cdot (X=2), [ \cdot 1] 0 \neq 4 \cdot Y$  X+I0; Y+I  
Number of days in month X of year Y
- 75  $16 \cdot \cdot \cdot IO - '0123456789ABCDEF' \cdot \cdot \cdot X$  X+C  
Conversion from hexadecimal to decimal
- 76  $(1 - ('' = X) \cdot 1) \cdot \Phi X$  X+C  
Justifying right
- 77  $(1 + Y + 100) \cdot \cdot \cdot \Phi X$  X+D1; Y+D0  
Present value of cash flows X at interest rate Y %
- 78  $10 \cdot \cdot \cdot ^{-1} + '0123456789' \cdot \cdot \cdot X$  X+C1  
Transformation of alphanumeric string into numeric
- 79  $('' = X) \cdot 1$  X+C1  
Index of first non-blank, counted from the rear
- 80  $(, X)[\cdot \cdot IO + (pX) \cdot Y - \cdot IO]$  X+A; Y+I2  
Indexing scattered elements
- 81  $\cdot \cdot IO + (pX) \cdot Y - \cdot IO$  X+A; Y+I2  
Conversion of indices to indices of raveled array
- 82  $(1 + Y + 100) \cdot X$  X+D1; Y+D0  
Future value of cash flows X at interest rate Y %
- 83  $X \cdot Y$  X+D0; Y+D  
Value of polynomial with coefficients Y at point X
- 84  $2 \cdot X$  X+B  
Integer representation of logical vectors
- 
- EXECUTE  $\cdot$
- 85  $\cdot \cdot \cdot '1', ' \cdot \cdot \cdot [ \cdot \cdot IO + \wedge / (pX) = \Phi pX], '' '0 \sim 0 \in X = - \Phi X '' '$  X+D2  
Test for antisymmetry of matrix X

- 86  $\pm \pm '1', ' \uparrow \downarrow '[\square IO + \wedge / (\rho X) = \Phi \rho X], ' ' '0 \sim 0 \epsilon X = \Phi X ' ' '$  X←A2  
*Test for symmetricity of matrix X*
- 87  $\{10 \oplus (\pm ('.' \neq A) / A \mp X) \div X$  X←D1  
*Number of decimals of elements of X*
- 88  $\pm 'VAR', (\mp X), ' \leftarrow Y'$  X←A0; Y←A  
*Using a variable named according to X*
- 89  $\pm X / ' \rightarrow '$  X←L0  
*Conditional branch out of programs*
- 90  $' * '[\square IO + (\Phi (-1 + \lfloor / A) + \lfloor 1 + (\lfloor / A) - \lfloor / A) \cdot . = A \leftarrow \lfloor .5 + \pm F]$  F←A1; X←D1  
*Graph of F(X) at points X ('X'∈F)*
- 91  $A + . \times \pm F, 0 \rho X + Y[1] + (A \leftarrow - / Y + G) \times 0, \downarrow G$  F←A1; G←D0; Y←D1;  $\rho Y \leftrightarrow 2$   
*Definite integral of F(X) in range Y with G steps ('X'∈F)*
- 92  $X \leftarrow \pm, ((2 \uparrow 'X'), ' ', \lfloor .5] A)[\square IO + \sim ' ' \wedge . = A \leftarrow, \square; ]$   
*Changing X if a new input value is given*
- 93  $(X \vee . \neq ' ' ) \setminus \downarrow \pm '0 ' ', X, ' '$  X←C2  
*Conversion of each row into a number (default zero)*
- 94  $\pm ((X \wedge . = ' ' ) / 'Y'), X$  X←D1  
*Converting expression X to numeric form with default value Y*
- 95  $\downarrow \pm '0 ' ', (\wedge / X \epsilon ' 0123456789 ' ) / X$  X←C1  
*Test if numeric and converting into numeric form*
- 96  $\pm X / 'EXPRESSION'$  X←B0  
*Conditional execution*
- 97  $1 \rho (\pm \square, ' ', \downarrow 0'), X$  X←D0  
*Giving a numeric default value for input*
- 98  $A \leftarrow \pm, ' ', ' (' , '0', 'p', Y, ' \leftarrow ' , X, ' ' )'$  X←C2; Y←C2  
*Assign values of expressions in X to variables named in Y*
- 99  $\pm, ' ', ' ', ' (' , ' ', ' ', X, ' ' )'$  X←A  
*Evaluation of several expressions; results form a vector*
- 100  $\pm 'X[ ' , ((-1 + \rho \rho X) \rho ' ; ' ), 'Y]'$  X←A; Y←1  
*Indexing when rank is not known beforehand*
- 101  $\pm, ' + ', X$  X←A2  
*Sum of numbers in character matrix X*
- 
- FORMAT     $\nabla$
- 102  $(3 \Phi 7 \ 0 \mp X \cdot . +, 0), \mp Y$  X←D1; Y←A2  
*Numeric headers (elements of X) for rows of table Y*



- 103  $\nabla X \leftarrow +, 0$  X ← D1  
*Formatting a numerical vector to run down the page*
- 104  $A \Delta A[(\text{' '}=A)/\text{' '}_p A] \leftarrow \text{' '}$   $\Delta A \leftarrow \nabla \Phi 3 \uparrow \square TS$   
*Representation of current date (ascending format)*
- 105  $(, (0 \text{ } 1 \uparrow 3 \text{ } 0 \nabla 100 \uparrow 3 \text{ } 1_p 12 \text{ } 0 \text{ } 0 \uparrow 3 \uparrow 3 \uparrow \square TS), \text{' ': '}), \text{'AP'}[1 \uparrow 12 \leq \square TS[4]], \text{'M'}$   
*Representation of current time (12 hour clock)*
- 106  $0 \text{ } 1 \uparrow (2 \uparrow Y \uparrow 1) \nabla (10 * Y) + ((pX), 1)_p X$  X ← I1; Y ← I0  
*Leading zeroes for positive numbers X in fields of width Y*
- 107  $A \Delta A[(\text{' '}=A)/\text{' '}_p A] \leftarrow \text{' '/'}$   $\Delta A \leftarrow \nabla 100 \uparrow 1 \Phi 3 \uparrow \square TS$   
*Representation of current date (American)*
- 108  $(pA)_p B \setminus (B \leftarrow, (\text{'0'} \neq A) \vee \text{' ' } \nabla 1 \Phi A) / , A \leftarrow \text{' '}$   $\nabla X$  X ← A  
*Formatting with zero values replaced by blanks*
- 109  $((1, G) \times pX)_p 2 \text{ } 1 \text{ } 3 \Phi (\Phi G, pX)_p (, G, [1.1]Y) \nabla \Phi X$  X ← D2; Y ← I1; G ← I0  
*Row-by-row formatting (width G) of X with Y decimals per row*
- 110  $(, G, [1.1]H) \nabla X$  X ← D; G ← I1; H ← I1  
*Formatting X with H decimals in fields of width G*
- 111  $p \nabla X$  X ← D0  
*Number of digit positions in scalar X (depends on  $\square PP$ )*
- BRANCH →
- 112  $\rightarrow \square LC \uparrow \text{' '}/, (X \leftarrow X \vee X \vee . \wedge X) \nabla + X$  X ← B2  
*Forming a transitive closure*
- 113  $\rightarrow Y \uparrow \text{' '}_G \geq X \leftarrow X + 1$  X ← I0; Y ← I0; G ← I0  
*For-loop ending construct*
- 114  $\rightarrow Y \uparrow \text{' '}_X$  X ← B0; Y ← I0  
*Conditional branch to line Y*
- 115  $\rightarrow X/Y$  X ← B1; Y ← I1  
*Case structure with logical switch (preferring from start)*
- 116  $\rightarrow X \Phi Y$  X ← I0; Y ← I1  
*Case structure with integer switch*
- 117  $\rightarrow Y[G \text{ } X]$  X ← A0; Y ← I1; G ← A1  
*Case structure according to key vector G*
- 118  $\rightarrow 0 \times \text{' '}_X$  X ← B0  
*Conditional branch out of program*
- 119  $\rightarrow Y[2 \times X]$  X ← I0; Y ← I1  
*Conditional branch depending on sign of X*

```

120  →Y×X                                     X←D0; Y←I0
      Continuing from line Y (if X>0) or exit

---
      ROLL / DEAL  ?

121  X[I1]←?Yp--/X                             X←I1; Y←I1
      Y-shaped array of random numbers within ( X[I1],X[I2] )

122  ?YpX                                     Y←I; X←I
      Choosing Y objects out of \X with replacement (roll)

123  Y?X                                     X←I0; Y←I0
      Choosing Y objects out of \X without replacement (deal)

---
      MATRIX INVERSION / MATRIX DIVISION  ⊞

124  *A+.x(⊙Y)⊞A+X+.x0 1                     X←D1; Y←D1
      Predicted values of exponential (curve) fit

125  A+.xY⊞A+X+.x0 1                         X←D1; Y←D1
      Predicted values of best linear fit (least squares)

126  ⊙Y⊞X+.x0,1G                             X←D1; Y←D1
      G-degree polynomial (curve) fit of points (X,Y)

127  A Δ A[I1]←*A[I1] Δ A+(⊙Y)⊞X+.x0 1       X←D1; Y←D1
      Coefficients of exponential (curve) fit of points (X,Y)

128  Y⊞X+.x0 1                               X←D1; Y←D1
      Best linear fit of points (X,Y) (least squares)

---
      GEOMETRICAL  o

129  ((X≠0)×-3oY+X+X=0)+o((X=0)×.5×Y)+(X<0)×1-2×Y<0   X←D; Y←D
      Arctan Y+X

130  1 2×.oX,Y                               X←D0, Y←D0
      A way to combine trigonometric functions (sin X cos Y)

131  o/-2 1,X                               X←D0
      Complementary angle (arccos sin X)

132  2 2p1 -1 1 1×2 1 1 2oX                X←D0
      Rotation matrix for angle X (in radians) counter-clockwise

133  X×180÷o1                                X←D
      Transformation from radians to degrees

134  X×o÷180                                X←D
      Transformation from degrees to radians

```

---

## FACTORIAL / BINOMIAL !

- 135  $(!Y) \times Y!X$  X←D; Y←D  
Number of permutations of X objects taken Y at a time
- 136  $\Phi A \cdot !A \div 0, !X$  X←I0  
Pascal's triangle of order X (binomial coefficients)
- 137  $+ / Y \times (X \cdot A) \div !A \div -1 + !pY$  X←D0; Y←D1  
Value of Taylor series with coefficients Y at point X
- 138  $(A!X) \times (Y \cdot A) \times (1-Y) \cdot X - A \div -\square I0 - !X + 1$  X←I0; Y←D0  
Binomial distribution of X trials with probability Y
- 139  $+Y \times (X-1)!Y \div X-1$  X←D0; Y←D0  
Beta function
- 140  $(+ - Y) \times (Y \cdot X) \div !X$  X←I; Y←D0  
Poisson distribution of states X with average number Y
- 141  $!X-1$  X←D0  
Gamma function
- 142  $Y!X$  X←D; Y←D  
Number of combinations of X objects taken Y at a time

---

## OUTER PRODUCT ..w

- 143  $\Phi X \cdot \cdot = (1 \ 1 \Phi \setminus X \cdot \cdot = X) / X$  X←D1  
'Position' matrix of a vector
- 144  $' \square '[\square I0 + (\Phi \setminus [ / A) \cdot \cdot \leq A \div + / (\setminus 1 + ([ / X) - [ / X) \cdot \cdot = X]$  X←I1  
Histogram (distribution barchart; down the page)
- 145  $+ / ((\setminus 1 + Y) \cdot \cdot \leq X) \wedge (1 + Y) \cdot \cdot > X$  X←D; Y←D1  
Distribution of X into intervals between Y
- 146  $Y \cdot \cdot \times (1 + G \div 100) \cdot \cdot \times X$  X←D; Y←D; G←D  
Compound interest for principals Y at rates G % in times X
- 147  $(Y[A \cdot \cdot + \setminus 1 + !pX] \wedge \cdot \cdot = X) / A \div (A = 1 \div X) / !pA \div (1 - pX) \div Y$  X←A1; Y←A1  
Occurrences of string X in string Y
- 148  $(1 \ \setminus 1 \cdot \cdot = \Phi X) \cdot \cdot \times !1 \div pX$  X←I2 (1=START; \setminus 1=END)  
Transforming connection matrix X into a node matrix
- 149  $0 \cdot \cdot \div \cdot \cdot ([ (10 \cdot Y) \times 10 \div \square I0 - !Y + 1) \cdot \cdot ! [X \times 10 \cdot Y$  X←D; Y←I0  
Number of decimals (up to Y) of elements of X
- 150  $X \cdot \cdot \times Y \cdot \cdot = ((!pY) = Y \setminus Y) / Y$  X←D1 Y←D1  
Sum over elements of X determined by elements of Y

- 151 (F A)+.\*(A+((1pX)=X1X)/X)+.=X X+A1  
*Executing costly monadic function F on repetitive arguments*
- 152 (G+.=X)+.\*Y X+A; Y+D; G+A  
*Sums according to codes G*
- 153 1++/\1 2 1 3QY+.=X X+A2; Y+A2  
*'X1Y' by rows for elements of matrices*
- 154 (1 1Q<\X+.=X)/X X+A1  
*Removing duplicate elements (nub)*
- 155 [/(^/0=A+.=X)/A+11/X X+I1  
*Greatest common divisor of elements of X*
- 156 +/(A+X÷[A+Y-1/Y)+.=1+1X X+I0; Y+D1  
*Classification of elements Y into X classes of equal size*
- 157 -/(1[//,X)+.=QX X+I2 (X[1;]=START; X[2;]=END)  
*Transforming node matrix X into a connection matrix*
- 158 ^/1=+/X+.=1pX X+I1  
*Test if X is a permutation vector*
- 159 v/^/0 1+.=X X+B1  
*Test if all elements of vector X are equal*
- 160 (pX)p(,(+/A)+.=QIO-11tpX)\(,A+X+ ' ')/,X X+C  
*Moving all blanks to end of each row*
- 161 ^/,(0+X)≤A+.=A+11tpX X+D2  
*Test if X is an upper triangular matrix*
- 162 ^/,(0+X)≤A+.=A+11tpX X+D2  
*Test if X is a lower triangular matrix*
- 163 +f(QIO-1pX)QX+.=Y,0+11X X+D1; Y+D1  
*Product of two polynomials with coefficients X and Y*
- 164 0=(1[/X)+.=1X X+I1  
*Divisibility table*
- 165 X+.=Q1[/X X+I1  
*Matrix with X[i] trailing zeroes on row i*
- 166 ' Q'[QIO+(Q1[/X)+.=X] X+I1  
*Barchart of integer values (down the page)*
- 167 X+.=Q1[/X X+I1  
*Matrix with X[i] trailing ones on row i*
- 168 X+.=1[/X X+I1  
*Matrix with X[i] leading zeroes on row i*

- 169  $X \cdot \geq \lceil X, 0$  X←I1  
*Comparison table*
- 170 '  $\square'[\square IO + X \cdot \geq (\lceil X) \times (\lceil Y) \div Y]$  X←D1; Y←D0  
*Barchart of X with height Y (across the page)*
- 171 '  $\square'[\square IO + X \cdot \geq \lceil X]$  X←I1  
*Barchart of integer values (across the page)*
- 172  $X \cdot \geq \lceil X$  X←I1  
*Matrix with X[i] leading ones on row i*
- 173  $+ / (\lceil Y) \cdot = (\lceil (X - G) \div H$  X←D; Y←I0; G←D0; H←D0  
*Division to Y classes with width H, minimum G*
- 174  $1 \ 2 \ 1 \oplus X \cdot - \lceil X$  X←D2  
*Move set of points X into first quadrant*
- 175  $(2 = + / 0 = (\lceil X) \cdot \lceil X) / \lceil X$  X←I0  
*All primes up to X*
- 176  $(\wedge (\neg 1 + \lceil pX) \oplus (X \cdot = Y), 0) / \lceil 1 + pY$  X←C1; Y←C1  
*Occurrences of string X in string Y*
- 177  $\square IO + + / Y \cdot \geq ('' = X) / \lceil pX$  X←C1; Y←I  
*Ordinal numbers of words in X that indices Y point to*
- 178  $(\wedge (\neg 1 + \lceil pX) \oplus X \cdot = Y) \lceil 1$  X←A1; Y←A1  
*First occurrence of string X in string Y*
- 179  $Y[+ / Y \cdot \leq X]$  X←D0; Y←D1  
*Contour levels Y at points with altitudes X*
- 180  $\neq / X \cdot \geq Y$  X←D; Y←D1  
*Test if X is within range [ Y[1], Y[2] )*
- 181  $+ / X \cdot \geq 0 \ 50 \ 100 \ 1000$  X←D  
*Which class do elements of X belong to*
- 182  $((\neg 1 \oplus \sim A) \wedge A + (\neg 1 + X = 1 \oplus X), 0) / Y \cdot = Y$  X←A1; Y←A1  
*Repeat matrix*
- 183  $(\lceil X) \cdot \lceil X$  X←I0  
*Maximum table*
- 184  $(, Y \cdot > \oplus (\lceil G) - \square IO) \backslash X$  X←A1; Y←I1; G←I0  
*Justifying right fields of X (lengths Y) to length G*
- 185  $(, Y \cdot > (\lceil G) - \square IO) \backslash X$  X←A1; Y←I1; G←I0  
*Justifying left fields of X (lengths Y) to length G*
- 186  $((pA)pY + 100) \div A + \oplus 1 - (1 + Y \div 100) \cdot \cdot - X$  X←I; Y←D  
*Annuity coefficient: X periods at interest rate Y %*

- 187 1 3 2 4@X..xY X+D2; Y+D2  
Direct matrix product
- 188 1 2 1 2@X..xY X+D2; Y+D2  
Shur product
- 189 1 2 2@Y..+X X+D1; Y+D2  
Adding X to each row of Y
- 190 2 1 2@X..+Y X+D1; Y+D2  
Adding X to each row of Y
- 191 1 2 1 2@X..+Y X+D2; Y+D2  
Matrix sum
- 192 1 2 1@Y..+X X+D1; Y+D2  
Adding X to each column of Y
- 193 1 1 2@X..+Y X+D1; Y+D2  
Adding X to each column of Y
- 194 G@X..aY X+A; Y+A; G+11  
Selecting specific elements from a 'large' outer product
- 195 (1X)..≤1X X+I0  
X×X upper triangular matrix
- 196 (1X)..≥1X X+I0  
X×X lower triangular matrix
- 197 (1X)..=1X X+I0  
X×X identity matrix
- 198 +<sup>-1</sup>+(1X)..+1X X+I0  
Hilbert matrix of order X
- 199 (1X)..x1X X+I0  
Multiplication table
- 200 X[;,(Yp1)..x1(pX)[2];] Y+I0; X+A3  
Replicating a dimension of rank three array X Y-fold
- 201 (0,1(pX)-Y)..+Y X+A1 Y+I0  
Moving index of width Y for vector X
- 202 X..+1Y X+I1; Y+I0  
Indices of subvectors of length Y starting at X+1
- 203 X..+,0 X+D1  
Reshaping numeric vector X into a one-column matrix
- 204 X..x1 <sup>-1</sup> X+D  
Array and its negative ('plus minus')

---

## INNER PRODUCT a.w

- 205  $(-2 \uparrow + / \wedge \backslash \Phi X \wedge . = ' ' ) \uparrow X$  X←C2  
Removing trailing blank rows
- 206  $((A \downarrow A) = \downarrow p A + \square I O \uparrow + \uparrow \wedge \backslash X v . \neq \Phi X) \uparrow X$  X←A2  
Removing duplicate rows
- 207  $\square I O \uparrow + \uparrow \wedge \backslash X v . \neq \Phi Y$  X←A2; Y←A2  
'X\Y' for rows of matrices
- 208  $(1 \downarrow \Phi \backslash X \wedge . = \Phi X) \uparrow X$  X←A2  
Removing duplicate rows
- 209  $(\Phi v \backslash \Phi ' ' v . \neq X) / X$  X←C2  
Removing trailing blank columns
- 210  $(v \backslash ' ' v . \neq X) / X$  X←C2  
Removing leading blank columns
- 211  $(v \backslash X v . \neq ' ' ) \uparrow X$  X←C2  
Removing leading blank rows
- 212  $(X \uparrow 1 \uparrow A) [1 \uparrow A + (2 \downarrow 2 p^{-1} \downarrow 1 \downarrow 1 \downarrow . 1) + . \times 10 * (-1 \uparrow Y), - / Y + Y > 99 \downarrow 0 \downarrow X + D; Y \uparrow 1]$   
Limits X to fit in  $\nabla$  field Y[1 2]
- 213  $A + (X - A + I / X) \uparrow . \times Y$  X←A1; Y←B  
Maxima of elements of subsets of X specified by Y
- 214  $X \wedge . = v / X$  X←B1  
Test if all elements of vector X are equal
- 215  $X \wedge . = \wedge / X$  X←B1  
Test if all elements of vector X are equal
- 216  $((((1 \uparrow p X), p Y) \uparrow X) \wedge . = Y) \uparrow X$  X←A2; Y←A1  
Rows of matrix X starting with string Y
- 217  $(' ' \neq X) \uparrow . \times \downarrow^{-1} \uparrow p X$  X←C  
Indices of last non-blanks in rows
- 218  $(A v \downarrow 1 \downarrow \Phi 1, A \leftarrow X v . \neq ' ' ) \uparrow X$  X←C2  
Removing duplicate blank rows
- 219  $((-A) \uparrow X \wedge . = (A, 1 + p Y) p Y) / \downarrow (p Y) + 1 - A + p X$  X←A1; Y←A1  
Occurrences of string X in string Y
- 220  $(A v \downarrow 1, \downarrow^{-1} \uparrow A + ' ' v . \neq X) / X$  X←C2  
Removing duplicate blank columns
- 221  $\sim X \leq . \geq ([X], G, H)$  X←I0; G←I0; H←I0  
Test if X is an integer within range [ G, H )



222	$Y \uparrow . \times X$ <i>Maximum of X with weights Y</i>	$X \leftarrow D1; Y \leftarrow D1$
223	$Y \downarrow . \times X$ <i>Minimum of X with weights Y</i>	$X \leftarrow D1; Y \leftarrow D1$
224	$X \leftarrow X \downarrow . + X$ <i>Extending a distance table to next leg</i>	$X \leftarrow B2$
225	$(X \vee . \neq ' ') \uparrow X$ <i>Removing blank rows</i>	$X \leftarrow C2$
226	$(' ' \vee . \neq X) / X$ <i>Removing blank columns</i>	$X \leftarrow C2$
227	$(X *^{-1} + 1 \uparrow p Y) + . \times \Phi Y$ <i>Value of polynomial with coefficients Y at point X</i>	$X \leftarrow D0; Y \leftarrow D$
228	$1 \in X \wedge . = Y$ <i>Test if vector Y is a row of array X</i>	$X \leftarrow A; Y \leftarrow A1$
229	$(Y \wedge . = X) \downarrow 1$ <i>First occurrence of string X in matrix Y</i>	$X \leftarrow A2; Y \leftarrow A1; ^{-1} \uparrow p Y \leftrightarrow p X$
230	$X \leftarrow X \vee . \wedge X$ <i>Extending a transitive binary relation</i>	$X \leftarrow B2$
231	$X \vee . \neq Y$ <i>Test if rows of X contain elements differing from Y</i>	$X \leftarrow A; Y \leftarrow A0$
232	$X \wedge . = Y$ <i>Comparing vector Y with rows of array X</i>	$X \leftarrow A; Y \leftarrow A1$
233	$X < . < Y$ <i>Test if X is within range [ Y[1;], Y[2;] )</i>	$X \leftarrow D0; Y \leftarrow D2; 1 \uparrow p Y \leftrightarrow 2$
234	$X < . \leq Y$ <i>Test if X is within range ( Y[1;], Y[2;] ]</i>	$X \leftarrow D; Y \leftarrow D2; 1 \uparrow p Y \leftrightarrow 2$
235	$(X, [ . 1 + p p X ] X) > . > Y$ <i>Test if X is within range ( Y[1;], Y[2;] ]</i>	$X \leftarrow D; Y \leftarrow D2; 1 \uparrow p Y \leftrightarrow 2$
236	$X + . = , Y$ <i>Number of occurrences of scalar X in array Y</i>	$X \leftarrow A0; Y \leftarrow A$
237	$(Y + . \times X) \div p X$ <i>Arithmetic average (mean value) of X weighted by Y</i>	$X \leftarrow D1; Y \leftarrow D1$
238	$Y - . \div X$ <i>Sum of alternating reciprocal series <math>Y \div X</math></i>	$X \leftarrow D1; Y \leftarrow D1$
239	$Y + . \div X$ <i>Sum of reciprocal series <math>Y \div X</math></i>	$X \leftarrow D1; Y \leftarrow D1$

- 240  $X+.xY$   $X \leftarrow D$ ;  $Y \leftarrow D$ ;  $\neg 1 \uparrow pX \leftrightarrow 1 \uparrow pY$   
Matrix product
- 241  $X+.xY$   $X \leftarrow A1$ ;  $Y \leftarrow B$   
Summation over subsets of  $X$  specified by  $Y$
- 242  $X+.xX$   $X \leftarrow D1$   
Sum of squares of  $X$
- 243  $Y+.xX$   $X \leftarrow D1$ ;  $Y \leftarrow D1$   
Scalar (dot) product of vectors
- 244  $Xx.xY$   $X \leftarrow A1$ ;  $Y \leftarrow B$   
Products over subsets of  $X$  specified by  $Y$
- 245  $\square RL \leftarrow \square TS+.x2$   
Randomizing random numbers (in  $\square LX$  in a workspace)
- 246  $X+.x2$   $X \leftarrow D1$   
Sum of squares of  $X$
- 
- SCAN  $\omega \backslash \omega \downarrow$
- 247  $(1+/X,Y)\epsilon+1+1\downarrow 0,((1+/X)\epsilon+\backslash X)\backslash Y$   $Q \leftarrow I1$ ;  $Y \leftarrow I1$   
Vector  $(X[1]p1),(Y[1]p0),(X[2]p1),\dots$
- 248  $(A-[0.5 \times (A++/\wedge \backslash \Phi A)++/\wedge \backslash A \leftarrow ' '= \Phi X)\Phi X$   $X \leftarrow C$   
Centering character array  $X$  with ragged edges
- 249  $\square IO++\backslash 1+((1+/X)\epsilon+\square IO,X)\backslash Y-\neg 1\downarrow 1,X+Y$   $X \leftarrow I1$ ;  $Y \leftarrow I1$ ;  $pX \leftrightarrow pY$   
Vector  $(Y[1]+\backslash X[1]),(Y[2]+\backslash X[2]),(Y[3]+\backslash X[3]),\dots$
- 250  $Y[\backslash (1+/X)\epsilon-\neg 1\downarrow 1++\backslash 0,X]$   $X \leftarrow I1$ ;  $Y \leftarrow A1$ ;  $\wedge / 0 < X$   
Replicate  $Y[i]$   $X[i]$  times (for all  $i$ )
- 251  $((X \neq 0)/Y)[\backslash \neg 1 \Phi (1+/X)\epsilon+\backslash X]$   $X \leftarrow I1$ ;  $Y \leftarrow A1$   
Replicate  $Y[i]$   $X[i]$  times (for all  $i$ )
- 252  $\neq \backslash (1+/X)\epsilon+\backslash \square IO,X$   $X \leftarrow I1$ ;  $\wedge / 0 < X$   
Vector  $(X[1]p1),(X[2]p0),(X[3]p1),\dots$
- 253  $Y[\square IO++\backslash (1+/X)\epsilon \square IO++\backslash X]$   $X \leftarrow I1$ ;  $Y \leftarrow A1$ ;  $\wedge / 0 < X$   
Replicate  $Y[i]$   $X[i]$  times (for all  $i$ )
- 254  $\neq \backslash Y \neq X \backslash A \neq -\neg 1\downarrow 0,A \leftarrow X / \neq \backslash -\neg 1\downarrow 0,Y$   $X \leftarrow B1$ ;  $Y \leftarrow B1$   
Running parity ( $\neq \backslash$ ) over subvectors of  $Y$  indicated by  $X$
- 255  $+\backslash Y - X \backslash A - \neg 1\downarrow 0,A \leftarrow X / +\backslash -\neg 1\downarrow 0,Y$   $X \leftarrow B1$ ;  $Y \leftarrow D1$   
Cumulative sum ( $+\backslash$ ) over subvectors of  $Y$  indicated by  $X$
- 256  $Y \wedge A = [\backslash X \times A \leftarrow +\backslash Y > -\neg 1\downarrow 0,Y$   $X \leftarrow B$ ;  $Y \leftarrow B$   
Groups of ones in  $Y$  pointed by  $X$  (or trailing parts)

- 257  $A \leftarrow -1 \downarrow 0, A \leftarrow (+ \setminus X) [+ \setminus Y]$  X←D1; Y←I1  
Sums over (+/) subvectors of X, lengths in Y
- 258  $(\rho X) \rho A \setminus (A \leftarrow, \wedge \setminus ('n' \neq X) \vee \neq \setminus X = ''') / , X$  X←C2  
Decommenting a matrix representation of a function ( $\square CR$ )
- 259  $((\Phi \vee \setminus \Phi A) \wedge \vee \setminus A \leftarrow ' ' \neq X) / X$  X←C1  
Removing leading and trailing blanks
- 260  $+ \setminus + \setminus \setminus X$  X←I0  
X first figurate numbers
- 261  $X \wedge \wedge \setminus X = \vee \setminus X$  X←B  
First group of ones
- 262  $(\leftarrow \setminus, (X = (\rho X) \rho [+X] \wedge X = \Phi(\Phi \rho X) \rho \setminus X) / , X$  X←D2  
Value of saddle point
- 263  $((\sim(\rho A \uparrow X) \uparrow ' ' = Y) / A \uparrow X), (1 \downarrow A \uparrow Y), (A \leftarrow + / \wedge \setminus Y \neq ' , ' ) \downarrow X$  X←C1; Y←C1  
Editing X with Y  $\nabla$ -wise
- 264  $((\setminus(\rho Y) ++ / X) \epsilon + \setminus 1 \downarrow 0, -1 \downarrow ((\setminus \rho Y) \epsilon G) \setminus X) \setminus Y$  X←I1; Y←A1; G←I1  
Open a gap of X[i] after Y[G[i]] (for all i)
- 265  $(\setminus(\rho Y) ++ / X) \epsilon + \setminus 1 + -1 \downarrow 0, (1 \Phi Y) \setminus X$  X←I1; Y←B1  
Insert vector for X[i] zeroes after i:th subvector
- 266  $(- + / \wedge \setminus ' ' = \Phi X) \downarrow X$  X←C1  
Removing trailing blanks
- 267  $(+ / \wedge \setminus ' ' = X) \downarrow X$  X←C1  
Removing leading blanks
- 268  $\wedge / [Y] X = \setminus [Y] X$  X←D; Y←I0  
Test if X is in ascending order along direction Y
- 269  $(- [0.5 \times + / \wedge \setminus ' ' = \Phi X) \Phi X$  X←C  
Centering character array X with only right edge ragged
- 270  $\wedge / [Y] X = \setminus [Y] X$  X←D; Y←I0  
Test if X is in descending order along direction Y
- 271  $((\setminus(\rho Y) ++ / X) \epsilon + \setminus 1 + ((\setminus \rho Y) \epsilon G) \setminus X) \setminus Y$  X←I1; Y←A1; G←I1  
Open a gap of X[i] before Y[G[i]] (for all i)
- 272  $(\Phi \vee \setminus \Phi \vee f' ' \neq X) / X$  X←C2  
Removing trailing blank columns
- 273  $X, [\square I 0 - (+ \setminus 2 \rho \wedge / 2 > (\rho \rho X), \rho \rho Y) / .5 \ 0] Y$  X←A; Y←A  
Vectors as matrices in catenation
- 274  $X, [\square I 0 + (+ \setminus 2 \rho \wedge / 2 > (\rho \rho X), \rho \rho Y) / .5 \ 1] Y$  X←A; Y←A  
Vectors as matrices in catenation

- 275  $(-+/\wedge\backslash' '= \emptyset X)\emptyset X$  X←C  
*Justifying right*
- 276  $(+/\wedge\backslash' '= X)\emptyset X$  X←C  
*Justifying left*
- 277  $(1+/X)\epsilon(+\backslash X) \sim \square IO$  X←I1  
*Changing lengths of subvectors to ending indicators*
- 278  $(1+/X)\epsilon+\backslash \square IO, X$  X←I1  
*Changing lengths of subvectors to starting indicators*
- 279  $(1+/A)\epsilon+\backslash A+1+X$  X←I1  
*Insert vector for X[i] elements before i:th element*
- 280  $(+\backslash X)11+/X$  X←B1  
*Indices of ones in logical vector X*
- 281  $+/Y \times \backslash 1, X+1^{-1}+pY$  X←D0; Y←D1  
*Value of Taylor series with coefficients Y at point X*
- 282  $\square IO++/\wedge\backslash' '\neq X$  X←C  
*Indices of first blanks in rows of array X*
- 283  $(Y=+\backslash X=1\uparrow X)/X$  Y←I0; X←C1  
*Locating field number Y starting with first element of X*
- 284  $A^{-1}\uparrow 0, A+(Y\neq 1\uparrow Y, 0)/+\backslash X$  X←D1; Y←D1  
*Sum elements of X marked by succeeding identicals in Y*
- 285  $((Y-1)\uparrow A)-0, (-Y)\uparrow A++\backslash X$  X←D1; Y←I0  
*Running sum of Y consecutive elements of X*
- 286  $G^{-1}\uparrow 0, G+0[(+\backslash Y)-X$  Y←D1; X←D0  
*Fifo stock Y decremented with X units*
- 287  $A\nu^{-1}\uparrow 0, A+2|\backslash X='''$  X←C1  
*Locations of texts between and including quotes*
- 288  $A\wedge^{-1}\uparrow 0, A+2|\backslash X='''$  X←C1  
*Locations of texts between quotes*
- 289  $\neq \backslash (Y \vee X) \backslash A\neq^{-1}\uparrow 0, A+(Y \vee X)/Y$  X←B1; Y←B1  
*Or-scan ( $\vee$ ) over subvectors of Y indicated by X*
- 290  $\sim \neq \backslash (Y \leq X) \backslash A\neq^{-1}\uparrow 0, A+\sim (Y \leq X)/Y$  X←B1; Y←B1  
*And-scan ( $\wedge$ ) over subvectors of Y indicated by X*
- 291  $A^{-1}\uparrow 0, A+(1\emptyset X)/+\backslash Y$  X←B1; Y←D1  
*Sums over ( $+/$ ) subvectors of Y indicated by X*
- 292  $Y \wedge A \epsilon (X \wedge Y) / A++\backslash Y >^{-1}\uparrow 0, Y$  X←B1; Y←B1  
*Groups of ones in Y pointed by X*

- 293  $A \vee^{-1} \downarrow 0, A \neq \backslash X = ''''$  X←C1  
*Locations of texts between and including quotes*
- 294  $A \wedge^{-1} \downarrow 0, A \neq \backslash X = ''''$  X←C1  
*Locations of texts between quotes*
- 295  $+ \backslash ( (' = X) -^{-1} \downarrow 0, ') ' = X$  X←C1  
*Depth of parentheses*
- 296  $+ \backslash^{-1} \downarrow \square IO, X$  X←I1  
*Starting positions of subvectors (lengths in X)*
- 297  $X[1[\backslash Y \times \downarrow p Y]$  X←A1; Y←B1  
*Duplicating element of X belonging to Y, 1↑X until next found*
- 298  $(\Phi \vee \backslash \Phi ' ' \neq X) / X$  X←C1  
*Removing trailing blanks*
- 299  $(\vee \backslash ' ' \neq X) / X$  X←C1  
*Removing leading blanks*
- 300  $(G = + \backslash X) / Y$  X←A1; Y←B1; G←I0  
*G:th subvector of Y (subvectors indicated by X)*
- 301  $- \backslash \backslash X$  X←I0  
*Alternating series (1 <sup>-1</sup> 2 <sup>-2</sup> 3 <sup>-3</sup> ...)*
- 302  $+ \backslash \backslash X$  X←I0  
*X first triangular numbers*
- 303  $X \vee \neq \backslash X$  X←B  
*Joining pairs of ones*
- 304  $\vee \backslash X$  X←B  
*Turn on all zeroes after first one*
- 305  $(\sim X) \wedge \neq \backslash X$  X←B  
*Places between pairs of ones*
- 306  $\wedge \backslash X$  X←B  
*Turn off all ones after first zero*
- 307  $< \backslash X$  X←B  
*Turn off all ones after first one*
- 308  $\leq \backslash X$  X←B  
*Turn on all zeroes after first zero*
- 309  $\neq \backslash X$  X←B  
*Running parity*
- 310  $+ \backslash X$  X←D  
*Cumulative sum*

---

REDUCTION w/ w†

- 311  $(\uparrow/X)=\uparrow/X$  X←D1  
Test if all elements of vector X are equal
- 312  $(\uparrow/X)-\uparrow/X$  X←D1  
Size of range of elements of X
- 313  $-/\times\neq 0\ 1\oplus X$  X←D2  
Evaluating a two-row determinant
- 314  $-/\times/0\ 1\ominus X$  X←D2  
Evaluating a two-row determinant
- 315  $(\wedge/X)\vee\sim\vee/X$  X←B1  
Test if all elements of vector X are equal
- 316  $(\wedge/X)=\vee/X$  X←B1  
Test if all elements of vector X are equal
- 317  $\wedge/X\vee\vee/X$  X←B1  
Test if all elements of vector X are equal
- 318  $(\times/((+/X+2)-0,X))\times.5$  X←D1; 3 ↔ pX  
Area of triangle with side lengths in X (Heron's formula)
- 319  $((+/(X-(+/X)+pX)\times 2)+pX)\times.5$  X←D1  
Standard deviation of X
- 320  $(+/(X-(+/X)+pX)\times 2)+pX$  X←D1  
Variance (dispersion) of X
- 321  $(+/(X-(+/X)+pX)\times Y)+pX$  X←D1  
Y:th moment of X
- 322  $\wedge/((1\uparrow X)\epsilon 10\uparrow A),X\epsilon A\leftarrow'0..9A..Z\Delta A..X\Delta'$  X←C1  
Test if X is a valid APL name
- 323  $Y\uparrow((\uparrow-/.5\times Y,pX)p'\ '),X$  X←C1; Y←I0  
Centering text line X into a field of width Y
- 324  $\wedge/X=1\uparrow X$  X←A1  
Test if all elements of vector X are equal
- 325  $(+/X)\div^{-1}\uparrow 1,pX$  X←D2  
Average (mean value) of rows of matrix X
- 326  $(+/X)\div 1\uparrow(pX),1$  X←D2  
Average (mean value) of columns of matrix X
- 327  $(^{-1}\oplus 1\uparrow(\vee/X\neq^{-1}\ominus X),1)\div X$  X←A2  
Removing duplicate rows from ordered matrix X

- 328  $\times /^{-1} \vdash pX$  X←A  
Number of rows in array X (also of a vector)
- 329  $(\downarrow / X) \in X$  X←I1  
Converting set of positive integers X into a mask
- 330  $X \downarrow / X$  X←D1  
Index of (first) maximum element of X
- 331  $/ \downarrow \downarrow 0$   
Negative infinity; the smallest representable value
- 332  $(+ / , X) \div 1 \uparrow p, X$  X←D  
Arithmetic average (mean value), also for an empty array
- 333  $A[X] \Delta A[Y] \div 1 \Delta A \left( (\uparrow / X, Y) p 0 \right)$  X←I1; Y←I1  
Quick membership ( $\in$ ) for positive integers
- 334  $\uparrow / X, 0$  X←D1  
Positive maximum, at least zero (also for empty X)
- 335  $\uparrow / X$  X←D1  
Maximum of elements of X
- 336  $X \downarrow \downarrow / X$  X←D1  
Index of (first) minimum element of X
- 337  $\downarrow \downarrow \downarrow 0$   
Positive infinity; the largest representable value
- 338  $\downarrow / X \downarrow Y$  X←C1; Y←C1  
Index of first occurrence of elements of Y
- 339  $\downarrow / X$  X←D1  
Minimum of elements of X
- 340  $0 = (pX) \downarrow + / X$  X←B1  
Test if all elements of vector X are equal
- 341  $\wedge / X \downarrow 1 \Phi X$  X←B1  
Test if all elements of vector X are equal
- 342  $+ / A \times^{-1} * A < 1 \Phi A < 0, 1000 \ 500 \ 100 \ 50 \ 10 \ 5 \ 1 [ 'MDCLXVI' \downarrow X ]$  X←A  
Interpretation of roman numbers
- 343  $\wedge / X = 1 \Phi X$  X←A1  
Test if all elements of vector X are equal
- 344  $\wedge / X = 1 \Theta X$  X←A2  
Comparison of successive rows
- 345  $\wedge / (X \in Y), Y \in X$  X←A1; Y←A1  
Identity of two sets



346	$\wedge / (i_p X) \in X$ <i>Test if X is a permutation vector</i>	$X \leftarrow I1$
347	$\neq / 0 \ 1 \in X$ <i>Test if all elements of vector X are equal</i>	$X \leftarrow B1$
348	$\vee / Y \in X$ <i>Test if X and Y have elements in common</i>	$X \leftarrow A; Y \leftarrow A1$
349	$\sim \wedge / X \in \sim X$ <i>Test if all elements of vector X are equal</i>	$X \leftarrow B1$
350	$\wedge / , X \in 0 \ 1$ <i>Test if X is boolean</i>	$X \leftarrow A$
351	$\wedge / Y \in X$ <i>Test if Y is a subset of X (<math>Y \subset X</math>)</i>	$X \leftarrow A; Y \leftarrow A1$
352	$\neq / 0 \ 1 \in X$ <i>Test if all elements of vector X are equal</i>	$X \leftarrow B1$
353	$\wedge / (X_1 X) = i_p X$ <i>Test if each element of X occurs only once</i>	$X \leftarrow A1$
354	$\wedge / \square IO = X_1 X$ <i>Test if all elements of vector X are equal</i>	$X \leftarrow A1$
355	$\sim \vee / X$ <i>None, neither</i>	$X \leftarrow B$
356	$\vee / X$ <i>Any, anyone</i>	$X \leftarrow B$
357	$\wedge / , X = Y$ <i>Test if arrays of equal shape are identical</i>	$X \leftarrow A; Y \leftarrow A; pX \leftrightarrow pY$
358	$\wedge / X = X[1]$ <i>Test if all elements of vector X are equal</i>	$X \leftarrow A1$
359	$\wedge / ' ' = X$ <i>Blank rows</i>	$X \leftarrow C2$
360	$\wedge / X$ <i>All, both</i>	$X \leftarrow B$
361	$\neq / X$ <i>Parity</i>	$X \leftarrow B$
362	$+ / X = , Y$ <i>Number of occurrences of scalar X in array Y</i>	$X \leftarrow A0; Y \leftarrow A$
363	$(-X[2] - \sqrt{1 \times ((X[2] + 2) - x/4, X[1 \ 3]) \times .5} + 2 \times X[1])$ <i>(Real) solution of quadratic equation with coefficients X</i>	$X \leftarrow D1; 3 \leftrightarrow pX$

- 364  $(+/[Y]X)+(pX)[Y]$  X←D; Y←I0  
Average (mean value) of elements of X along direction Y
- 365  $(+/X)+pX$  X←D1  
Arithmetic average (mean value)
- 366  $x/pX$  X←A  
Number of elements (also of a scalar)
- 367  $+/X$  X←D  
Alternating product
- 368  $x/X$  X←D1  
Product of elements of X
- 369  $-/X$  X←D  
Alternating sum
- 370  $+/X$  X←B1  
Number of elements satisfying condition X
- 371  $+/X$  X←A1  
Reshaping one-element vector X into a scalar
- 372  $+tX$  X←D2  
Column sum of a matrix
- 373  $+/X$  X←D2  
Row sum of a matrix
- 374  $+/X$  X←D1  
Sum of elements of X
- 
- TAKE ↑
- 375  $Y[1G:],[1]((1+pY)+X),[1](2+G)+Y$  X←A1; Y←A2; G←I0  
Inserting vector X into matrix Y after row G
- 376  $(A+X),[1](1+A+(pX)[0,pY])+Y$  X←A2; Y←A1  
Inserting vector Y to the end of matrix X
- 377  $Y+X,Yp^{-1}+X$  X←A1; Y←I0  
Filling X with last element of X to length Y
- 378  $X[Y;]+(1+pX)+\square$  X←C2; Y←I0  
Input of row Y of text matrix X
- 379  $(1+A)+(A+1\Phi A+X=Y)/X$  X←A1; Y←A0  
Removing leading, multiple and trailing Y's
- 380  $X+(pX)pA \Delta A[(A=1+Y)/1pA+,X]+1+Y$  X←A; Y←A1  
Changing elements in X with value Y[1] into Y[2]

- 381  $X > ((-ppX) \uparrow^{-1}) \downarrow 0, X$  X←B  
*First ones in groups of ones*
- 382  $(G \uparrow Y), X, G \uparrow Y$  X←A1; Y←A1; G←I0  
*Inserting X into Y after index G*
- 383  $X - ((-ppX) \uparrow^{-1}) \downarrow 0, X$  X←D  
*Pairwise differences of successive columns (inverse of +\)*
- 384  $((-ppX) \uparrow 1) \downarrow X, 0$  X←D  
*Rightmost neighboring elements*
- 385  $((-ppX) \uparrow^{-1}) \downarrow 0, X$  X←D  
*Leftmost neighboring elements*
- 386  $(-pX) \uparrow (-Y) \downarrow X$  X←A1; Y←I0  
*Shifting vector X right with Y without rotate*
- 387  $(pX) \uparrow Y \downarrow X$  X←A1; Y←I0  
*Shifting vector X left with Y without rotate*
- 388  $(2 \uparrow Y) \downarrow X$  X←A2; Y←I0  
*Drop of Y first rows from matrix X*
- 389  $, @ (Ap2) p (2 * A + [2 \bullet X]) \uparrow 1, X$  X←I0  
*Playing order in a cup for X ranked players*
- 390  $((1 \ 0 * pY) [pX]) \uparrow X$  X←A2; Y←A2  
*Lengthening matrix X to be compatible with Y*
- 391  $((0 \ 1 * pY) [pX]) \uparrow X$  X←A2; Y←A2  
*Widening matrix X to be compatible with Y*
- 392  $(1 \uparrow^{-2} \uparrow pX) pX$  X←A; 2≥ppX  
*Reshaping non-empty lower-rank array X into a matrix*
- 393  $(-1.5 * Y + pX) \uparrow X$  X←C1; Y←I0  
*Centering text line X into a field of width Y*
- 394  $(X \downarrow pY) \uparrow Y$  X←I; Y←A  
*Take of at most X elements from Y*
- 395  $(\uparrow^{-1} \uparrow pY) \downarrow (, Y) \downarrow X$  Y←C2; X←C  
*Alphabetizing X; equal alphabets in same column of Y*
- 396  $(\sim (1 \uparrow^{-1} \uparrow pX) \epsilon Y) / X$  X←A; Y←I1  
*Removing columns Y from array X*
- 397  $(\uparrow^{-1} \uparrow ( ' ' \neq X) / \downarrow pX) pX$  X←C1  
*Removing trailing blanks*
- 398  $(1 - 1 \uparrow^{-1} \uparrow pX) \Phi X$  X←A2  
*Aligning columns of matrix X to diagonals*

- 399  $(^{-1}+_{1}^{-1}\uparrow pX)\Phi X$  X←A2  
*Aligning diagonals of matrix X to columns*
- 400  $0\leq 1\uparrow 0pX$  X←A  
*Test if numeric*
- 401  $(^{-1}+X_{1}'\ ')\uparrow X$  X←C1  
*First word in X*
- 402  $(^{-2}\uparrow 1\ 1,pX)pX$  X←A; 2≥ppX  
*Reshaping non-empty lower-rank array X into a matrix*
- 403  $1\uparrow \square, X$  X←C0  
*Giving a character default value for input*
- 404  $(X\times Y)p(-Y)\uparrow 1$  X←I0; Y←I0  
*Ending points for X fields of width Y*
- 405  $(X\times Y)pY\uparrow 1$  X←I0; Y←I0  
*Starting points for X fields of width Y*
- 406  $X+(-pX)\uparrow Y$  X←D; Y←D0  
*Adding scalar Y to last element of X*
- 407  $Y\uparrow Xp1$  X←I0; Y←I0  
*Vector of length Y with X ones on the left, the rest zeroes*
- 408  $1\ 80p80\uparrow X$  X←A1  
*Forming first row of a matrix to be expanded*
- 409  $1\uparrow 0pX$  X←A  
*Zero or space depending on the type of X (fill element)*
- 410  $^{-1}\uparrow pX$  X←A2  
*Number of columns in matrix X*
- 411  $1\uparrow pX$  X←A2  
*Number of rows in matrix X*
- 412  $(-Y)\uparrow X$  Y←I0; X←C1  
*Transferring text X to right edge of field of width Y*
- *DROP ↓*
- 413  $(1\uparrow A)-^{-1}\uparrow A+(A,1)/_{1}1\uparrow pA+1,(1\uparrow X)\neq^{-1}\uparrow X$  X←A1  
*Lengths of subvectors with equal elements*
- 414  $G-^{-1}\uparrow 0,G+((\sim\square I0)+(((1\uparrow X)\neq^{-1}\uparrow X),1))/_{1}pX$  X←A1; G←I1  
*Field lengths of vector X; G ↔ ending indices*
- 415  $(A>0)/A+((1\uparrow A)-1+^{-1}\uparrow A+(\sim A))/_{1}pA<0,X,0$  X←B1  
*Lengths of groups of ones in X*

- 416  $((A\downarrow 1)-\square I O)\downarrow(\square I O-(\Phi A\leftarrow\sim X\in Y)\downarrow 1)\downarrow X$  X←A1; Y←A  
*Removing elements Y from beginning and end of vector X*
- 417  $((1\downarrow X)\neq^{-1}\downarrow X),1$  X←A1  
*Ending points of equal groups*
- 418  $1,(1\downarrow X)\neq^{-1}\downarrow X$  X←A1  
*Starting points of equal groups*
- 419  $(1\downarrow X)+^{-1}\downarrow X$  X←D1  
*Pairwise ratios of successive elements of vector X*
- 420  $(1\downarrow X)-^{-1}\downarrow X$  X←D1  
*Pairwise differences of successive elements of vector X*
- 421  $(Y\wedge X)\vee(Y\vee X)\backslash A>^{-1}\downarrow 0,A\leftarrow(Y\vee X)/Y$  X←B1; Y←B1  
*First ones of subvectors of Y indicated by X (<\)*
- 422  $(^{-1}\Phi 1\downarrow(X\neq^{-1}\Phi X),1)/X$  X←A1  
*Removing duplicates from an ordered vector*
- 423  $A^{-1}\downarrow 0,A\leftarrow(1\Phi X)/\downarrow pX$  X←B1  
*Changing starting indicators of subvectors to lengths*
- 424  $(A\vee 1\downarrow 1\Phi 1,A\leftarrow' '\neq X)/X$  X←C1  
*Removing multiple blanks*
- 425  $(pX)pA \Delta A[(A=1pY)/\downarrow pA+,X]\leftarrow 1\downarrow Y$  X←A; Y←A1; 2 ↔ pY  
*Replacing all values Y[1] by Y[2] in X*
- 426  $(A\vee^{-1}\downarrow 1,A\leftarrow X\neq Y)/X$  X←A1; Y←A0  
*Removing duplicate Y's from vector X*
- 427  $(\square I O-(\sim\Phi X\in Y)\downarrow 1)\downarrow X$  X←A1; Y←A  
*Removing elements Y from end of vector X*
- 428  $(1-(\Phi' '\neq X)\downarrow 1)\downarrow X$  X←C1  
*Removing trailing blanks*
- 429  $0^{-1}\downarrow(-\downarrow pX)\Phi((2ppX)p0),X$  X←D1  
*Diagonal matrix with elements of X*
- 430  $^{-1}\downarrow X\times\Phi^{-1}\downarrow pX$  X←D1  
*Derivate of polynomial X*
- 431  $(^{-1}\downarrow X\neq 1\Phi X),1$  X←A1  
*Test if an element differs from the next one*
- 432  $1,1\downarrow X\neq^{-1}\Phi X$  X←A1  
*Test if an element differs from the previous one*
- 433  $1\Phi^{-1}\downarrow Y,X$  X←A1; Y←A0  
*Replacing last element of X with Y*

- 434  $\sim 1 \oplus 1 \downarrow X, Y$  X←A1; Y←A0  
Replacing first element of X with Y
- 435  $((\sim X \epsilon Y) \downarrow 1) - \square 10 \downarrow X$  X←A1; Y←A  
Removing elements Y from beginning of vector X
- 436  $X - (-Y \downarrow \text{pp} X) \downarrow 0, [Y] X$  X←D; Y←10  
Differences of successive elements of X along direction Y
- 437  $(\sim 1 + (X = '0') \downarrow 0) \downarrow X$  X←A1  
Removing leading zeroes
- 438  $Y + (Y + X) \downarrow 1$  G←10; X←B1  
Index of first one after index Y in X
- 439  $X > 1 \downarrow X, 0$  X←B1  
Last ones in groups of ones
- 440  $X > \sim 1 \downarrow 0, X$  X←B1  
First ones in groups of ones
- 441  $1 \downarrow ', ', X$  X←C2  
List of names in X (one per row)
- 442  $X - \sim 1 \downarrow 0, X$  X←D1  
Restoring argument of cumulative sum (inverse of +\)
- 443  $(0, Y) \downarrow X$  X←A2; Y←10  
Drop of Y first columns from matrix X
- 444  $(Y, 0) \downarrow X$  X←A2; Y←10  
Drop of Y first rows from matrix X
- 445  $1 \downarrow \text{p} X$  X←A2  
Number of columns in matrix X
- 446  $\sim 1 \downarrow \text{p} X$  X←A2  
Number of rows in matrix X
- 447  $(Y \times G) \downarrow X$  X←A; Y←11; G←B1  
Conditional drop of Y elements from array X
- 448  $(-Y) \downarrow X$  X←A1; Y←B0  
Conditional drop of last element of X
- 
- CEILING / MAXIMUM 1
- 449  $Y[1] [Y[2]] X$  X←D; Y←D1  
Limiting X between Y[1] and Y[2], inclusive
- 
- FLOOR / MINIMUM 1

```

450 1110011-3*+3
    Arithmetic precision of the system (in decimals)

451 X+(G*X-Y-X)*(1+11(Y-X)+G)-10      X+D0; Y+D0; G+D0
    Arithmetic progression from X to Y with step G

452 1+(X<0)+11001X+0=X                  X+I
    Number of digit positions in integers in X

453 1X+1121X                            X+D
    Rounding to nearest even integer

454 1X+.5*.5*21X                        X+D
    Rounding, to nearest even integer for .5 = 111X

455 1+1100(X=0)+X*1-10[1+X<0]          X+I
    Number of digit positions in integers in X

456 1+1100X+0=X                        X+I
    Number of digits in positive integers in X

457 X=1X                                X+D
    Test if integer

458 (X,G)[(1+pX)1Y]                    X+A1; Y+I; G+A0
    Limiting indices and giving a default value G

459 1X+1000                             X+I
    First part of numeric code ABBB

460 (10*-X)*10.5+Y*10*X                 X+I; Y+D
    Rounding to X decimals

461 0.01*10.5+100*X                    X+D
    Rounding to nearest hundredth

462 10.5+X                              X+D
    Rounding to nearest integer

---
MAGNITUDE / RESIDUE 1

463 (0=4001X)v(01001X)^0=41X           X+I
    Test if X is a leap year

464 '_,[1]('1',X,'1'),[1]'-'          X+C2
    Framing

465 111X                                X+D
    Magnitude of fractional part

466 (0Y1pX)/X                          X+A1; Y+I0
    Removing every Y:th element of X

```

- 467  $(0=Y|_1pX)/X$  X←A1; Y←I0  
*Taking every Y:th element of X*
- 468  $(0=A|X)/A+_1X$  X←I0  
*Divisors of X*
- 469  $(2|_1pX)/X$  X←A1  
*Removing every second element of X*
- 470  $(0=Y|X)/X$  X←D1; Y←D0 or D1  
*Elements of X divisible by Y*
- 471  $\square I0+(pX)|Y+(Y\Phi X)_1G$  X←A1; Y←I0; G←A  
*Index of first occurrence of G in X (circularly) after Y*
- 472  $(1+pY)|Y_1X$  Y←A1; X←A  
*Changing index of an unfound element to zero*
- 473  $\sim 2|X$  X←I  
*Test if even*
- 474  $X \times Y \leq |X$  X←D; Y←D  
*Rounding to zero values of X close to zero*
- 475  $(\times X) \times Y + |X$  X←D; Y←D  
*Increasing absolute value without change of sign*
- 476  $(\times X)|X$  X←D  
*Fractional part with sign*
- 477  $X \times |X$  X←D  
*Square of elements of X without change of sign*
- 478  $1|X$  X←D  
*Fractional part*
- 479  $1000|X$  X←I  
*Last part of numeric code ABBB*
- EXPAND \
- 480  $A \setminus (A + \sim X \epsilon Y) / X$  X←A0; Y←A1  
*Replacing elements of X in set Y by blanks / zeroes*
- 481  $A \setminus (A + X \epsilon Y) / X$  X←A1; Y←A  
*Replacing elements of X not in set Y by blanks / zeroes*
- 482  $A \Delta A[(\sim G) / _1pG] + Y \Delta A + G \setminus X$  X←A1; Y←A1; G←B1  
*Merging X and Y under control of G (mesh)*
- 483  $Y \setminus Y / X$  X←A; Y←B1  
*Replacing elements of X not fulfilling Y by blanks / zeroes*



484	$\Phi\alpha\backslash\Phi X$ <i>Scan from end with <math>\alpha</math></i>	$X\leftarrow A$
485	$(\sim(\downarrow(pY)+\downarrow p p X)\epsilon Y+\downarrow p Y)\downarrow X$ <i>Adding an empty row into X after rows Y</i>	$X\leftarrow A2; Y\leftarrow I1$
486	$0\epsilon 0\backslash 0 p X$ <i>Test if numeric</i>	$X\leftarrow A1$
487	$((Y+1)\neq \downarrow 1+\downarrow p p X)\downarrow X$ <i>Adding an empty row into X after row Y</i>	$X\leftarrow A2; Y\leftarrow I0$
488	$X, [\square I O-.1] (' ' \neq X) \backslash '-'$ <i>Underlining words</i>	$X\leftarrow C1$
489	$(pY)p(,Y)\backslash X$ <i>Using boolean matrix Y in expanding X</i>	$X\leftarrow A1; Y\leftarrow B2$
490	$((2\times pX)p1\ 0)\backslash X$ <i>Spacing out text</i>	$X\leftarrow C1$
---	COMPRESS /	
491	$(X/Y)\geq A/1\Phi A+(Y\vee X)/X$ <i>Or-reduction (<math>\vee</math>) of subvectors of Y indicated by X</i>	$X\leftarrow B1; Y\leftarrow B1$
492	$(X/Y)\wedge A/1\Phi A+(Y\leq X)/X$ <i>And-reduction (<math>\wedge</math>) of subvectors of Y indicated by X</i>	$X\leftarrow B1; Y\leftarrow B1$
493	$(G/X), (\sim G)/Y$ <i>Choosing a string according to boolean value G</i>	$X\leftarrow C1; Y\leftarrow C1; G\leftarrow B0$
494	$(A\vee 1\Phi A+X\neq ' ')/X$ <i>(Cyclic) compression of successive blanks</i>	$X\leftarrow C1$
495	$(X\epsilon Y)/\downarrow p X$ <i>Indices of all occurrences of elements of Y in X</i>	$X\leftarrow A1; Y\leftarrow A$
496	$(\sim X\epsilon '.,,:;?'''')/X$ <i>Removing punctuation characters</i>	$X\leftarrow A1$
497	$Y, (\sim X\epsilon Y)/X$ <i>Union of sets, u</i>	$X\leftarrow A1; Y\leftarrow A1$
498	$(\sim X\epsilon Y)/X$ <i>Elements of X not in Y (difference of sets)</i>	$X\leftarrow A1; Y\leftarrow A$
499	$(X[;1]\epsilon Y)\neq X$ <i>Rows of non-empty matrix X starting with a character in Y</i>	$X\leftarrow A2; Y\leftarrow A1$
500	$(X\epsilon Y)/X$ <i>Intersection of sets, n</i>	$X\leftarrow A1; Y\leftarrow A$

- 501  $((X \setminus X) = \setminus pX) / X$  X←A1  
*Removing duplicate elements (nub)*
- 502  $((pX) * Y \neq \setminus p pX) p \alpha / [Y] X$  Y←I0; X←A  
*Reduction in dimension Y, rank unchanged*
- 503  $(Y=X) / \setminus p X$  X←A1; Y←A0  
*Indices of all occurrences of Y in X*
- 504  $Y[X / \setminus p Y] + G$  Y←A1 X←B1 G←A0  
*Replacing elements of Y satisfying X with G*
- 505  $A / \setminus 9999 \Delta A[X] + 1 \Delta A + 9999 p 0$  X←I1  
*Removing duplicates from positive integers*
- 506  $X / \setminus p X$  X←B1  
*Indices of ones in logical vector X*
- 507  $(, X, [1.5] 1) / , X, [1.5] \sim X$  X←B1  
*Vector to expand a new element after each one in X*
- 508  $((\sim X) / 'IN'), 'CORRECT'$  X←B0  
*Conditional in text*
- 509  $(X \neq Y) / X$  X←A1; Y←A0  
*Removing elements Y from vector X*
- 510  $(' ' \neq X) / X$  X←A1  
*Removing blanks*
- 511  $\alpha / , X$  X←D  
*Reduction with  $\alpha$  without respect to shape*
- 512  $Y / X$  X←A; Y←B1  
*Selecting elements of X satisfying condition Y*
- 513  $0 \dagger X$  X←A2  
*Empty matrix*
- 
- TRANSPOSE  $\Phi$
- 514  $\Phi F \Phi X$  X←A1; Y←I0  
*Applying to columns function F defined on rows*
- 515  $((\Phi A) \times 1, Y) p 2 \ 1 \ 3 \Phi (1 \Phi Y, A + (pX) \div 1, Y) p X$  X←A2; G←I0  
*"Transpose" of matrix X with column fields of width Y*
- 516  $X \times \Phi (\Phi p X) p Y$  X←D2; Y←D1  
*Multiplication of each column of matrix X by vector Y*
- 517  $\Phi (\Phi p Y) p X$  X←A1; Y←A2  
*Matrix with shape of Y and X as its columns*

518	$(Y\Phi 1\ 2)\Phi X$ <i>Transpose matrix X on condition Y</i>	$X\leftarrow A2; Y\leftarrow B0$
519	$\sim 0\epsilon X = -\Phi X$ <i>Test for antisymmetry of square matrix X</i>	$X\leftarrow D2$
520	$\sim 0\epsilon X = \Phi X$ <i>Test for symmetry of square matrix X</i>	$X\leftarrow A2$
521	$\Phi(X, pY)pY$ <i>Matrix with X columns Y</i>	$X\leftarrow I0; Y\leftarrow D1$
522	$1\ 1\Phi X[Y[1;];Y[2;]]$ <i>Retrieving scattered elements Y from matrix X</i>	$X\leftarrow A2; Y\leftarrow I2$
523	$X[Y]\Phi G$ <i>Successive transposes of G (X after Y: <math>X\Phi Y\Phi G</math>)</i>	$X\leftarrow I1; Y\leftarrow I1$
524	$40\ 120p2\ 1\ 3\Phi 10\ 40\ 12pX$ <i>Dividing a 400x12 character matrix into one page</i>	$X\leftarrow C2$
525	$(1+pX)\Phi X$ <i>Main diagonal of array X</i>	$X\leftarrow A$
526	$1\ 1\Phi X$ <i>Diagonal elements of matrix X</i>	$X\leftarrow A2$
527	$1\ 3\ 2\Phi X$ <i>Transpose of planes of a rank three array</i>	$X\leftarrow A3$
---		
	REVERSE / ROTATE $\Phi \Theta$	
528	$((1\Phi X)\times^{-1}\Phi Y)-(-1\Phi X)\times 1\Phi Y$ <i>Vector (cross) product of vectors</i>	$X\leftarrow D; Y\leftarrow D$
529	$1\Phi(1pX)\epsilon Y$ <i>Ending points for X in indices pointed by Y</i>	$X\leftarrow A1; Y\leftarrow I1$
530	$(^{-1}\ 1[2\times\Box IO]+pX)-(\Phi X)\backslash Y$ <i>Index of last element of Y in X</i>	$X\leftarrow A1; Y\leftarrow A0$
531	$(1+pX)-(\Phi X)\backslash Y$ <i>Index of last occurrence</i>	$X\leftarrow A1; Y\leftarrow A$
532	$(\Phi X)\backslash Y$ <i>Index of last occurrence, counted from the rear</i>	$X\leftarrow A1; Y\leftarrow A$
533	$,\Phi[\Box IO+Y](1,pX)pX$ <i>Reverse vector X on condition Y</i>	$X\leftarrow A1; Y\leftarrow B0$
534	$(\Phi 1,pX)pX$ <i>Reshaping vector X into a one-column matrix</i>	$X\leftarrow A1$

- 535  $(\Phi 1, \dots)$  ...←EXPRESSION  
*Avoiding parentheses with help of reversal*
- 536  $1\Phi X$  X←A  
*Rightmost neighboring elements cyclically*
- 537  $\sim 1\Phi X$  X←A  
*Leftmost neighboring elements cyclically*
- MEMBER OF  $\epsilon$
- 538  $\sim (1(pY)+pX)\epsilon Y+1pY$  X←A1; Y←I1  
*Expansion vector with zero after indices Y*
- 539  $(\sim (1Y)\epsilon X)$  X←I; Y←I0  
*Boolean vector of length Y with zeroes in locations X*
- 540  $(1pX)\epsilon Y$  X←A1; Y←I1  
*Starting points for X in indices pointed by Y*
- 541  $(X\epsilon Y)\times Y\backslash X$  X←A; Y←A1  
*Changing index of an unfound element to zero (not effective)*
- 542  $(Y+\square)\epsilon 1X$  X←A  
*Check for input in range 1..X*
- 543  $(1Y)\epsilon X$  X←I; Y←I0  
*Boolean vector of length Y with ones in locations X*
- 544  $\sim 0\epsilon X=Y$  X←A; Y←A  
*Test if arrays are identical*
- 545  $Y\times\sim Y\epsilon X$  Y←D; X←D  
*Zeroing elements of Y depending on their values*
- 546  $1\epsilon p, X$  X←A  
*Test if single or scalar*
- 547  $1\epsilon ppX$  X←A  
*Test if vector*
- 548  $0\epsilon pX$  X←A  
*Test if X is an empty array*
- INDEX GENERATOR / INDEX OF  $\backslash$
- 549  $(G\backslash X)<G\backslash Y$  X←A; Y←A  
*Alphabetical comparison with alphabets G*
- 550  $X\backslash 1pX$  X←I1  
*Inverting a permutation*

- 551  $(Y \neq X) \wedge 1$  X←A1; Y←A1  
Index of first differing element in vectors X and Y
- 552  $(\square 10 + pY) = Y \wedge X$  X←A; Y←A1  
Which elements of X are not in set Y (difference of sets)
- 553  $A \Delta A[X] \leftarrow A \Delta A \leftarrow 1pX$  X←I1  
Inverting a permutation
- 554  $G[Y \wedge X; ]$  X←D; Y←D1; G←D2  
Changing numeric code X into corresponding name in Y
- 555  $1ppX$  X←A  
All axes of array X
- 556  $1pX$  X←A1  
All indices of vector X
- 557  $X + G \times (1Y) - \square 10$  X←D0; Y←D0; G←D0  
Arithmetic progression of Y numbers from X with step G
- 558  $(X - \square 10) \wedge 11 + Y - X$  X←I0; Y←I0  
Consecutive integers from X to Y (arithmetic progression)
- 559  $X \wedge 1$  X←B1  
Index of first satisfied condition in X
- 560  $11$   
Index origin ( $\square 10$ ) as a vector
- 561  $\square AV \wedge X$  X←A  
Converting characters into numeric codes
- 562  $X \wedge Y$  X←A1; Y←A  
Index of key Y in key vector X
- 563  $10$   
Empty numeric vector
- 
- LOGICAL  $\sim \vee \wedge \rightarrow \leftarrow$
- 564  $(Y[1] < X) \wedge X < Y[2]$  X←D; Y←D1  
Test if X is within range ( Y[1], Y[2] )
- 565  $(Y[1] \leq X) \wedge (X \leq Y[2])$  X←D; Y←D1; Z←pY  
Test if X is within range [ Y[1], Y[2] ]
- 566  $0 \wedge X$  X←B  
Zeroing all boolean values
- 567  $(X \times G) + Y \times \sim G$  X←D; Y←D; G←B  
Selection between X and Y depending on condition G

- 568  $(\sim \square IO)+X$   $X+I$   
Changing an index origin dependent result to be as  $\square IO=1$
- 569  $Y \star \sim X$   $Y+D; X+B$   
Conditional change of elements of  $Y$  to one according to  $X$
- COMPARISON  $< \leq = \geq > \neq$
- 570  $X \leq Y$   $X+B; Y+B$   
 $X$  implies  $Y$
- 571  $X > Y$   $X+B; Y+B$   
 $X$  but not  $Y$
- 572  $(0 \neq X) \times Y + X + 0 = X$   $X+D; Y+D$   
Avoiding division by zero error (gets value zero)
- 573  $X \neq Y$   $X+B; Y+B$   
Exclusive or
- 574  $X + Y \times X = 0$   $X+D; Y+D$   
Converting zeroes to  $Y$
- 575  $Y = X$   $X+I; Y+I$   
Kronecker delta of  $X$  and  $Y$  (element of identity matrix)
- RAVEL / CATENATE ,
- 576  $, (((pX), Y) pG), X$   $X+A1; Y+I0; G+A0$   
Catenating  $Y$  elements  $G$  before every element of  $X$
- 577  $, X, (((pX), Y) pG)$   $X+A1; Y+I0; G+A$   
Catenating  $Y$  elements  $G$  after every element of  $X$
- 578  $, Y, [\square IO+.5]X$   $X+A1; Y+A1$   
Merging vectors  $X$  and  $Y$  alternately
- 579  $X, \square TC[2], Y$   $X+A1; Y+A1$   
Separating variable length lines
- 580  $, X, [1.1]' '$   $X+C1$   
Spacing out text
- 581  $, X, [1.1]Y$   $X+A1; Y+A0$   
Inserting  $Y$  after each element of  $X$
- 582  $(X, X) p1, X p0$   $X+I0$   
 $X \times X$  identity matrix
- 583  $X, [.5+ppX]-X$   $X+D$   
Array and its negative ('plus minus')

- 584  $X \leftarrow (pX) pA \Delta A[G] + Y \Delta A +, X$  X←A; Y←A; G←I  
Temporary ravel of X for indexing with G
- 585  $X \leftarrow ApX \Delta X[G] + Y \Delta X +, X \Delta A + pX$  X←A; Y←A; G←I  
Temporary ravel of X for indexing with G
- 586  $X, [\square IO-.1]'-'$  X←C1  
Underlining a string
- 587  $X[:,1]$  X←A2  
First column as a matrix
- 588  $X, [1.1]Y$  X←A1; Y←A1  
Forming a two-row matrix
- 589  $X, [1.1]Y$  X←A1; Y←A1  
Forming a two-column matrix
- 590  $((((ppX)-ppY)p1), pY)pY$  X←A; Y←A  
Increasing rank of Y to rank of X
- 591  $((0.5 \times pX), 2)pX$  X←A1  
Reshaping vector X into a two-column matrix
- 592  $(pX)p \dots, X$  X←A; ...←EXPRESSION  
Handling array X temporarily as a vector
- 593  $(Y, pX)pX$  X←A1; Y←I0  
Forming a Y-row matrix with all rows alike (X)
- 594  $((pX), 1)pX$  X←A1  
Reshaping vector X into a one-column matrix
- 595  $(1, pX)pX$  X←A1  
Reshaping vector X into a one-row matrix
- 596  $p, X$  X←A  
Number of elements (also of a scalar)
- 597  $Y, 0pX$  X←A; Y←A1  
Joining sentences
- 598  $X \leftarrow 0 \ 2 \ 1 \ 2 \ 5 \ 8 \ 0 \ 4 \ 5, \square$  X←D  
Entering from terminal data exceeding input (printing) width
- 
- AXIS / INDEXING [
- 599  $(pX)[ppX]$  X←A  
Number of columns in array X
- 600  $(pX)[2]$  X←A2  
Number of columns in matrix X

601	(pX)[1] <i>Number of rows in matrix X</i>	X←A2
602	Y[2+*X] <i>Choosing according to signum</i>	X←D; Y←A1
603	Y×1 <sup>-1</sup> [1+X] <i>Conditional elementwise change of sign</i>	Y←D; X←B
604	X[2×□IO] <i>Selection depending on index origin</i>	X←A1
605	' *'[□IO+X] <i>Indexing with boolean value X (plotting a curve)</i>	X←B
606	X[□IO+Y] <i>Indexing independent of index origin</i>	X←A1; Y←I
607	X[:,1] <i>First column as a vector</i>	X←A2
608	X[]←0 <i>Zeroing a vector (without change of size)</i>	X←D1
609	X[1] <i>Selection depending on index origin</i>	X←A1
---		
	SHAPE / RESHAPE p	
610	(Y×pX)pX <i>Duplicating vector X Y times</i>	X←A1; Y←IO
611	X×(pX)pY <i>Multiplication of each row of X by vector Y</i>	X←D; Y←D1
612	ppX <i>Rank of array X</i>	X←A
613	1ppX <i>Number of rows in matrix X</i>	X←A2
614	(pY)pX <i>Array with shape of Y and X as its rows</i>	X←A1; Y←A
615	1pX <i>Corner element of a (non-empty) array</i>	X←A
616	''pX <i>Reshaping X into a scalar</i>	X←A
617	0pX← <i>Output of an empty line</i>	X←A



618 0 80p0  
Forming an initially empty array to be expanded

---

ARITHMETIC + - \* +

619 1++2++3++4++5++6 ...  
Continued fraction

620 Y\*xX X+D; Y+D  
Force 0+0 into DOMAIN ERROR in division

621 1 -1\*x X+D0  
Number and its negative ('plus minus')

622 Y\*x X+D; Y+B  
Selecting elements satisfying condition Y, zeroing others

623 X\*-1\*Y X+D; Y+B; pX ↔ pY  
Conditional elementwise change of sign

624 0\*x X+D  
Zero array of shape and size of X

625 -□IO-X X+I  
Changing an index origin dependent result to be as □IO=0

626 (□IO-1)+X X+I  
Changing an index origin dependent argument to act as □IO=1

627 +X+ X+D  
Output of assigned numeric value

628 □IO+X X+I  
Changing an index origin dependent argument to act as □IO=0

---

MISCELLANEOUS

629 \*  
Syntax error to stop execution

630 □←X+ X+A  
Output of assigned value

631 □LX←□  
Setting latent expression

## SYNONYM LIST

### *Adding X to each column of Y*

193 1 1 2@X..+Y  
192 1 2 1@Y..+X

### *Adding X to each row of Y*

190 2 1 2@X..+Y  
189 1 2 2@Y..+X

### *Arithmetic average (mean value)*

365 (+/X)+pX  
332 (+/,X)+1/p,X

### *Ascending cardinal numbers (ranking)*

1 L.5\*(AAX)+@AA@X  
13 AAX

### *Centering text*

323 Y+((L-/.5\*Y,pX)p' '),X  
393 (-L.5\*Y+pX)+X  
269 (-L0.5\*+/\^' '=@X)@X  
248 (A-L0.5\*(A++/\^@A)++/\^A+ ' '=@X)@X

### *Changing index of an unfound element to zero*

472 (1+pY)|Y\X  
541 (X@Y)\*Y\X

### *Conditional elementwise change of sign*

603 Y\*1 ^1[1+X]  
623 X\*^1\*Y

### *Diagonal elements of matrix X*

526 1 1@X  
525 (1\*pX)@X

*Drop of Y first rows from matrix X*

```

444 (Y,0)↓X
388 (2↑Y)↓X

```

*Evaluating a two-row determinant*

```

314 -/×/0 1⊖X
313 -/×/0 1⊕X

```

*Expansion vector with zero after indices Y*

```

27 (pX)≥Δ(1pX),Y
538 ~(1(pY)+pX)εY+1pY

```

*First ones in groups of ones*

```

381 X>((-ppX)↑-1)↑0,X
440 X>-1↑0,X

```

*Giving a default value for input*

```

97 1p(±□,','10'),X
403 1↑□,X

```

*Index of (first) maximum element of X*

```

23 -1↑ΔX
330 X1↑/X

```

*Index of (first) minimum element of X*

```

22 1↑ΔX
336 X1↓/X

```

*Indices of ones in logical vector X*

```

41 (+/X)↑▽X
280 (+\X)11+/X
506 X/1pX

```

*Inverting a permutation*

```

37 ΔX
553 A Δ A[X]+A Δ A+1pX
550 X11pX

```

*Locations of texts between and including quotes*

```
287  A-1↑0,A+2|+\X='''  
293  A-1↑0,A+≠\X='''
```

*Locations of texts between quotes*

```
288  A-1↑0,A+2|+\X='''  
294  A-1↑0,A+≠\X='''
```

*Merging (mesh)*

```
482  A Δ A[(~G)/!pG]←Y Δ A←G\X  
12   (X,Y)[ΔΔG]  
16   (Y,X)[Δ▽G]  
31   A Δ A[ΔG]←A←Y,X  
11   (Y,X,Z,...)[ΔΔG]
```

*Number and its negative ('plus minus')*

```
621  1 -1×X  
583  X,[.5+ppX]-X  
204  X+.×1 -1
```

*Number of columns in matrix X*

```
600  (pX)[2]  
410  -1↑pX  
445  1↑pX  
599  (pX)[ppX]
```

*Number of elements (also of a scalar)*

```
366  ×/pX  
596  p,X
```

*Number of occurrences of scalar X in array Y*

```
236  X+.=,Y  
362  +/X=,Y
```

*Number of rows in matrix X*

```
601  (pX)[1]  
411  1↑pX
```

```
613 1ppX
446 -1+pX
```

*Occurrence(s) of string X in string Y*

```
178 (A+(-1+pX)X.=Y)11
147 (Y[A+(-1+pX)X.=X)/A+(A+1+X)/pA+(1-pX)+Y
219 ((-A)+X^=(A,1+pY)pY)/1(pY)+1-A+pX
```

*Output of assigned value*

```
630 □+X←
627 +X←
```

*Removing duplicate elements*

```
501 ((X1X)=pX)/X
154 (1 1Q<\X.=X)/X
505 A/19999 Δ A[X]+1 Δ A+9999p0
422 (-1Q1+(X≠-1QX),1)/X
```

*Removing duplicate rows*

```
70 ((A1A)=pA+21X^=QX)+X
208 (1 1Q<\X^=QX)+X
327 (-1Q1+(v/X≠-1QX),1)+X
206 ((A1A)=pA+□10++f^Xv.≠QX)+X
```

*Removing leading blanks*

```
267 (+/\\' '=X)+X
299 (v\' '≠X)/X
```

*Removing trailing blanks*

```
298 (Qv\Q\' '≠X)/X
73 (1-(\' '=X)11)+X
397 (-1+(\' '≠X)/pX)pX
428 (1-(Q\' '≠X)11)+X
266 (-+/\\' '=QX)+X
```

*Removing trailing blank columns*

```
272 (Qv\Qv+\' '≠X)/X
209 (Qv\Q\' 'v.≠X)/X
```

*Replicate Y[i] X[i] times (for all i)*

```
250 Y[+\(1+/X)ε-11++\0,X]
251 ((X≠0)/Y)[+\-1Φ(1+/X)ε+\X]
253 Y[□IO++\ (1+/X)ε□IO++\X]
```

*Representations of current date*

```
107 A Δ A[( ' '=A)/1pA]← '/' Δ A←⌈10011Φ3↑□TS
65 A Δ A[5 8]← '-' Δ A←⌈100013↑□TS
104 A Δ A[( ' '=A)/1pA]← '.' Δ A←⌈Φ3↑□TS
72 100110013↑□TS
```

*Representations of current time*

```
64 A Δ A[3 6]← ':' Δ A←⌈100013↑3↑□TS
105 (,(0 143 0⌈100+3 1p12 0 013↑3↑□TS),': '),'AP'[1+12≤□TS[4]],'M'
```

*Reshaping non-empty lower-rank array X into a matrix*

```
392 (1[-2↑pX)pX
402 (-2↑1 1,pX)pX
```

*Reshaping vector X into a one-column matrix*

```
203 X+.+,0
534 (Φ1,pX)pX
594 ((pX),1)pX
```

*Selection depending on index origin*

```
604 X[2×□IO]
609 X[1]
```

*Sorting rows of matrix X into ascending order*

```
9 (pX)p(,X)[A[Δ(,Φ(ΦpX)p11↑pX)[A+Δ,X]]]
8 (pX)p(,X)[□IO+A[Δ[A+-1↑pX]] Δ A+(Δ,X)-□IO
```

*Spacing out text*

```
580 ,X,[1.1]' '
490 ((2×pX)p1 0)\X
```

*Temporary ravel of X for indexing with G*

```

585  X+ApX Δ X[G]+Y Δ X+,X Δ A+pX
584  X+(pX)pA Δ A[G]+Y Δ A+,X

```

*Test for symmetricity of matrix X*

```

86   ±±'1','↑+'[□!O+^/(pX)=ΦpX],''0~0εX=ΦX''
520  ~0εX=ΦX

```

*Test if all elements of vector X are equal*

```

358  ^/X=X[1]
343  ^/X=1ΦX
340  0=(pX)|+/X
159  v/^/0 1+. =X
324  ^/X=1↑X
315  (^/X)v~v/X
311  (↑/X)=↑/X
317  ^/X+v/X
352  ≠/0 1εX
316  (^/X)=v/X
347  ≠/0 1εX
215  X^.=^/X
214  X^.=v/X
341  ^/X/1ΦX
354  ^/□!O=X\X
349  ~^/Xε~X

```

*Test if arrays of equal shape are identical*

```

357  ^/,X=Y
544  ~0εX=Y

```

*Test if numeric*

```

400  0ε1↑0pX
486  0ε0\0pX

```

*Test if X is a permutation vector*

```

20   X[ΔX]^.=1pX
158  ^/1=+/X+. =1pX
346  ^/(1pX)εX

```

*Value of polynomial with coefficients Y at point X*

```

227  (X*~1+1pY)+.xΦY
83   X1Y
69   (X+.+,0)1Y

```

*Value of Taylor series with coefficients Y at point X*

```
137  +/Y*(X*A)+!A-1+!pY
281  +/Y*x\1,X+!-1+pY
```

*Vectors as matrices in catenation*

```
273  X,[!O-(A\2p^/2>(ppX),ppY)/.5 0]Y
274  X,[!O+(A\2p^/2>(ppX),ppY)/.5 1]Y
```

*X×X identity matrix*

```
197  (1X)0.,=1X
582  (X,X)p1,Xp0
```



## PERMUTED INDEX

First part of numeric code	ABBB	459
Last part of numeric code	ABBB	479
Decoding numeric code	ABSCCG into a matrix	63
Increasing	absolute value without change of sign	475
Choosing a string	according to boolean value G	493
Sums	according to codes G	152
Sorting indices X	according to data Y	32
Case structure	according to key vector G	117
Grade up	according to key Y	30
Sorting rows of X	according to key Y (alphabetizing)	16
Choosing	according to signum	602
Using a variable named	according to X	88
Sorting Y	according to X	36
Conditional change of elements of Y to one	according to X	569
Sorting a matrix	according to Y:th column	33
Barchart of integer values I	across the page)	171
Barchart of X with height Y I	across the page)	170
Barchart of two integer series I	across the page)	68
Changing an index origin dependent argument to	oct as $\square I O = 1$	626
Changing an index origin dependent argument to	act as $\square I O = 0$	628
	Adding a new dimension after dimension G Y-fold	10
	Adding an empty row into X after rows Y	485
	Adding an empty row into X after row Y	487
	Adding scalar Y to last element of X	406
	Adding X to each column of Y	192
	Adding X to each column of Y	193
	Adding X to each row of Y	189
	Adding X to each row of Y	190
	after dimension G Y-fold	10
	after each element of X	581
	after each one in X	507
	after every element of X	577
	after first one	307
	after first one	304
	after first zero	306
	after first zero	308
	after i:th subvector	265
	after index G	382
	after index Y in X	438
	after indices G	26
	after indices Y	27
	after indices Y	538
	after indices Y in vector X	28
	after row G	375
	after row Y	487
	after rows Y	485
	after Y	471
	after Y: X@Y@G)	523
	after Y[G[i]] (for all i)	264
	Aligning columns of matrix X to diagonals	398
	Aligning diagonals of matrix X to columns	399
	alike (X)	593
	All, both	360
	All axes of array X	555
	All binary representations up to X (truth table)	52
	All binary representations with X bits (truth table)	60
	all blanks to end of each row	150
	all blanks to end of text	42
	all boolean values	566
	all different)	13
	all different)	17
	all elements of vector X are equal	159
	all elements of vector X are equal	214
	all elements of vector X are equal	215
	all elements of vector X are equal	311
	all elements of vector X are equal	315
	Adding a new dimension	
	Inserting Y	
Vector to expand a new element		
Catenating Y elements G		
Turn off all ones		
Turn on all zeroes		
Turn off all ones		
Turn on all zeroes		
Insert vector for X[i] zeroes		
Inserting X into Y		
Index of first one		
Inserting Y *'s into vector X		
Expansion vector with zero		
Expansion vector with zero		
Catenating G elements H		
Inserting vector X into matrix Y		
Adding an empty row into X		
Adding an empty row into X		
Index of first occurrence of G in X (circularly)		
Successive transposes of G (X		
Open a gap of X[i]		
Forming a Y-row matrix with all rows		
	Moving	
	Moving	
	Zeroing	
Ascending cardinal numbers (ranking,		
Descending cardinal numbers (ranking,		
Test if		
Test if		
Test if		
Test if		
Test if		

Test if	all elements of vector X are equal	316	
Test if	all elements of vector X are equal	317	
Test if	all elements of vector X are equal	324	
Test if	all elements of vector X are equal	340	
Test if	all elements of vector X are equal	341	
Test if	all elements of vector X are equal	343	
Test if	all elements of vector X are equal	347	
Test if	all elements of vector X are equal	349	
Test if	all elements of vector X are equal	352	
Test if	all elements of vector X are equal	354	
Test if	all elements of vector X are equal	358	
Replicate Y[i] X[i] times (for	all i)	250	
Replicate Y[i] X[i] times (for	all i)	251	
Replicate Y[i] X[i] times (for	all i)	253	
Open a gap of X[i] after Y[G[i]] (for	all i)	264	
Open a gap of X[i] before Y[G[i]] (for	all i)	271	
Matrix of	All indices of vector X	556	
Indices of	all indices of X	51	
Indices of	all occurrences of elements of Y in X	495	
Turn off	all occurrences of Y in X	503	
Turn off	all ones after first one	307	
Turn off	all ones after first zero	306	
	All pairs of elements of X and Y	58	
Forming a Y-row matrix with	All primes up to X	175	
Matrix for choosing	all rows alike (X)	593	
Replacing	all subsets of X (truth table)	59	
Turn on	all values Y[i] by Y[2] in X	425	
Turn on	all zeroes after first one	304	
Test if X is in ascending order	all zeroes after first zero	308	
Test if X is in descending order	along direction Y	268	
Average (mean value) of elements of X	along direction Y	270	
Differences of successive elements of X	along direction Y	364	
	along direction Y	436	
Sorting rows of X according to key Y (	Alphabetical comparison with alphabets G	549	
	alphabetizing)	18	
Alphabetical comparison with	Alphabetizing Xi equal alphabets in same column of Y	395	
Alphabetizing Xi equal	alphabets G	549	
Transformation of	alphabets in same column of Y	395	
Arithmetic average (mean value),	alphanumeric string into numeric	78	
Positive maximum, at least zero (	also for an empty array	332	
Number of elements (	also for empty X)	334	
Number of elements (	also of a scalar)	366	
Number of rows in array X (	also of a scalar)	596	
Merging vectors X and Y	also of a vector)	328	
	alternately	578	
Sum of	Alternating product	367	
	alternating reciprocal series Y+X	238	
Contour levels Y at points with	Alternating series (1 -1 2 -2 3 -3 ...)	301	
Representation of current date (	Alternating sum	369	
	altitudes X	179	
	American)	107	
Complementary	And-reduction (A/) of subvectors of Y indicated by X	492	
Rotation matrix for	And-scan (A\)	over subvectors of Y indicated by X	290
	angle (arccos sin X)	131	
Test for	angle X (in radians) counter-clockwise	132	
Test for	Annuity coefficient: X periods at interest rate Y %	186	
	antisymmetry of matrix X	85	
Any,	antisymmetry of square matrix X	519	
Test if X is a valid	Any, anyone	356	
	anyone	356	
Complementary angle (	APL name	322	
	Applying to columns function F defined on rows	514	
Restoring	arccos sin X)	131	
	Arctan Y+X	129	
	Area of triangle with side lengths in X (Heron's formula)	318	
	argument of cumulative sum (inverse of +\)	442	

Changing an index origin dependent	argument to act as $\Omega!O=1$	626
Changing an index origin dependent	argument to act as $\Omega!O=0$	628
Executing costly monadic function F on repetitive	arguments	151
	Arithmetic average (mean value) of X weighted by Y	237
	Arithmetic average (mean value)	365
	Arithmetic average (mean value), also for an empty array	332
	Arithmetic precision of the system (in decimals)	450
Consecutive integers from X to Y (	arithmetic progression)	558
	Arithmetic progression from X to Y with step G	451
	Arithmetic progression of Y numbers from X with step G	557
	array	548
Test if X is an empty	array	615
Corner element of a (non-empty)	array	527
Transpose of planes of a rank three	array	61
Conversion of indices to indices of raveled	array	332
Arithmetic average (mean value), also for an empty	Array and its negative ('plus minus')	204
	Array and its negative ('plus minus')	583
	Array of random numbers within ( X[1],X[2] )	121
Y-shaped	array of shape and size of X	624
Zero	array to be expanded	618
Forming an initially empty	Array with shape of Y and X as its rows	614
	array X	612
Rank of	array X	525
Main diagonal of	array X	555
All axes of	array X	396
Removing columns Y from	array X	599
Number of columns in	array X	55
Indices of elements Y in	array X	228
Test if vector Y is a row of	array X	232
Comparing vector Y with rows of	array X	282
Indices of first blanks in rows of	array X	447
Conditional drop of Y elements from	array X (also of a vector)	328
Number of rows in	array X into a matrix	392
Reshaping non-empty lower-rank	array X into a matrix	402
Reshaping non-empty lower-rank	array X temporarily as a vector	592
Handling	array X with only right edge ragged	269
Centering character	array X with ragged edges	248
Centering character	array X Y-fold	200
Replicating a dimension of rank three	array Y	236
Number of occurrences of scalar X in	array Y	362
Number of occurrences of scalar X in	arrays are identical	544
Test if	arrays of equal shape are identical	357
Test if	Ascending cardinal numbers (ranking, shareable)	1
	Ascending cardinal numbers (ranking, all different)	13
Representation of current date (	ascending format)	104
Sorting X into	ascending order	35
Sorting rows of matrix X into	ascending order	8
Sorting rows of matrix X into	ascending order	9
Test if X is in	ascending order along direction Y	268
	Assign values of expressions in X to variables named in Y	98
	assigned numeric value	627
Output of	assigned value	630
Output of	average (mean value)	365
Arithmetic	average (mean value), also for an empty array	332
Arithmetic	Average (mean value) of columns of matrix X	326
	Average (mean value) of elements of X along direction Y	364
	Average (mean value) of rows of matrix X	325
Arithmetic	average (mean value) of X weighted by Y	237
Poisson distribution of states X with	average number Y	140
	Avoiding division by zero error (gets value zero)	572
	Avoiding parentheses with help of reversal	535
	axes of array X	555
All	barchart; down the page)	144
Histogram (distribution	Barchart of integer values (across the page)	171
	Barchart of integer values (down the page)	166
	Barchart of two integer series (across the page)	68

Representation of <i>X</i> in	Barchart of <i>X</i> with height <i>Y</i> (across the page)	170
Catenating <i>Y</i> elements <i>G</i>	base <i>Y</i>	54
Insert vector for <i>X</i> [ <i>i</i> ] elements	before every element of <i>X</i>	576
Catenating <i>G</i> elements <i>R</i>	before <i>i</i> :th element	279
Open a gap of <i>X</i> [ <i>i</i> ]	before indices <i>Y</i> in vector <i>X</i>	29
Indexing when rank is not known	before <i>Y</i> [ <i>G</i> [ <i>i</i> ]] (for all <i>i</i> )	271
Removing elements <i>Y</i> from	beforehand	100
Removing elements <i>Y</i> from	beginning and end of vector <i>X</i>	416
Which class do elements of <i>X</i>	beginning of vector <i>X</i>	435
Duplicating element of <i>X</i>	belong to	181
Predicted values of	belonging to <i>Y</i> ,1+ <i>X</i> until next found	297
	best linear fit (least squares)	125
	Best linear fit of points ( <i>X</i> , <i>Y</i> ) (least squares)	128
	Beta function	139
Locations of texts	between and including quotes	287
Locations of texts	between and including quotes	293
Places	between pairs of ones	305
Locations of texts	between quotes	288
Locations of texts	between quotes	294
Selection	between <i>X</i> and <i>Y</i> depending on condition <i>G</i>	567
Distribution of <i>X</i> into intervals	between <i>Y</i>	145
Limiting <i>X</i>	between <i>Y</i> [1] and <i>Y</i> [2], inclusive	449
	Binary format of decimal number <i>X</i>	45
Extending a transitive	binary relation	230
All	binary representations up to <i>X</i> (truth table)	52
All	binary representations with <i>X</i> bits (truth table)	60
Pascal's triangle of order <i>X</i> (	binomial coefficients)	135
	Binomial distribution of <i>X</i> trials with probability <i>Y</i>	138
All binary representations with <i>X</i>	bits (truth table)	60
Index of first non-	blank, counted from the rear	79
Removing duplicate	blank columns	220
Removing leading	blank columns	210
Removing trailing	blank columns	209
Removing trailing	blank columns	272
Removing	blank columns	226
Removing duplicate	Blank rows	359
Removing leading	blank rows	218
Removing trailing	blank rows	211
Removing	blank rows	205
Removing multiple	blank rows	225
Removing leading	blanks	424
Removing leading	blanks	267
Removing leading	blanks	299
Removing trailing	blanks	73
Removing trailing	blanks	266
Removing trailing	blanks	298
Removing trailing	blanks	397
Removing trailing	blanks	428
Removing	blanks	510
Removing leading and trailing	blanks	259
(Cyclic) compression of successive	blanks	494
Formatting with zero values replaced by	blanks	108
Replacing elements of <i>X</i> in set <i>Y</i> by	blanks / zeroes	480
Replacing elements of <i>X</i> not in set <i>Y</i> by	blanks / zeroes	481
Replacing elements of <i>X</i> not fulfilling <i>Y</i> by	blanks / zeroes	483
Indices of last non-	blanks in rows	217
Indices of first	blanks in rows of array <i>X</i>	282
Moving all	blanks to end of each row	160
Moving all	blanks to end of text	42
Test if <i>X</i> is	boolean	350
Using	boolean matrix <i>Y</i> in expanding <i>X</i>	489
Choosing a string according to	boolean value <i>G</i>	493
Indexing with	boolean value <i>X</i> (plotting a curve)	605
Zeroing all	boolean values	566
	Boolean vector of length <i>Y</i> with ones in locations <i>X</i>	543
	Boolean vector of length <i>Y</i> with zeroes in locations <i>X</i>	539

	<i>All,</i>	<i>both</i>	360
	<i>Conditional</i>	<i>branch depending on sign of X</i>	119
<i>Case structure with an encoded</i>		<i>branch destination</i>	66
<i>Conditional</i>		<i>branch out of program</i>	118
<i>Conditional</i>		<i>branch out of programs</i>	89
<i>Conditional</i>		<i>branch to line Y</i>	114
<i>X</i>		<i>but not Y</i>	571
<i>Row-</i>		<i>by-row formatting (width G) of X with Y decimals per row</i>	109
<i>Ascending</i>		<i>cardinal numbers (ranking, all different)</i>	13
<i>Descending</i>		<i>cardinal numbers (ranking, all different)</i>	17
<i>Ascending</i>		<i>cardinal numbers (ranking, shareable)</i>	1
		<i>Case structure according to key vector G</i>	117
		<i>Case structure with an encoded branch destination</i>	66
		<i>Case structure with integer switch</i>	116
		<i>Case structure with logical switch (preferring from start)</i>	115
<i>Present value of</i>		<i>cash flows X at interest rate Y %</i>	77
<i>Future value of</i>		<i>cash flows X at interest rate Y %</i>	82
		<i>Catenating G elements X after indices Y in vector X</i>	28
		<i>Catenating G elements X before indices Y in vector X</i>	29
		<i>Catenating Y elements G after every element of X</i>	577
		<i>Catenating Y elements G before every element of X</i>	576
<i>Vectors as matrices in</i>		<i>catenation</i>	273
<i>Vectors as matrices in</i>		<i>catenation</i>	274
		<i>Centering character array X with ragged edges</i>	248
		<i>Centering character array X with only right edge ragged</i>	269
		<i>Centering text line X into a field of width Y</i>	323
		<i>Centering text line X into a field of width Y</i>	393
		<i>change of elements of Y to one according to X</i>	569
<i>Conditional</i>		<i>change of sign</i>	603
<i>Conditional</i>		<i>change of sign</i>	623
<i>Square of elements of X without</i>		<i>change of sign</i>	477
<i>Increasing absolute value without</i>		<i>change of sign</i>	475
<i>Zeroing a vector (without</i>		<i>change of size)</i>	608
		<i>Changing an index origin dependent result to be as <math>\square I O = 1</math></i>	568
		<i>Changing an index origin dependent result to be as <math>\square I O = 0</math></i>	625
		<i>Changing an index origin dependent argument to act as <math>\square I O = 1</math></i>	626
		<i>Changing an index origin dependent argument to act as <math>\square I O = 0</math></i>	628
		<i>Changing elements in X with value Y[1] into Y[2]</i>	380
		<i>Changing index of an unfound element to zero</i>	472
		<i>Changing index of an unfound element to zero (not effective)</i>	541
		<i>Changing lengths of subvectors to ending indicators</i>	277
		<i>Changing lengths of subvectors to starting indicators</i>	278
		<i>Changing numeric code X into corresponding name in Y</i>	554
		<i>Changing starting indicators of subvectors to lengths</i>	423
		<i>Changing X if a new input value is given</i>	92
<i>Centering</i>		<i>character array X with only right edge ragged</i>	269
<i>Centering</i>		<i>character array X with ragged edges</i>	248
<i>Giving a</i>		<i>character default value for input</i>	403
<i>Rows of non-empty matrix X starting with a</i>		<i>character in Y</i>	499
<i>Dividing a 400x12</i>		<i>character matrix into one page</i>	524
<i>Sum of numbers in</i>		<i>character matrix X</i>	101
<i>Removing punctuation</i>		<i>characters</i>	496
<i>Converting</i>		<i>characters into numeric codes</i>	561
<i>Conversion of</i>		<i>characters to hexadecimal representation (<math>\square AV</math>)</i>	56
		<i>Check for input in range 1..X</i>	542
		<i>Choosing a string according to boolean value G</i>	493
		<i>Choosing according to signum</i>	602
<i>Matrix for</i>		<i>choosing all subsets of X (truth table)</i>	59
		<i>Choosing sorting direction during execution</i>	34
		<i>Choosing Y objects out of X with replacement (roll)</i>	122
		<i>Choosing Y objects out of X without replacement (deal)</i>	123
<i>Index of first occurrence of G in X (</i>		<i>circularly) after Y</i>	471
<i>Which</i>		<i>class do elements of X belong to</i>	181
<i>Classification of elements Y into X</i>		<i>classes of equal size</i>	156
<i>Division to Y</i>		<i>classes with width H, minimum G</i>	173
		<i>Classification of elements Y into X classes of equal size</i>	156

Representation of current time (24 hour	clock)	64
Representation of current time (12 hour	clock)	105
Rotation matrix for angle X (in radians) counter-	clockwise	132
Rounding to zero values of X	close to zero	474
Forming a transitive	closure	112
First part of numeric	code ABBS	459
Last part of numeric	code ABBS	479
Decoding numeric	code ABBSCC into a matrix	63
Changing numeric	code X into corresponding name in Y	554
Converting characters into numeric	codes	561
Sums according to	codes G	152
Annuity	coefficient: X periods at interest rate Y %	185
Pascal's triangle of order X (binomial	coefficients)	136
(Real) solution of quadratic equation with	coefficients X	363
Product of two polynomials with	coefficients X and Y	163
Value of polynomial with	coefficients Y at point X	83
Value of polynomial with	coefficients Y at point X	227
Value of Taylor series with	coefficients Y at point X	137
Value of Taylor series with	coefficients Y at point X	281
Value of polynomial with	coefficients Y at points X	69
Sorting a matrix according to Y:th	Coefficients of exponential (curve) fit of points (X,Y)	127
First	column	33
First	column as a matrix	587
"Transpose" of matrix X with	column as a vector	607
Forming a two-	column fields of width Y	515
Reshaping vector X into a one-	column matrix	589
Reshaping vector X into a one-	column matrix	534
Reshaping vector X into a two-	column matrix	594
Reshaping numeric vector X into a one-	column matrix	591
Multiplication of each	column matrix	203
Adding X to each	column of matrix X by vector Y	516
Adding X to each	column of Y	192
Alphabetizing X: equal alphabets in same	column of Y	193
Helps locating	column of Y	395
Removing duplicate blank	column positions (..X	46
Removing trailing blank	Column sum of a matrix	372
Removing leading blank	columns	220
Removing blank	columns	209
Removing trailing blank	columns	210
Aligning diagonals of matrix X to	columns	226
Matrix with shape of Y and X as its	columns	272
Pairwise differences of successive	columns	399
Drop of Y first	columns	517
Applying to	columns (inverse of +\)	383
Number of	columns from matrix X	443
Number of	columns function F defined on rows	514
Number of	columns in array X	599
Number of	columns in matrix X	410
Average (mean value) of	columns in matrix X	445
Aligning	columns in matrix X	600
Matrix with X	columns of matrix X	326
Removing	columns of matrix X to diagonals	398
Number of	columns Y	521
A way to	columns Y from array X	396
Test if X and Y have elements in	combinations of X objects taken Y at a time	142
Greatest	combine trigonometric functions (sin X cos Y)	130
Alphabetical	common	348
Lengthening matrix X to be	common divisor of elements of X	155
Widening matrix X to be	Comparing vector Y with rows of array X	232
	Comparison of successive rows	344
	Comparison table	169
	comparison with alphabets G	549
	compatible with Y	390
	compatible with Y	391
	Complementary angle (arccos sin X)	131
	Compound interest for principals Y at rates G % in times X	146

	(Cyclic)	compression of successive blanks	494
Selection between X and Y depending on		condition G	567
Index of first satisfied		condition in X	559
Number of elements satisfying		condition X	370
Reverse vector X on		condition Y	533
Transpose matrix X on		condition Y	518
Selecting elements of X satisfying		condition Y	512
Selecting elements satisfying		condition Y, zeroing others	622
Moving elements satisfying		condition Y to the start of X	43
		Conditional branch depending on sign of X	119
		Conditional branch out of programs	89
		Conditional branch out of program	118
		Conditional branch to line Y	114
		Conditional change of elements of Y to one according to X	569
		Conditional drop of last element of X	448
		Conditional drop of Y elements from array X	447
		Conditional elementwise change of sign	603
		Conditional elementwise change of sign	623
		Conditional execution	96
		Conditional in text	508
Transforming node matrix X into a		connection matrix	157
Transforming		connection matrix X into a node matrix	148
Transforming connectivity matrix X into a		connectivity list	50
Transforming		connectivity list X into a connectivity matrix	71
Transforming connectivity list X into a		connectivity matrix	71
Transforming		connectivity matrix X into a connectivity list	50
Running sum of Y		consecutive elements of X	285
		Consecutive integers from X to Y (arithmetic progression)	558
For-loop ending		construct	113
Test if rows of X		contain elements differing from Y	231
		Continued fraction	619
		Continuing from line Y (if X>0) or exit	120
		Contour levels Y at points with attitudes X	179
Merging X, Y, Z ... under		control of G (mesh)	11
Merging X and Y under		control of G (mesh)	12
Merging X and Y under		control of G (mesh)	16
Merging X and Y under		control of G (mesh)	31
Merging X and Y under		control of G (mesh)	482
		Conversion from decimal to hexadecimal	49
		Conversion from hexadecimal to decimal	75
		Conversion of characters to hexadecimal representation (DAV)	56
		Conversion of each row into a number (default zero)	93
		Conversion of indices to indices of raveled array	81
		Converting characters into numeric codes	561
		Converting expression X to numeric form with default value Y	94
		converting into numeric form	95
Test if numeric and		Converting set of positive integers X into a mask	329
		Converting zeroes to Y	574
		Corner element of a (non-empty) array	615
		corresponding name in Y	354
Changing numeric code X into		cos Y	130
A way to combine trigonometric functions (sin X		costly monadic function F on repetitive arguments	151
Executing		counted from the rear	532
Index of last occurrence,		counted from the rear	79
Index of first non-blank,		counter-clockwise	132
Rotation matrix for angle X (in radians)		counter X with upper limit Y	61
Incrementing cyclic		cross) product of vectors	528
Vector (		Cumulative sum	310
		Cumulative sum (+\ ) over subvectors of Y indicated by X	255
Restoring argument of		cumulative sum (inverse of +\ )	442
Playing order in a		cup for X ranked players	389
Encoding		current date	72
Representation of		current date (American)	107
Representation of		current date (ascending format)	104
Representation of		current date (descending format)	65
Representation of		current time (24 hour clock)	64

Representation of	current time (12 hour clock)	105
Indexing with boolean value X (plotting a	curve)	605
Predicted values of exponential (	curve) fit	124
G-degree polynomial (	curve) fit of points (X,Y)	126
Coefficients of exponential (	curve) fit of points (X,Y)	127
(	Cyclic) compression of successive blanks	494
Incrementing	cyclic counter X with upper limit Y	61
Leftmost neighboring elements	cyclically	537
Rightmost neighboring elements	cyclically	536
Entering from terminal	data exceeding input (printing) width	598
Sorting indices X according to	data Y	32
Encoding current	date	T2
Representation of current	date (American)	107
Representation of current	date (ascending format)	104
Representation of current	date (descending format)	65
Separating a	date YYMMDD to YY, MM, DD	57
Number of	days in month X of year Y	74
Separating a date YYMMDD to YY, MM,	DD	57
Choosing Y objects out of X without replacement (	deal)	123
Conversion from hexadecimal to	decimal	75
Binary format of	decimal number X	45
Conversion from	decimal to hexadecimal	49
Rounding to X	decimals	460
Arithmetic precision of the system (in	decimals)	450
Number of	decimals (up to Y) of elements of X	149
Formatting X with H	decimals in fields of width G	110
Number of	decimals of elements of X	87
Row-by-row formatting (width G) of X with Y	decimals per row	109
	Decoding numeric code ABBCCG into a matrix	63
	Decommenting a matrix representation of a function (OCR)	258
	decremented with X units	286
Fifo stack Y	default value for input	97
Giving a numeric	default value for input	403
Giving a character	default value G	458
Limiting indices and giving a	default value Y	94
Converting expression X to numeric form with	default zero)	93
Conversion of each row into a number (	defined on rows	514
Applying to columns function F	Definite integral of F(X) in range Y with G steps ('X'cF)	91
	degree polynomial (curve) fit of points (X,Y)	126
G-	degrees	133
Transformation from radians to	degrees to radians	134
Transformation from	delta of X and Y (element of identity matrix)	575
Kronecker	dependent argument to act as $\square I O=1$	626
Changing an index origin	dependent argument to act as $\square I O=0$	628
Changing an index origin	dependent result to be as $\square I O=1$	568
Changing an index origin	dependent result to be as $\square I O=0$	625
Selection between X and Y	depending on condition G	567
Selection	depending on index origin	604
Selection	depending on index origin	609
Conditional branch	depending on sign of X	119
Zero or space	depending on the type of X (fill element)	409
Zeroing elements of Y	depending on their values	545
Number of digit positions in scalar X (	depends on $\square P P$ )	111
	Depth of parentheses	295
	Derivate of polynomial X	430
	Descending cardinal numbers (ranking, all different)	17
Representation of current date (	descending format)	65
Sorting X into	descending order	44
Test if X is in	descending order along direction Y	270
Case structure with an encoded branch	destination	68
Evaluating a two-row	determinant	313
Evaluating a two-row	determinant	314
Sum over elements of X	determined by elements of Y	150
Standard	deviation of X	319
	Diagonal elements of matrix X	526
	Diagonal matrix with elements of X	429



	Main	diagonal of array X	525
Aligning columns of matrix X to	Aligning	diagonals	398
Elements of X not in Y (	Aligning	diagonals of matrix X to columns	399
Which elements of X are not in set Y (	Aligning	difference of sets)	498
	Pairwise	difference of sets)	552
	Pairwise	differences of successive columns (inverse of +\)	383
Ascending cardinal numbers (ranking, all	Pairwise	Differences of successive elements of X along direction Y	436
Descending cardinal numbers (ranking, all	Pairwise	differences of successive elements of vector X	420
	Index of first	different)	13
Test if rows of X contain elements	Index of first	different)	17
Test if an element	Index of first	differing element in vectors X and Y	551
Test if an element	Index of first	differing from Y	231
Number of	Index of first	differs from the next one	431
Number of	Index of first	differs from the previous one	432
Number of	Index of first	digit positions in integers in X	455
Number of	Index of first	digit positions in scalar X (depends on DPP)	111
	Index of first	digit positions in integers in X	452
	Index of first	digits in positive integers in X	456
	Index of first	Digits of X separately	53
Adding a new	Index of first	dimension after dimension G Y-fold	10
Adding a new dimension after	Index of first	dimension G Y-fold	10
Replicating a	Index of first	dimension of rank three array X Y-fold	200
Reduction in	Index of first	dimension Y, rank unchanged	502
	Index of first	Direct matrix product	187
Choosing sorting	Index of first	direction during execution	34
Test if X is in ascending order along	Index of first	direction Y	253
Test if X is in descending order along	Index of first	direction Y	270
Average (mean value) of elements of X along	Index of first	direction Y	364
Differences of successive elements of X along	Index of first	direction Y	436
	Index of first	dispersion) of X	320
Variance (	Index of first	distance table to next leg	224
Extending a	Index of first	distribution barchart; down the page)	144
Histogram (	Index of first	distribution of states X with average number Y	140
Poisson	Index of first	Distribution of X into intervals between Y	145
	Index of first	distribution of X trials with probability Y	138
Binomial	Index of first	Dividing a 400x12 character matrix into one page	524
	Index of first	Divisibility table	164
Elements of X	Index of first	divisible by Y	470
Force 0+0 into DOMAIN ERROR in	Index of first	division	620
Avoiding	Index of first	division by zero error (gets value zero)	572
	Index of first	Division to Y classes with width R, minimum G	173
Greatest common	Index of first	divisor of elements of X	155
	Index of first	Divisors of X	468
Force 0+0 into	Index of first	DOMAIN ERROR in division	620
Scalar (	Index of first	dot) product of vectors	243
	Index of first	Doubling quotes (for execution)	25
Grading	Index of first	down subvectors of Y indicated by X	15
Barchart of integer values (	Index of first	down the page)	166
Histogram (distribution barchart)	Index of first	down the page)	144
Formatting a numerical vector to run	Index of first	down the page	103
Conditional	Index of first	drop of last element of X	448
Conditional	Index of first	drop of Y elements from array X	447
	Index of first	Drop of Y first columns from matrix X	443
	Index of first	Drop of Y first rows from matrix X	388
	Index of first	Drop of Y first rows from matrix X	444
Removing	Index of first	duplicate blank columns	220
Removing	Index of first	duplicate blank rows	218
Removing	Index of first	duplicate elements (nub)	154
Removing	Index of first	duplicate elements (nub)	501
Removing	Index of first	duplicate rows	70
Removing	Index of first	duplicate rows	206
Removing	Index of first	duplicate rows	208
Removing	Index of first	duplicate rows from ordered matrix X	327
Removing	Index of first	duplicate Y's from vector X	426
Removing	Index of first	duplicates from an ordered vector	422
Removing	Index of first	duplicates from positive integers	505

	Duplicating element of X belonging to Y, 1stX until next found	
	Duplicating vector X Y times	610
	during execution	34
Choosing sorting direction	each column of matrix X by vector Y	516
Multiplication of	each column of Y	192
Adding X to	each column of Y	193
Adding X to	each element of X	581
Inserting Y after	each element of X occurs only once	353
Test if	each one in X	507
Vector to expand a new element after	each other	4
Test if X and Y are permutations of	each row	160
Moving all blanks to end of	each row into a number (default zero)	93
Conversion of	each row of X by vector Y	611
Multiplication of	each row of Y	189
Adding X to	each row of Y	190
Adding X to	edge of field of width Y	412
Transferring text X to right	edge ragged	269
Centering character array X with only right	edges	248
Centering character array X with ragged	Editing X with Y V-wise	263
Changing index of an unfound element to zero (not	effective)	541
Insert vector for X[i] elements before i:th	element	279
Zero or space depending on the type of X (fill	element)	409
Vector to expand a new	element after each one in X	507
Test if an	element differs from the next one	431
Test if an	element differs from the previous one	432
Index of first differing	element in vectors X and Y	551
Corner	element of a (non-empty) array	615
Kronecker delta of X and Y (	element of identity matrix)	575
Removing every second	element of X	459
Inserting Y after each	element of X	581
Removing every Y:th	element of X	466
Taking every Y:th	element of X	467
Index of (first) minimum	element of X	22
Index of (first) minimum	element of X	336
Index of (first) maximum	element of X	23
Index of (first) maximum	element of X	330
Conditional drop of last	element of X	448
Adding scalar Y to last	element of X	406
Catenating Y elements G after every	element of X	577
Catenating Y elements G before every	element of X	576
Locating field number Y starting with first	element of X	283
Duplicating	element of X belonging to Y, 1stX until next found	297
Test if each	element of X occurs only once	353
Filling X with last	element of X to length Y	377
Replacing last	element of X with Y	433
Replacing first	element of X with Y	434
Index of last	element of Y in X	530
Changing index of an unfound	element to zero	472
Changing index of an unfound	element to zero (not effective)	541
Reshaping one-	element vector X into a scalar	371
Indexing scattered	elements	80
Rightmost neighboring	elements	384
Leftmost neighboring	elements	385
Lengths of subvectors with equal	elements	413
Rotate first	elements (10) of subvectors of Y indicated by X	21
Number of	elements (also of a scalar)	366
Number of	elements (also of a scalar)	596
Removing duplicate	elements (nub)	154
Removing duplicate	elements (nub)	501
Insert vector for X[i]	elements before i:th element	279
Rightmost neighboring	elements cyclically	536
Leftmost neighboring	elements cyclically	537
Test if rows of X contain	elements differing from Y	231
Selecting specific	elements from a 'large' outer product	194
Conditional drop of Y	elements from array X	447
Take of at most X	elements from Y	394

Catenating Y	elements G after every element of X	577
Catenating Y	elements G before every element of X	576
Catenating G	elements H after indices Y in vector X	28
Catenating G	elements H before indices Y in vector X	29
Test if X and Y have	elements in common	348
Changing	elements in X with value Y[1] into Y[2]	380
All pairs of	elements of X and Y	58
'X\Y' by rows for	elements of matrices	153
Diagonal	elements of matrix X	526
Maxima of	elements of subsets of X specified by Y	213
Minima (1/) of	elements of subvectors of Y indicated by X	6
Maxima (1/) of	elements of subvectors of Y indicated by X	14
Pairwise ratios of successive	elements of vector X	419
Pairwise differences of successive	elements of vector X	420
Test if all	elements of vector X are equal	159
Test if all	elements of vector X are equal	214
Test if all	elements of vector X are equal	215
Test if all	elements of vector X are equal	311
Test if all	elements of vector X are equal	315
Test if all	elements of vector X are equal	316
Test if all	elements of vector X are equal	317
Test if all	elements of vector X are equal	324
Test if all	elements of vector X are equal	340
Test if all	elements of vector X are equal	341
Test if all	elements of vector X are equal	343
Test if all	elements of vector X are equal	347
Test if all	elements of vector X are equal	349
Test if all	elements of vector X are equal	352
Test if all	elements of vector X are equal	354
Test if all	elements of vector X are equal	358
Size of range of	elements of X	312
Minimum of	elements of X	339
Maximum of	elements of X	335
Sum of	elements of X	374
Greatest common divisor of	elements of X	155
Number of decimals of	elements of X	87
Product of	elements of X	368
Diagonal matrix with	elements of X	429
Running sum of Y consecutive	elements of X	285
Number of decimals (up to Y) of	elements of X	149
Numeric headers (	elements of X) for rows of table Y	102
Differences of successive	elements of X along direction Y	436
Average (mean value) of	elements of X along direction Y	364
Which	elements of X are not in set Y (difference of sets)	552
Which class do	elements of X belong to	181
Sum over	elements of X determined by elements of Y	150
Replacing	Elements of X divisible by Y	470
Sum	elements of X in set Y by blanks / zeroes	480
Replacing	elements of X marked by succeeding identicals in Y	284
Replacing	elements of X not fulfilling Y by blanks / zeroes	483
Replacing	elements of X not in set Y by blanks / zeroes	481
Selecting	Elements of X not in Y (difference of sets)	498
Square of	elements of X satisfying condition Y	512
Index of first occurrence of	elements of X without change of sign	477
Sum over elements of X determined by	elements of Y	338
Zeroing	elements of Y	150
Indices of all occurrences of	elements of Y depending on their values	545
Replacing	elements of Y in X	495
Conditional change of	elements of Y satisfying X with G	504
Number of	elements of Y to one according to X	569
Selecting	elements satisfying condition X	370
Having	elements satisfying condition Y, zeroing others	622
Removing	elements satisfying condition Y to the start of X	43
Removing	elements Y from beginning and end of vector X	416
Removing	elements Y from beginning of vector X	435
Removing	elements Y from end of vector X	427

Retrieving scattered	elements Y from matrix X	522
Removing	elements Y from vector X	509
Indices of	elements Y in array X	55
Classification of	elements Y into X classes of equal size	156
Conditional	elementwise change of sign	603
Conditional	elementwise change of sign	623
Corner element of a (non-	empty) array	615
Test if X is an	empty array	548
Arithmetic average (mean value), also for an	empty array	332
Forming an initially	empty array to be expanded	618
Output of an	empty line	617
Reshaping non-	empty lower-rank array X into a matrix	392
Reshaping non-	empty lower-rank array X into a matrix	402
Rows of non-	Empty matrix	513
Adding an	empty matrix X starting with a character in Y	499
Adding an	Empty numeric vector	563
Positive maximum, at least zero (also for	empty row into X after row Y	487
Case structure with an	empty row into X after rows Y	485
	empty X)	334
	encoded branch destination	66
	Encoding current date	72
	end of each row	160
	end of matrix X	376
	end of text	42
	end of vector X	427
	end of vector X	416
	end with a	484
	ending construct	113
	ending indicators	277
	ending indices	414
	Ending points for X fields of width Y	404
	Ending points for X in indices pointed by Y	529
	Ending points of equal groups	417
	Entering from terminal data exceeding input (printing) width	598
Test if all elements of vector X are	equal	159
Test if all elements of vector X are	equal	214
Test if all elements of vector X are	equal	215
Test if all elements of vector X are	equal	311
Test if all elements of vector X are	equal	315
Test if all elements of vector X are	equal	316
Test if all elements of vector X are	equal	317
Test if all elements of vector X are	equal	324
Test if all elements of vector X are	equal	340
Test if all elements of vector X are	equal	341
Test if all elements of vector X are	equal	343
Test if all elements of vector X are	equal	347
Test if all elements of vector X are	equal	349
Test if all elements of vector X are	equal	352
Test if all elements of vector X are	equal	354
Test if all elements of vector X are	equal	358
Alphabetizing X;	equal alphabets in same column of Y	395
Lengths of subvectors with	equal elements	413
Ending points of	equal groups	417
Starting points of	equal groups	418
Test if arrays of	equal shape are identical	357
Classification of elements Y into X classes of	equal size	156
(Real) solution of quadratic	equation with coefficients X	363
Avoiding division by zero	error (gets value zero)	572
Force 0+0 into DOMAIN	ERROR in division	620
Syntax	error to stop execution	629
	Evaluating a two-row determinant	313
	Evaluating a two-row determinant	314
	Evaluation of several expressions; results form a vector	99
	even	473
Test if	even integer	453
Rounding to nearest	even integer for .5 = 111X	454
Rounding, to nearest		

Catenating Y elements G after	every element of X	577
Catenating Y elements G before	every element of X	576
Removing	every second element of X	469
Taking	every Y:th element of X	467
Removing	every Y:th element of X	466
Entering from terminal data	exceeding input (printing) width	598
	Exclusive or	573
	Executing costly monadic function F on repetitive arguments	151
Conditional	execution	96
Syntax error to stop	execution	629
Doubling quotes (for	execution)	25
Choosing sorting direction during	execution	34
Continuing from line Y (if X>0) or	exit	120
Vector to	expand a new element after each one in X	507
Forming first row of a matrix to be	expanded	408
Forming an initially empty array to be	expanded	618
Using boolean matrix Y in	expanding X	489
	Expansion vector with zero after indices Y	27
	Expansion vector with zero after indices Y	538
	exponential (curve) fit	124
	exponential (curve) fit of points (X,Y)	127
Predicted values of	expression	631
Coefficients of	expression X to numeric form with default value Y	94
Setting latent	expressions; results form a vector	99
Converting	expressions in X to variables named in Y	98
Evaluation of several	Extending a distance table to next leg	224
Assign values of	Extending a transitive binary relation	230
	Field lengths of vector X1 G ~ ending indices	414
	field number Y starting with first element of X	283
Locating	field of width Y	323
Centering text line X into a	field of width Y	393
Centering text line X into a	field of width Y	412
Transferring text X to right edge of	field Y[1:2]	212
Limits X to fit in v	fields of width G	110
Formatting X with R decimals in	fields of width Y	404
Ending points for X	fields of width Y	405
Starting points for X	fields of width Y	515
"Transpose" of matrix X with column	fields of width Y	106
Leading zeroes for positive numbers X in	Fields of X (lengths Y) to length G	185
Justifying left	fields of X (lengths Y) to length G	184
Justifying right	Fifo stock Y decremented with X units	286
	figurate numbers	260
X first	fill element)	409
Zero or space depending on the type of X (	Filling X with last element of X to length Y	377
	first) maximum element of X	23
Index of (	first) maximum element of X	330
Index of (	first) minimum element of X	22
Index of (	first) minimum element of X	336
Indices of	first blanks in rows of array X	282
	First column as a matrix	567
	First column as a vector	607
Drop of Y	first columns from matrix X	443
Index of	first differing element in vectors X and Y	551
Locating field number Y starting with	first element of X	283
Replacing	first element of X with Y	434
Rotate	first elements (10) of subvectors of Y indicated by X	21
X	first figurate numbers	260
	First group of ones	261
Index of	first non-blank, counted from the rear	79
Index of	first occurrence of elements of Y	338
Index of	first occurrence of G in X (circularly) after Y	471
	First occurrence of string X in string Y	178
Turn on all zeroes after	First occurrence of string X in matrix Y	229
Turn off all ones after	first one	304
Index of	first one	307
	first one after index Y in X	438

	First ones in groups of ones	381
	First ones in groups of ones	440
	First ones of subvectors of Y indicated by X (<1)	421
	First part of numeric code ABBB	459
Move set of points X into	first quadrant	174
Forming	first row of a matrix to be expanded	408
Drop of Y	first rows from matrix X	388
Drop of Y	first rows from matrix X	444
Index of	first satisfied condition in X	559
X	first triangular numbers	302
	First word in X	401
Turn off all ones after	first zero	306
Turn on all zeroes after	first zero	308
Predicted values of exponential (curve)	fit	124
Predicted values of best linear	fit (least squares)	125
Limits X to	fit in $\forall$ field Y[i 2]	212
G-degree polynomial (curve)	fit of points (X,Y)	126
Coefficients of exponential (curve)	fit of points (X,Y)	127
Best linear	fit of points (X,Y) (least squares)	128
Present value of cash	flows X at interest rate Y %	77
Future value of cash	flows X at interest rate Y %	82
Adding a new dimension after dimension G Y-	fold	10
Replicating a dimension of rank three array X Y-	fold	200
	For-loop ending construct	113
Test if numeric and converting into numeric	Force 0+0 into DOMAIN ERROR in division	620
Evaluation of several expressionst results	form	95
Converting expression X to numeric	form a vector	99
Representation of current date (ascending	form with default value Y	94
Representation of current date (descending	format)	104
Binary	format)	65
Row-by-row	format of decimal number X	45
	formatting (width G) of X with Y decimals per row	109
Area of triangle with side lengths in X (Heron's	Formatting a numerical vector to run down the page	103
Duplicating element of X belonging to Y,1tX until next	Formatting with zero values replaced by blanks	108
Continued	Formatting X with X decimals in fields of width G	110
	Forming a transitive closure	112
	Forming a two-column matrix	589
	Forming a two-row matrix	588
	Forming a Y-row matrix with all rows alike (X)	593
	Forming an initially empty array to be expanded	618
	Forming first row of a matrix to be expanded	408
	formula)	318
	found	297
	fraction	619
	Fractional part	478
	fractional part	465
	Fractional part with sign	476
	Fractional parts of positive numbers	62
	Framing	464
Replacing elements of X not	fulfilling Y by blanks / zeroes	483
Gamma	function	141
Beta	function	139
Decommenting a matrix representation of a	function (□CR)	258
Applying to columns	function F defined on rows	514
Executing costly monadic	function F on repetitive arguments	151
A way to combine trigonometric	functions (sin X cos Y)	130
	Future value of cash flows X at interest rate Y %	82
	Gamma function	141
	gap of X[i] after Y[G[i]] (for all i)	264
Open a	gap of X[i] before Y[G[i]] (for all i)	271
Open a	gets value zero)	572
Avoiding division by zero error (	given	92
Changing X if a new input value is	Giving a character default value for input	403
	giving a default value G	458
	Giving a numeric default value for input	97
	Grade up according to key Y	30
	Limiting indices and	

	Grading down subvectors of Y indicated by X	15
	Grading up subvectors of Y indicated by X	7
	Graph of F(X) at points X ('X'<F)	90
	Greatest common divisor of elements of X	155
	group of ones	261
First	groups	417
Ending points of equal	groups	418
Starting points of equal	groups of ones	381
First ones in	groups of ones	439
Lost ones in	groups of ones	440
First ones in	groups of ones in X	415
Lengths of	Groups of ones in Y pointed by X (or trailing parts)	255
	Groups of ones in Y pointed by X	292
	Handling array X temporarily as a vector	592
	have elements in common	348
Test if X and Y	having lengths Y	39
Reversal (R) of subvectors	headers (elements of X) for rows of table Y	102
Numeric	height Y (across the page)	170
Borchart of X with	help of reversal	535
Avoiding parentheses with	Helps locating column positions 1..X	46
Area of triangle with side lengths in X (	Heron's formula)	318
Conversion from decimal to	hexadecimal	49
Conversion of characters to	hexadecimal representation (HAY)	56
Conversion from	hexadecimal to decimal	75
	Hilbert matrix of order X	196
	Histogram (distribution borchart; down the page)	144
Representation of current time (24	hour clock)	64
Representation of current time (12	hour clock)	105
Rounding to nearest	hundredth	461
Test if arrays are	identical	544
Sum elements of X marked by succeeding	identical	357
X=X	identicals in Y	284
X=X	identity matrix	197
Kronecker delta of X and Y (element of	identity matrix	582
	identity matrix)	575
	Identity of two sets	345
	implies Y	570
	including quotes	267
Locations of texts between and	including quotes	293
Locations of texts between and	inclusive	449
Limiting X between Y[1] and Y[2],	Increasing absolute value without change of sign	475
	Increasing rank of Y to rank of X	590
	Incrementing cyclic counter X with upper limit Y	61
	Independent of index origin	505
Indexing	index G	382
Inserting X into Y after	Index of (first) maximum element of X	23
	Index of (first) maximum element of X	330
	Index of (first) minimum element of X	22
	Index of (first) minimum element of X	336
Changing	Index of an unfound element to zero	472
Changing	Index of an unfound element to zero (not effective)	541
	Index of first differing element in vectors X and Y	551
	Index of first non-blank, counted from the rear	79
	Index of first occurrence of elements of Y	338
	Index of first occurrence of G in X (circularly) after Y	471
	Index of first one after index Y in X	438
	Index of first satisfied condition in X	559
	Index of key Y in key vector X	562
	Index of last element of Y in X	530
	Index of last occurrence	531
	Index of last occurrence, counted from the rear	532
	Index of width Y for vector X	201
Moving	Index origin	506
Indexing independent of	Index origin	504
Selection depending on	Index origin	609
Selection depending on	Index origin (GIO) as a vector	560

Changing an	index origin dependent argument to act as $\square IO=1$	626
Changing an	index origin dependent argument to act as $\square IO=0$	628
Changing an	index origin dependent result to be as $\square IO=1$	568
Changing an	index origin dependent result to be as $\square IO=0$	625
	Index pairs of saddle points	48
Index of first one after	index Y in X	438
	Indexing independent of index origin	606
	Indexing scattered elements	80
	Indexing when rank is not known beforehand	100
	Indexing with boolean value X (plotting a curve)	605
Temporary ravel of X for	indexing with G	584
Temporary ravel of X for	indexing with G	585
Grading up subvectors of Y	indicated by X	7
Grading down subvectors of Y	indicated by X	15
First ones of subvectors of Y	indicated by X (<)	421
Sums over (+) subvectors of Y	indicated by X	291
G:th subvector of Y (subvectors	indicated by X)	300
Or-scan (v) over subvectors of Y	indicated by X	289
And-scan (^) over subvectors of Y	indicated by X	290
Or-reduction (v) of subvectors of Y	indicated by X	491
And-reduction (^) of subvectors of Y	indicated by X	492
Maximum scan ([]) over subvectors of Y	indicated by X	2
Minimum scan ([]) over subvectors of Y	indicated by X	3
Cumulative sum (+) over subvectors of Y	indicated by X	255
Running parity (*) over subvectors of Y	indicated by X	254
Maxima ([]) of elements of subvectors of Y	indicated by X	14
Minima ([]) of elements of subvectors of Y	indicated by X	6
Rotate first elements (i) of subvectors of Y	indicated by X	21
Changing lengths of subvectors to ending	indicators	277
Changing lengths of subvectors to starting	indicators	278
Changing starting	indicators of subvectors to lengths	423
Field lengths of vector X; G $\leftrightarrow$ ending	indices	414
Limiting	indices and giving a default value G	453
Inserting Y +'s into vector X after	indices G	26
	Indices of all occurrences of elements of Y in X	495
	Indices of all occurrences of Y in X	503
	Indices of elements Y in array X	55
	Indices of first blanks in rows of array X	282
	Indices of last non-blanks in rows	217
	Indices of ones in logical vector X	41
	Indices of ones in logical vector X	280
	Indices of ones in logical vector X	506
Conversion of indices to	indices of raveled array	81
	Indices of subvectors of length Y starting at X+1	202
	indices of vector X	556
All	indices of X	51
Matrix of all	indices pointed by Y	529
Ending points for X in	indices pointed by Y	540
Starting points for X in	indices to indices of raveled array	81
Conversion of	indices X	40
Reversal (i) of subvectors starting at	indices X according to data Y	32
Sorting	indices Y	27
Expansion vector with zero after	indices Y	538
Expansion vector with zero after	indices Y in vector X	28
Catenating G elements H after	indices Y in vector X	29
Catenating G elements H before	indices Y point to	177
Ordinal numbers of words in X that	infinity; the largest representable value	337
Positive	infinity; the smallest representable value	331
Negative	initially empty array to be expanded	618
Forming an	input	97
Giving a numeric default value for	input	403
Giving a character default value for	input (printing) width	598
Entering from terminal data exceeding	input in range 1..X	542
Check for	Input of row Y of text matrix X	378
Changing X if a new	input value is given	92
	Insert vector for X[i] elements before i:th element	279



	Insert vector for X[i] zeroes after i:th subvector	265
	Inserting vector X into matrix Y after row G	375
	Inserting vector Y to the end of matrix X	376
	Inserting X into Y after index G	382
	Inserting Y *'s into vector X after indices G	26
	Inserting Y after each element of X	561
Test if	integer	457
Rounding to nearest even	integer	453
Rounding to nearest	integer	462
Rounding, to nearest even	Integer and fractional parts of positive numbers	62
	integer for .5 = 1  X	454
Barchart of two	Integer representation of logical vectors	64
Case structure with	integer series (across the page)	68
Barchart of	integer switch	116
Barchart of	integer values (across the page)	171
Test if X is an	integer values (down the page)	166
Quick membership (c) for positive	integer within range [ G,H )	221
Removing duplicates from positive	integers	333
Consecutive	integers	505
Number of digitpositions in	integers from X to Y (arithmetic progression)	558
Number of digits in positive	integers in X	452
Number of digit positions in	integers in X	456
Converting set of positive	integers in X	455
Definite	integers X into a mask	329
Compound	integral of F(X) in range Y with G steps ('X'<F)	91
Future value of cash flows X at	interest for principals Y at rates G % in times X	146
Present value of cash flows X at	interest rate Y %	82
Annuity coefficient; X periods at	interest rate Y %	77
	interest rate Y %	186
	Interpolated value of series (X,Y) at G	67
	Interpretation of roman numbers	342
	Intersection of sets, a	500
	Intervals between Y	145
	Inverse of +\)	442
	Inverse of +\)	383
	Inverting a permutation	37
	Inverting a permutation	550
	Inverting a permutation	553
	Joining pairs of ones	303
	Joining sentences	597
	Justifying left	276
	Justifying left fields of X (lengths Y) to length G	185
	Justifying right	76
	Justifying right	275
	Justifying right fields of X (lengths Y) to length G	184
Case structure according to	key vector G	117
Index of key Y in	key vector X	562
Grade up according to	key Y	30
Sorting rows of X according to	key Y (alphabetizing)	18
Index of	key Y in key vector X	562
Indexing when rank is not	known beforehand	100
Selecting specific elements from a '	Kronecker delta of X and Y (element of identity matrix)	575
Positive infinity; the	large' outer product	194
Conditional drop of	largest representable value	337
Adding scalar Y to	last element of X	446
Filling X with	last element of X	406
Replacing	last element of X to length Y	377
Index of	last element of X with Y	433
Indices of	last element of Y in X	530
Index of	last non-blanks in rows	217
Index of	last occurrence	531
	last occurrence, counted from the rear	532
	Last ones in groups of ones	439
	Last part of numeric code ABBB	479
Setting	latent expression	631
Removing	leading, multiple and trailing Y's	379

Removing	leading and trailing blanks	259
Removing	leading blank columns	210
Removing	leading blank rows	211
Removing	leading blanks	267
Removing	leading blanks	299
Matrix with X[i]	leading ones on row i	172
Removing	leading zeroes	437
	Leading zeroes for positive numbers X in fields of width Y	106
Matrix with X[i]	leading zeroes on row i	168
Test if X is a	leap year	463
Best linear fit of points (X,Y) (	least squares)	128
Predicted values of best linear fit (	least squares)	125
Positive maximum, at	least zero (also for empty X)	334
Justifying	left	276
Vector of length Y with X ones on the	left, the rest zeroes	407
Justifying	left fields of X (lengths Y) to length G	185
Shifting vector X	left with Y without rotate	387
	Leftmost neighboring elements	385
	Leftmost neighboring elements cyclically	537
	leg	224
Extending a distance table to next	length G	185
Justifying left fields of X (lengths Y) to	length G	184
Justifying right fields of X (lengths Y) to	length lines	579
Separating variable	length Y	377
Filling X with last element of X to	length Y starting at X+1	202
Indices of subvectors of	length Y with ones in locations X	543
Boolean vector of	length Y with X ones on the left, the rest zeroes	407
Vector of	length Y with zeroes in locations X	539
Boolean vector of	Lengthening matrix X to be compatible with Y	390
Changing starting indicators of subvectors to	lengths	423
Starting positions of subvectors (	lengths in X)	296
Area of triangle with side	lengths in X (Heron's Formula)	318
Sums over (+/) subvectors of X,	lengths in Y	257
	Lengths of groups of ones in X	415
Changing	lengths of subvectors to ending indicators	277
Changing	lengths of subvectors to starting indicators	278
	Lengths of subvectors with equal elements	413
Field	lengths of vector X; G ↔ ending indices	414
Sorting subvectors of	lengths Y	5
Reversal (R) of subvectors having	lengths Y	39
Justifying left fields of X (	lengths Y) to length G	185
Justifying right fields of X (	lengths Y) to length G	184
Contour	levels Y at points with altitudes X	179
Sorting a matrix into	lexicographic order	19
Sorting a matrix into reverse	lexicographic order	38
Incrementing cyclic counter X with upper	limit Y	61
	Limiting indices and giving a default value G	458
	Limiting X between Y[1] and Y[2], inclusive	449
	Limits X to fit in N field Y[1:2]	212
Output of an empty	line	617
Centering text	line X into a field of width Y	323
Centering text	line X into a field of width Y	393
Conditional branch to	line Y	114
Continuing from	line Y (if X>0) or exit	120
Predicted values of best	linear fit (least squares)	125
Best	linear fit of points (X,Y) (least squares)	128
Separating variable length	lines	579
Transforming connectivity matrix X into a connectivity	List of names in X (one per row)	441
Transforming connectivity	list	50
Helps	list X into a connectivity matrix	71
	locating column positions 1..X	46
	Locating field number Y starting with first element of X	283
	Locations of texts between and including quotes	287
	Locations of texts between and including quotes	293
	Locations of texts between quotes	288
	Locations of texts between quotes	294

Boolean vector of length Y with ones in	locations X	543	
Boolean vector of length Y with zeroes in	locations X	539	
Case structure with	logical switch (preferring from start)	115	
Indices of ones in	logical vector X	41	
Indices of ones in	logical vector X	280	
Indices of ones in	logical vector X	506	
Integer representation of	logical vectors	84	
For-	loop ending construct	113	
Reshaping non-empty	lower-rank array X into a matrix	392	
Reshaping non-empty	lower-rank array X into a matrix	402	
Test if X is a	lower triangular matrix	162	
X*X	lower triangular matrix	196	
	Magnitude of fractional part	465	
Sum elements of X	Main diagonal of array X	525	
Converting set of positive integers X into a	marked by succeeding identicals in Y	284	
'X1Y' for rows of	mask	329	
'X1Y' by rows for elements of	matrices	207	
Vectors as	matrices	153	
Vectors as	matrices in catenation	273	
Column sum of a	matrices in catenation	274	
Row sum of a	matrix	372	
First column as a	matrix	373	
Forming a two-column	matrix	587	
X*X upper triangular	matrix	589	
X*X lower triangular	matrix	195	
Repeat	matrix	196	
Forming a two-row	matrix	182	
X*X identity	matrix	588	
X*X identity	matrix	197	
Empty	matrix	582	
Test if X is a lower triangular	matrix	513	
Test if X is an upper triangular	matrix	162	
Reshaping vector X into a one-row	matrix	161	
Decoding numeric code ABBCCC into a	matrix	595	
Reshaping vector X into a one-column	matrix	63	
Reshaping vector X into a one-column	matrix	534	
Reshaping vector X into a one-column	matrix	594	
Reshaping vector X into a two-column	matrix	591	
Reshaping numeric vector X into a one-column	matrix	203	
Transforming connection matrix X into a node	matrix	148	
Transforming node matrix X into a connection	matrix	157	
Reshaping non-empty lower-rank array X into a	matrix	392	
Reshaping non-empty lower-rank array X into a	matrix	402	
Kronecker delta of X and Y (element of identity	matrix)	575	
Sorting a	matrix according to Y:th column	33	
Rotation	matrix for angle X (in radians) counter-clockwise	132	
	Matrix for choosing all subsets of X (truth table)	59	
Sorting a	matrix into lexicographic order	19	
Dividing a 400x12 character	matrix into one page	524	
Sorting a	matrix into reverse lexicographic order	38	
'Position'	matrix of a vector	143	
Hilbert	Matrix of all indices of X	51	
	matrix of order X	198	
Direct	Matrix product	240	
Decommenting a	matrix product	187	
	Matrix representation of a function (OCR)	258	
Forming first row of a	Matrix sum	191	
Transforming connectivity list X into a connectivity	matrix to be expanded	408	
Forming a Y-row	matrix	71	
Diagonal	matrix with all rows alike (X)	593	
	matrix with elements of X	429	
	Matrix with shape of Y and X as its columns	517	
	Matrix with X columns Y	521	
	Matrix with X[i] leading ones on row i	172	
	Matrix with X[i] leading zeroes on row i	168	
	Matrix with X[i] trailing ones on row i	167	

	<i>Matrix with X[i] trailing zeroes on row i</i>	165
<i>Diagonal elements of</i>	<i>matrix X</i>	526
<i>Test for symmetry of</i>	<i>matrix X</i>	86
<i>Drop of Y first rows from</i>	<i>matrix X</i>	388
<i>Drop of Y first rows from</i>	<i>matrix X</i>	444
<i>Number of columns in</i>	<i>matrix X</i>	410
<i>Number of columns in</i>	<i>matrix X</i>	445
<i>Number of columns in</i>	<i>matrix X</i>	600
<i>Number of rows in</i>	<i>matrix X</i>	411
<i>Number of rows in</i>	<i>matrix X</i>	446
<i>Number of rows in</i>	<i>matrix X</i>	601
<i>Number of rows in</i>	<i>matrix X</i>	613
<i>Sum of numbers in character</i>	<i>matrix X</i>	101
<i>Input of row Y of text</i>	<i>matrix X</i>	378
<i>Drop of Y first columns from</i>	<i>matrix X</i>	443
<i>Test for antisymmetry of</i>	<i>matrix X</i>	85
<i>Average (mean value) of rows of</i>	<i>matrix X</i>	325
<i>Test for symmetry of square</i>	<i>matrix X</i>	520
<i>Inserting vector Y to the end of</i>	<i>matrix X</i>	376
<i>Average (mean value) of columns of</i>	<i>matrix X</i>	326
<i>Test for antisymmetry of square</i>	<i>matrix X</i>	519
<i>Removing duplicate rows from ordered</i>	<i>matrix X</i>	327
<i>Retrieving scattered elements Y from</i>	<i>matrix X</i>	522
<i>Multiplication of each column of</i>	<i>matrix X by vector Y</i>	516
<i>Transforming node</i>	<i>matrix X into a connection matrix</i>	157
<i>Transforming connectivity</i>	<i>matrix X into a connectivity list</i>	50
<i>Transforming connection</i>	<i>matrix X into a node matrix</i>	148
<i>Sorting rows of</i>	<i>matrix X into ascending order</i>	8
<i>Sorting rows of</i>	<i>matrix X into ascending order</i>	9
<i>Transpose</i>	<i>matrix X on condition Y</i>	518
<i>Rows of non-empty</i>	<i>matrix X starting with a character in Y</i>	499
<i>Rows of</i>	<i>matrix X starting with string Y</i>	216
<i>Widening</i>	<i>matrix X to be compatible with Y</i>	391
<i>Lengthening</i>	<i>matrix X to be compatible with Y</i>	390
<i>Aligning diagonals of</i>	<i>matrix X to columns</i>	399
<i>Aligning columns of</i>	<i>matrix X to diagonals</i>	396
<i>"Transpose" of</i>	<i>matrix X with column fields of width Y</i>	515
<i>First occurrence of string X in</i>	<i>matrix Y</i>	229
<i>Inserting vector X into</i>	<i>matrix Y after row G</i>	375
<i>Using boolean</i>	<i>matrix Y in expanding X</i>	489
	<i>Maxima (I) of elements of subvectors of Y indicated by X</i>	14
	<i>Maxima of elements of subsets of X specified by Y</i>	213
	<i>maximum, at least zero (also for empty X)</i>	334
	<i>maximum element of X</i>	23
	<i>maximum element of X</i>	330
	<i>Maximum of elements of X</i>	335
	<i>Maximum of X with weights Y</i>	222
	<i>Maximum scan (I) over subvectors of Y indicated by X</i>	2
	<i>Maximum table</i>	183
<i>Arithmetic average (</i>	<i>mean value)</i>	365
<i>Arithmetic average (</i>	<i>mean value), also for an empty array</i>	332
<i>Average (</i>	<i>mean value) of columns of matrix X</i>	326
<i>Average (</i>	<i>mean value) of elements of X along direction Y</i>	364
<i>Average (</i>	<i>mean value) of rows of matrix X</i>	325
<i>Arithmetic average (</i>	<i>mean value) of X weighted by Y</i>	237
	<i>Median</i>	24
	<i>membership (a) for positive integers</i>	333
	<i>Merging vectors X and Y alternately</i>	578
	<i>Merging X, Y, Z ... under control of G (mesh)</i>	11
	<i>Merging X and Y under control of G (mesh)</i>	12
	<i>Merging X and Y under control of G (mesh)</i>	16
	<i>Merging X and Y under control of G (mesh)</i>	31
	<i>Merging X and Y under control of G (mesh)</i>	482
<i>Merging X and Y under control of G (</i>	<i>mesh)</i>	12
<i>Merging X and Y under control of G (</i>	<i>mesh)</i>	16
<i>Merging X and Y under control of G (</i>	<i>mesh)</i>	31

Merging X and Y under control of G (	mesh)	482	
Merging X, Y, Z ... under control of G (	mesh)	11	
Index of (first)	Minima ( /) of elements of subvectors of Y indicated by X	5	
Index of (first)	minimum element of X	22	
Division to Y classes with width H.	minimum element of X	336	
	minimum G	173	
	Minimum of elements of X	339	
	Minimum of X with weights Y	223	
Array and its negative ('plus	Minimum scan ( /) over subvectors of Y indicated by X	3	
Array and its negative ('plus	minus')	204	
Number and its negative ('plus	minus')	583	
Separating a date YYMMDD to YY,	minus')	621	
Y:th	MM, DD	57	
Executing costly	moment of X	321	
Number of days in	monadic function F on repetitive arguments	151	
Take of at	month X of year Y	74	
	most X elements from Y	394	
	Move set of points X into first quadrant	174	
	Moving all blanks to end of each row	160	
	Moving all blanks to end of text	42	
	Moving elements satisfying condition Y to the start of X	43	
	Moving index of width Y for vector X	201	
Removing leading,	multiple and trailing Y's	379	
Removing	multiple blanks	424	
	Multiplication of each column of matrix X by vector Y	516	
	Multiplication of each row of X by vector Y	611	
	Multiplication table	199	
Test if X is a valid APL	name	322	
Changing numeric code X into corresponding	name in Y	554	
Using a variable	named according to X	86	
Assign values of expressions in X to variables	named in Y	98	
List of	names in X (one per row)	441	
Rounding to	nearest even integer	453	
Rounding, to	nearest even integer for .5 = 1  X	454	
Rounding to	nearest hundredth	461	
Rounding to	nearest integer	462	
Array and its	negative ('plus minus')	204	
Array and its	negative ('plus minus')	583	
Number and its	negative ('plus minus')	621	
	Negative infinity; the smallest representable value	331	
Leftmost	neighboring elements	385	
Rightmost	neighboring elements	384	
Leftmost	neighboring elements cyclically	537	
Rightmost	neighboring elements cyclically	536	
None,	neither	355	
Adding a	new dimension after dimension G Y-fold	10	
Vector to expand a	new element after each one in X	507	
Changing X if a	new input value is given	92	
Duplicating element of X belonging to Y, 1+X until	next found	297	
Extending a distance table to	next leg	224	
Test if an element differs from the	next one	431	
Transforming connection matrix X into a	node matrix	148	
Transforming	node matrix X into a connection matrix	157	
Index of first	non-blank, counted from the rear	79	
Indices of last	non-blanks in rows	217	
Corner element of a (	non-empty) array	615	
Reshaping	non-empty lower-rank array X into a matrix	392	
Reshaping	non-empty lower-rank array X into a matrix	402	
Rows of	non-empty matrix X starting with a character in Y	499	
	None, neither	355	
Removing duplicate elements (	nub)	154	
Removing duplicate elements (	nub)	501	
Conversion of each row into a	number (default zero)	93	
	Number and its negative ('plus minus')	621	
	Number of columns in array X	599	
	Number of columns in matrix X	410	

	Number of columns in matrix X	445	
	Number of columns in matrix X	600	
	Number of combinations of X objects taken Y at a time	142	
	Number of days in month X of year Y	74	
	Number of decimals (up to Y) of elements of X	149	
	Number of decimals of elements of X	87	
	Number of digit positions in integers in X	455	
	Number of digit positions in scalar X (depends on $\square PP$ )	111	
	Number of digitpositions in integers in X	452	
	Number of digits in positive integers in X	456	
	Number of elements (also of a scalar)	366	
	Number of elements (also of a scalar)	596	
	Number of elements satisfying condition X	370	
	Number of occurrences of scalar X in array Y	236	
	Number of occurrences of scalar X in array Y	362	
	Number of permutations of X objects taken Y at a time	135	
	Number of rows in array X (also of a vector)	328	
	Number of rows in matrix X	411	
	Number of rows in matrix X	446	
	Number of rows in matrix X	601	
	Number of rows in matrix X	613	
Binary format of decimal	number X	45	
Poisson distribution of states X with average	number Y	140	
Locating field	number Y starting with first element of X	283	
X first figurate	numbers	260	
Interpretation of roman	numbers	342	
X first triangular	numbers	302	
Integer and fractional parts of positive	numbers	62	
Randomizing random	numbers (in $\square LX$ in a workspace)	245	
Ascending cardinal	numbers (ranking, all different)	13	
Descending cardinal	numbers (ranking, all different)	17	
Ascending cardinal	numbers (ranking, shareable)	1	
Arithmetic progression of Y	numbers from X with step G	557	
Sum of	numbers in character matrix X	101	
Ordinal	numbers of words in X that indices Y point to	177	
Y-shaped array of random	numbers within ( X[1],X[2] )	121	
Leading zeroes for positive	numbers X in fields of width Y	106	
Test if	numeric	400	
Test if	numeric	486	
Transformation of alphanumeric string into	numeric	78	
Test if	numeric and converting into numeric form	95	
First part of	numeric code ABBB	459	
Last part of	numeric code AEBB	479	
Decoding	numeric code ABBCCC into a matrix	63	
Changing	numeric code X into corresponding name in Y	554	
Converting characters into	numeric codes	561	
Giving a	numeric default value for input	97	
Test if numeric and converting into	numeric form	95	
Converting expression X to	numeric form with default value Y	94	
	Numeric headers (elements of X) for rows of table Y	102	
Output of assigned	numeric value	627	
Empty	numeric vector	563	
Reshaping	numeric vector X into a one-column matrix	203	
Formatting a	numerical vector to run down the page	103	
Choosing Y	objects out of $\square X$ with replacement (roll)	122	
Choosing Y	objects out of $\square X$ without replacement (deal)	123	
Number of permutations of X	objects taken Y at a time	135	
Number of combinations of X	objects taken Y at a time	142	
	occurrence	531	
Index of last	occurrence, counted from the rear	532	
Index of first	occurrence of elements of Y	338	
Index of first	occurrence of G in X (circularly) after Y	471	
First	occurrence of string X in matrix Y	228	
First	occurrence of string X in string Y	178	
Indices of all	occurrences of elements of Y in X	495	
Number of	occurrences of scalar X in array Y	236	

Number of	occurrences of scalar X in array Y	352
	Occurrences of string X in string Y	147
	Occurrences of string X in string Y	176
	Occurrences of string X in string Y	219
	occurrences of Y in X	503
Indices of all	occurs only once	353
Test if each element of X	off all ones after first one	307
Turn	off all ones after first zero	306
Turn	once	353
Test if each element of X occurs only	one	307
Turn off all ones after first	one	304
Turn on all zeroes after first	one	431
Test if an element differs from the next	one	432
Test if an element differs from the previous	one according to X	569
Conditional change of elements of Y to	one after index Y in X	438
Index of first	one-column matrix	534
Reshaping vector X into a	one-column matrix	594
Reshaping vector X into a	one-column matrix	203
Reshaping numeric vector X into a	one-element vector X into a scalar	371
Reshaping	one in X	507
Vector to expand a new element after each	one page	524
Dividing a 400x12 character matrix into	one per row	441
List of names in X (	one-row matrix	595
Reshaping vector X into a	ones	251
First group of	ones	381
First ones in groups of	ones	439
Last ones in groups of	ones	440
First ones in groups of	ones	440
Joining pairs of	ones in locations X	543
Places between pairs of	ones in logical vector X	41
Turn off all	ones in logical vector X	280
Turn off all	ones in logical vector X	506
Last	ones in X	415
First	ones in Y pointed by X	292
First	ones in Y pointed by X (or trailing parts)	256
Boolean vector of length Y with	ones of subvectors of Y indicated by X (<\)	421
Indices of	ones on row i	172
Indices of	ones on row i	167
Indices of	ones on the left, the rest zeroes	407
Lengths of groups of	only once	353
Groups of	only right edge ragged	269
Groups of	Open a gap of X[i] after Y[G[i]] (for all i)	264
First	Open a gap of X[i] before Y[G[i]] (for all i)	271
Matrix with X[i] leading	or	573
Matrix with X[i] trailing	or exit	120
Vector of length Y with X	Or-reduction (\/) of subvectors of Y indicated by X	491
Test if each element of X occurs	or scalar	546
Centering character array X with	Or-scan (\v) over subvectors of Y indicated by X	289
	or space depending on the type of X (fill element)	409
	or trailing parts)	256
Exclusive	order	35
Continuing from line Y (if X>0)	order	44
Test if single	order	19
	order	8
Zero	order	9
Groups of ones in Y pointed by X (	order	38
Sorting X into ascending	order along direction Y	268
Sorting X into descending	order along direction Y	270
Sorting a matrix into lexicographic	order in a cup for X ranked players	389
Sorting rows of matrix X into ascending	order X	198
Sorting rows of matrix X into ascending		
Sorting a matrix into reverse lexicographic		
Test if X is in ascending		
Test if X is in descending		
Playing		
Hilbert matrix of		

Pascal's triangle of	order X (binomial coefficients)	136
Removing duplicate rows from	ordered matrix X	327
Removing duplicates from an	ordered vector	422
	Ordinal numbers of words in X that indices Y point to	177
Selection depending on index	origin	604
Selection depending on index	origin	609
Indexing independent of index	origin	606
Index	origin (IO) as a vector	560
Changing an index	origin dependent argument to act as IO=1	626
Changing an index	origin dependent argument to act as IO=0	628
Changing an index	origin dependent result to be as IO=1	568
Changing an index	origin dependent result to be as IO=0	625
Test if X and Y are permutations of each	other	4
Selecting elements satisfying condition Y, zeroing	others	622
Choosing Y objects	out of X with replacement (roll)	122
Choosing Y objects	out of X without replacement (deal)	123
Conditional branch	out of program	118
Conditional branch	out of programs	89
Spacing	out text	490
Spacing	out text	580
Selecting specific elements from a 'large'	outer product	194
	Output of an empty line	517
	Output of assigned numeric value	627
	Output of assigned value	630
Sums	over (+) subvectors of X, lengths in Y	257
Sums	over (+) subvectors of Y indicated by X	291
Sum	over elements of X determined by elements of Y	150
Summation	over subsets of X specified by Y	241
Products	over subsets of X specified by Y	244
Cumulative sum (+\)	over subvectors of Y indicated by X	255
Maximum scan (/\)	over subvectors of Y indicated by X	2
Minimum scan (/\)	over subvectors of Y indicated by X	3
Or-scan (v\)	over subvectors of Y indicated by X	289
And-scan (A\)	over subvectors of Y indicated by X	290
Running parity (X\)	over subvectors of Y indicated by X	254
Barchart of integer values (down the	page)	166
Barchart of integer values (across the	page)	171
Barchart of X with height Y (across the	page)	170
Barchart of two integer series (across the	page)	68
Histogram (distribution barchart) down the	page)	144
Dividing a 400x12 character matrix into one	page	524
Formatting a numerical vector to run down the	page	103
All	pairs of elements of X and Y	58
Joining	pairs of ones	303
Places between	pairs of ones	305
Index	pairs of saddle points	48
	Pairwise differences of successive columns (inverse of +\)	383
	Pairwise differences of successive elements of vector X	420
	Pairwise ratios of successive elements of vector X	419
Depth of	parentheses	295
Avoiding	parentheses with help of reversal	535
Running	Parity	361
Running	parity	309
Magnitude of fractional	parity (X\)	over subvectors of Y indicated by X 254
Fractional	part	465
Last	part	478
First	part of numeric code ABBB	479
Fractional	part of numeric code ABBB	459
Groups of ones in Y pointed by X (or trailing	part with sign	476
Integer and fractional	parts)	256
List of names in X (one	parts of positive numbers	62
Row-by-row formatting (width G) of X with Y decimals	Pascal's triangle of order X (binomial coefficients)	136
Annuity coefficient: X	per row)	441
Inverting a	per row	109
	periods at interest rate Y %	186
	permutation	37



Inverting a	permutation	550
Inverting a	permutation	553
Test if X is a	permutation vector	20
Test if X is a	permutation vector	158
Test if X is a	permutation vector	346
Test if X and Y are	permutations of each other	4
Number of	permutations of X objects taken Y at a time	135
	Places between pairs of ones	305
Transpose of	planes of a rank three array	527
Playing order in a cup for X ranked	players	389
Indexing with boolean value X (	Playing order in a cup for X ranked players	389
Array and its negative ('	plotting a curve)	605
Array and its negative ('	plus minus')	204
Number and its negative ('	plus minus')	583
Value of saddle	plus minus')	521
Ordinal numbers of words in X that indices Y	point	262
Value of polynomial with coefficients Y at	point to	177
Value of polynomial with coefficients Y at	point X	83
Value of Taylor series with coefficients Y at	point X	227
Value of Taylor series with coefficients Y at	point X	137
	point X	281
Groups of ones in Y	pointed by X	292
Groups of ones in Y	pointed by X (or trailing parts)	256
Ending points for X in indices	pointed by Y	529
Starting points for X in indices	pointed by Y	540
Index pairs of saddle	points	48
G-degree polynomial (curve) fit of	points (X,Y)	126
Coefficients of exponential (curve) fit of	points (X,Y)	127
Best linear fit of	points (X,Y) (least squares)	128
Ending	points for X fields of width Y	404
Starting	points for X fields of width Y	405
Ending	points for X in indices pointed by Y	529
Starting	points for X in indices pointed by Y	540
Ending	points of equal groups	417
Starting	points of equal groups	418
Contour levels Y at	points with attitudes X	179
Value of polynomial with coefficients Y at	points X	69
Graph of F(X) at	points X ('X'<F)	90
Have set of	points X into first quadrant	174
	Poisson distribution of states X with average number Y	140
G-degree	polynomial (curve) fit of points (X,Y)	126
Value of	polynomial with coefficients Y at points X	69
Value of	polynomial with coefficients Y at point X	83
Value of	polynomial with coefficients Y at point X	227
	Polynomial with roots X	47
Derivate of	polynomial X	430
Product of two	polynomials with coefficients X and Y	163
	Position' matrix of a vector	143
Helps locating column	positions 1..X	46
Number of digit	positions in integers in X	455
Number of digit	positions in scalar X (depends on [PP])	111
Starting	positions of subvectors (lengths in X)	296
	Positive infinity: the largest representable value	337
Removing duplicates from	positive integers	505
Quick membership (c) for	positive integers	333
Number of digits in	positive integers in X	456
Converting set of	positive integers X into a mask	329
	Positive maximum, at least zero (also for empty X)	334
Integer and fractional parts of	positive numbers	62
Leading zeroes for	positive numbers X in fields of width Y	106
Arithmetic	precision of the system (in decimals)	450
	Predicted values of best linear fit (least squares)	125
Case structure with logical switch (	Predicted values of exponential (curve) fit	124
Test if an element differs from the	preferring from start)	115
	Present value of cash flows X at interest rate Y %	77
	previous one	432

All	primes up to X	175
Compound interest for	principals Y at rates G % in times X	146
Entering from terminal data exceeding input (	printing) width	598
Binomial distribution of X trials with	probability Y	138
Alternating	product	367
Shur	product	188
Matrix	product	240
Direct matrix	product	187
Selecting specific elements from a 'large' outer	product	194
	Product of elements of X	368
	Product of two polynomials with coefficients X and Y	163
Vector (cross)	product of vectors	528
Scalar (dot)	product of vectors	243
	Products over subsets of X specified by Y	244
Conditional branch out of	program	118
Conditional branch out of	programs	89
Consecutive integers from X to Y (arithmetic	progression)	558
Arithmetic	progression from X to Y with step G	451
Arithmetic	progression of Y numbers from X with step G	557
Removing	punctuation characters	496
Conversion of characters to hexadecimal representation (	□AV)	56
Decommenting a matrix representation of a function (	□CR)	258
Changing an index origin dependent result to be as	□IO=1	568
Changing an index origin dependent result to be as	□IO=0	625
Changing an index origin dependent argument to act as	□IO=1	626
Changing an index origin dependent argument to act as	□IO=0	628
Index origin (	□IO) as a vector	560
Randomizing random numbers (in	□LX in a workspace)	245
Number of digit positions in scalar X (depends on	□PP)	111
Move set of points X into first	quadrant	174
(Real) solution of	quadratic equation with coefficients X	363
	Quick membership (c) for positive integers	333
Locations of texts between	quotes	288
Locations of texts between	quotes	294
Locations of texts between and including	quotes	287
Locations of texts between and including	quotes	293
Doubling	quotes (for execution)	25
Transformation from degrees to	radians	134
Rotation matrix for angle X (in	radians) counter-clockwise	132
Transformation from	radians to degrees	133
Centering character array X with only right edge	ragged	269
Centering character array X with	ragged edges	248
Randomizing	random numbers (in □LX in a workspace)	245
Y-shaped array of	random numbers within ( X[1],X[2] )	121
	Randomizing random numbers (in □LX in a workspace)	245
Check for input in	range 1..X	542
Test if X is an integer within	range [ G,H )	221
Test if X is within	range [ Y[1],Y[2] )	233
Test if X is within	range ( Y[1],Y[2] ]	234
Test if X is within	range ( Y[1],Y[2] ]	235
Test if X is within	range [ Y[1],Y[2] )	180
Test if X is within	range ( Y[1],Y[2] )	564
Test if X is within	range [ Y[1],Y[2] ]	565
Size of	range of elements of X	312
Definite integral of F(X) in	range Y with G steps ('X'<F)	91
Reshaping non-empty lower-	rank array X into a matrix	392
Reshaping non-empty lower-	rank array X into a matrix	402
Indexing when	rank is not known beforehand	100
	Rank of array X	612
Increasing rank of Y to	rank of X	590
Increasing	rank of Y to rank of X	590
Transpose of planes of a	rank three array	527
Replicating a dimension of	rank three array X Y-fold	200
Reduction in dimension Y,	rank unchanged	502
Playing order in a cup for X	ranked players	389
Ascending cardinal numbers (	ranking, all different)	13

Descending cardinal numbers (	ranking, all different)	17
Ascending cardinal numbers (	ranking, shareable)	1
Future value of cash flows X at interest	rate Y %	82
Present value of cash flows X at interest	rate Y %	77
Annuity coefficient: X periods at interest	rate Y %	186
Compound interest for principals Y at	rates G % in times X	146
Pairwise	ratios of successive elements of vector X	419
Temporary	ravel of X for indexing with G	584
Temporary	ravel of X for indexing with G	585
Conversion of indices to indices of	raveled array	81
(	Real) solution of quadratic equation with coefficients X	363
Index of first non-blank, counted from the	rear	79
Index of last occurrence, counted from the	rear	532
Sum of	reciprocal series Y+X	239
Sum of alternating	reciprocal series Y+X	238
And-	reduction (A/) of subvectors of Y indicated by X	492
Or-	reduction (v/) of subvectors of Y indicated by X	491
Extending a transitive binary	Reduction in dimension Y, rank unchanged	502
	Reduction with a without respect to shape	511
	relation	230
	Removing blank columns	226
	Removing blank rows	225
	Removing blanks	510
	Removing columns Y from array X	396
	Removing duplicate blank columns	220
	Removing duplicate blank rows	216
	Removing duplicate elements (nub)	154
	Removing duplicate elements (nub)	501
	Removing duplicate rows	70
	Removing duplicate rows	206
	Removing duplicate rows	208
	Removing duplicate rows from ordered matrix X	327
	Removing duplicate Y's from vector X	426
	Removing duplicates from an ordered vector	422
	Removing duplicates from positive integers	505
	Removing elements Y from beginning of vector X	435
	Removing elements Y from beginning and end of vector X	416
	Removing elements Y from end of vector X	427
	Removing elements Y from vector X	509
	Removing every second element of X	469
	Removing every Yth element of X	466
	Removing leading, multiple and trailing Y's	379
	Removing leading and trailing blanks	259
	Removing leading blank columns	210
	Removing leading blank rows	211
	Removing leading blanks	267
	Removing leading blanks	299
	Removing leading zeroes	437
	Removing multiple blanks	424
	Removing punctuation characters	496
	Removing trailing blank columns	209
	Removing trailing blank columns	272
	Removing trailing blank rows	205
	Removing trailing blanks	73
	Removing trailing blanks	266
	Removing trailing blanks	298
	Removing trailing blanks	397
	Removing trailing blanks	428
	Repeat matrix	182
Executing costly monadic function F on	repetitive arguments	151
Formatting with zero values	replaced by blanks	108
Choosing Y objects out of 1X without	replacement (deal)	123
Choosing Y objects out of 1X with	replacement (roll)	122
	Replacing all values Y[i] by Y[i] in X	425
	Replacing elements of X in set Y by blanks / zeroes	480
	Replacing elements of X not fulfilling Y by blanks / zeroes	483

	Replacing elements of X not in set Y by blanks / zeroes	481
	Replacing elements of Y satisfying X with G	504
	Replacing first element of X with Y	434
	Replacing last element of X with Y	433
	Replicate Y[i] X[i] times (for all i)	250
	Replicate Y[i] X[i] times (for all i)	251
	Replicate Y[i] X[i] times (for all i)	253
	Replicating a dimension of rank three array X Y-fold	200
Positive infinity; the largest	representable value	337
Negative infinity; the smallest	representable value	331
Conversion of characters to hexadecimal	representation (□AV)	56
Decommenting a matrix	representation of a function (□CR)	258
	Representation of current date (descending format)	65
	Representation of current date (ascending format)	104
	Representation of current date (American)	107
	Representation of current time (24 hour clock)	84
	Representation of current time (12 hour clock)	105
Integer	representation of logical vectors	84
	Representation of X in base Y	54
All binary	representations up to X (truth table)	52
All binary	representations with X bits (truth table)	60
	Reshaping non-empty lower-rank array X into a matrix	392
	Reshaping non-empty lower-rank array X into a matrix	402
	Reshaping numeric vector X into a one-column matrix	203
	Reshaping one-element vector X into a scalar	371
	Reshaping vector X into a one-column matrix	534
	Reshaping vector X into a one-column matrix	594
	Reshaping vector X into a one-row matrix	595
	Reshaping vector X into a two-column matrix	591
	Reshaping X into a scalar	516
	respect to shape	511
	rest zeroes	407
Reduction with a without	Restoring argument of cumulative sum (inverse of +\)	442
Vector of length Y with X ones on the left, the	result to be as □IO=1	568
	result to be as □IO=0	625
Changing an index origin dependent	results form a vector	99
Changing an index origin dependent	Retrieving scattered elements Y from matrix X	522
Evaluation of several expressions;	reversal	535
Avoiding parentheses with help of	Reversal (□) of subvectors having lengths Y	39
	Reversal (□) of subvectors starting at indices X	40
	reverse lexicographic order	38
	Reverse vector X on condition Y	533
	right	76
	right	275
	right edge of field of width Y	412
	right edge ragged	269
	right fields of X (lengths Y) to length G	184
	right with Y without rotate	386
	Rightmost neighboring elements	384
	Rightmost neighboring elements cyclically	536
	roll	122
Choosing Y objects out of X with replacement (	roman numbers	342
Interpretation of	roots X	47
Polynomial with	rotate	387
Shifting vector X left with Y without	rotate	386
Shifting vector X right with Y without	Rotate first elements (i□) of subvectors of Y indicated by X	2
	Rotation matrix for angle X (in radians) counter-clockwise	132
	Rounding, to nearest even integer for .5 = 1 X	454
	Rounding to nearest even integer	453
	Rounding to nearest hundredth	461
	Rounding to nearest integer	462
	Rounding to X decimals	460
	Rounding to zero values of X close to zero	474
	row	441
	row	160
	Row-by-row formatting (width G) of X with Y decimals per row	10
List of names in X (one per		
Moving all blanks to end of each		

Evaluating a two-	row determinant	313
Evaluating a two-	row determinant	314
Row-by-	row formatting (width G) of X with Y decimals per row	109
Inserting vector X into matrix Y after	row G	375
Matrix with X[i] leading ones on	row i	172
Matrix with X[i] trailing ones on	row i	167
Matrix with X[i] leading zeroes on	row i	168
Matrix with X[i] trailing zeroes on	row i	165
Conversion of each	row into a number (default zero)	93
Adding an empty	row into X after row Y	487
Adding an empty	row into X after rows Y	485
Forming a two-	row matrix	588
Reshaping vector X into a one-	row matrix	595
Forming a Y-	row matrix with all rows alike (X)	593
Forming first	row of a matrix to be expanded	408
Test if vector Y is a	row of array X	228
Multiplication of each	row of X by vector Y	611
Adding X to each	row of Y	189
Adding X to each	row of Y	190
Adding an empty row into X after	Row sum of a matrix	373
Input of	row Y	487
Row-by-row formatting (width G) of X with Y decimals per	row Y of text matrix X	378
Removing duplicate	row	109
Removing duplicate	rows	70
Removing duplicate	rows	206
Comparison of successive	rows	208
Blank	rows	344
Removing duplicate blank	rows	359
Removing trailing blank	rows	218
Removing leading blank	rows	205
Removing blank	rows	211
Indices of last non-blanks in	rows	225
Array with shape of Y and X as its	rows	217
Applying to columns function F defined on	rows	614
Forming a Y-row matrix with all	rows	514
'X\Y' by	rows alike (X)	593
Drop of Y first	rows for elements of matrices	153
Drop of Y first	rows from matrix X	388
Removing duplicate	rows from matrix X	444
Number of	rows from ordered matrix X	327
Number of	rows in array X (also of a vector)	328
Number of	rows in matrix X	411
Number of	rows in matrix X	446
Number of	rows in matrix X	601
Number of	rows in matrix X	613
Comparing vector Y with	rows of array X	232
Indices of first blanks in	rows of array X	282
'X\Y' for	rows of matrices	207
Average (mean value) of	rows of matrix X	325
Sorting	rows of matrix X into ascending order	8
Sorting	rows of matrix X into ascending order	9
Numeric headers (elements of X) for	Rows of matrix X starting with string Y	216
Sorting	Rows of non-empty matrix X starting with a character in Y	499
Test if	rows of table Y	102
Adding an empty row into X after	rows of X according to key Y (alphabetizing)	18
Formatting a numerical vector to	rows of X contain elements differing from Y	231
	rows Y	485
	run down the page	103
	Running parity	309
	Running parity (\) over subvectors of Y indicated by X	254
	Running sum of Y consecutive elements of X	285
	saddle point	262
	saddle points	48
	same column of Y	395
Alphabetizing X; equal alphabets in	satisfied condition in X	559
Index of first	satisfying condition X	370
Number of elements		

Selecting elements of X	satisfying condition Y	512
Selecting elements	satisfying condition Y, zeroing others	622
Moving elements	satisfying condition Y to the start of X	43
Replacing elements of Y	satisfying X with G	504
Reshaping X into a	scalar	616
Test if single or	scalar	546
Number of elements (also of a	scalar)	366
Number of elements (also of a	scalar)	596
Reshaping one-element vector X into a	scalar	371
	Scalar (dot) product of vectors	243
Number of digit positions in	scalar X (depends on [PP])	111
Number of occurrences of	scalar X in array Y	236
Number of occurrences of	scalar X in array Y	362
Adding	scalar Y to last element of X	406
And-	scan (\) over subvectors of Y indicated by X	290
Minimum	scan (\) over subvectors of Y indicated by X	3
Maximum	scan (\) over subvectors of Y indicated by X	2
Or-	scan (\) over subvectors of Y indicated by X	289
	Scan from end with a	484
Indexing	scattered elements	80
Retrieving	scattered elements Y from matrix X	522
Removing every	second element of X	469
	Selecting elements of X satisfying condition Y	512
	Selecting elements satisfying condition Y, zeroing others	622
	Selecting specific elements from a 'large' outer product	194
	Selection between X and Y depending on condition G	567
	Selection depending on index origin	604
	Selection depending on index origin	609
Joining	sentences	597
Digits of X	separately	53
	Separating a date YYMMDD to YY, MM, DD	57
	Separating variable length lines	579
Alternating	series (1 1 2 2 3 3 ...)	301
Barchart of two integer	series (across the page)	68
Interpolated value of	series (X,Y) at G	67
Value of Taylor	series with coefficients Y at point X	137
Value of Taylor	series with coefficients Y at point X	281
Sum of reciprocal	series Y+X	239
Sum of alternating reciprocal	series Y+X	238
Have	set of points X into first quadrant	174
Converting	set of positive integers X into a mask	329
Which elements of X are not in	set Y (difference of sets)	552
Replacing elements of X in	set Y by blanks / zeroes	480
Replacing elements of X not in	set Y by blanks / zeroes	481
Union of	sets, u	497
Intersection of	sets, n	500
Identity of two	sets	345
Elements of X not in Y (difference of	sets)	498
Which elements of X are not in set Y (difference of	sets)	552
	Setting latent expression	631
	several expressions; results form a vector	99
Evaluation of	shape	511
Reduction with a without respect to	shape and size of X	624
Zero array of	shape are identical	357
Test if arrays of equal	shape of Y and X as its columns	517
Matrix with	shape of Y and X as its rows	614
Array with	shaped array of random numbers within ( X[1],X[2] )	121
Y-	shorable	1
Ascending cardinal numbers (ranking,	Shifting vector X left with Y without rotate	387
	Shifting vector X right with Y without rotate	386
	Shur product	188
	side lengths in X (Heron's formula)	318
Area of triangle with	sign	476
Fractional part with	sign	603
Conditional elementwise change of	sign	623
Conditional elementwise change of	sign	477
Square of elements of X without change of		

Increasing absolute value without change of	sign	475
Conditional branch depending on	sign of X	119
Choosing according to	signum	502
Complementary angle (arccos	sin X)	131
A way to combine trigonometric functions (	sin X cos Y)	130
Test if	single or scalar	546
Zeroing a vector (without change of	size)	508
Classification of elements Y into X classes of equal	size	156
Zero array of shape and	Size of range of elements of X	312
Negative infinity; the	size of X	524
(Real)	smallest representable value	331
	solution of quadratic equation with coefficients X	363
	Sorting a matrix according to Y:th column	33
	Sorting a matrix into lexicographic order	19
	Sorting a matrix into reverse lexicographic order	38
Choosing	sorting direction during execution	34
	Sorting indices X according to data Y	32
	Sorting rows of matrix X into ascending order	8
	Sorting rows of matrix X into ascending order	9
	Sorting rows of X according to key Y (alphabetizing)	18
	Sorting subvectors of lengths Y	5
	Sorting X into ascending order	35
	Sorting X into descending order	44
	Sorting Y according to X	36
Zero or	space depending on the type of X (fill element)	409
	Spacing out text	490
	Spacing out text	580
Selecting	specific elements from a 'large' outer product	194
Summation over subsets of X	specified by Y	241
Products over subsets of X	specified by Y	244
Maxima of elements of subsets of X	specified by Y	213
Test for symmetricity of	square matrix X	520
Test for antisymmetricity of	square matrix X	519
Best linear fit of points (X,Y) (least	Square of elements of X without change of sign	477
Predicted values of best linear fit (least	squares)	126
Sum of	squares)	125
Sum of	squares of X	242
	squares of X	246
	Standard deviation of X	319
Case structure with logical switch (preferring from	start)	115
Moving elements satisfying condition Y to the	start of X	43
Reversal (0) of subvectors	starting at indices X	40
Indices of subvectors of length Y	starting at X+1	202
Changing lengths of subvectors to	starting indicators	278
Changing	starting indicators of subvectors to lengths	423
	Starting points for X fields of width Y	405
	Starting points for X in indices pointed by Y	540
	Starting points of equal groups	418
	Starting positions of subvectors (lengths in X)	296
Rows of non-empty matrix X	starting with a character in Y	499
Locating field number Y	starting with first element of X	283
Rows of matrix X	starting with string Y	215
Poisson distribution of	states X with average number Y	140
Arithmetic progression from X to Y with	step G	451
Arithmetic progression of Y numbers from X with	step G	557
Definite integral of F(X) in range Y with G	steps ('X'<F)	91
Fifo	stock Y decremented with X units	286
Syntax error to	stop execution	629
Underlining a	string	586
Choosing a	string according to boolean value G	493
Transformation of alphanumeric	string into numeric	78
First occurrence of	string X in matrix Y	229
First occurrence of	string X in string Y	178
Occurrences of	string X in string Y	147
Occurrences of	string X in string Y	176
Occurrences of	string X in string Y	219

Occurrences of string X in	string Y	147
Occurrences of string X in	string Y	176
Occurrences of string X in	string Y	219
Rows of matrix X starting with	string Y	216
First occurrence of string X in	string Y	178
Case	structure according to key vector G	117
Case	structure with an encoded branch destination	66
Case	structure with integer switch	116
Case	structure with logical switch (preferring from start)	115
Test if Y is a	subset of X ( $Y \subseteq X$ )	351
Matrix for choosing all	subsets of X (truth table)	59
Maxima of elements of	subsets of X specified by Y	213
Summation over	subsets of X specified by Y	241
Products over	subsets of X specified by Y	244
Insert vector for X[i] zeroes after 1:th	subvector	265
G:th	subvector of Y (subvectors indicated by X)	300
Starting positions of	subvectors (lengths in X)	296
Reversal (R) of	subvectors having lengths Y	39
G:th subvector of Y (	subvectors indicated by X)	300
Indices of	subvectors of length Y starting at X+1	202
Sorting	subvectors of lengths Y	5
Sums over (+/)	subvectors of X, lengths in Y	257
Sums over (+/)	subvectors of Y indicated by X	291
Or-reduction (v/) of	subvectors of Y indicated by X	491
And-reduction (^/) of	subvectors of Y indicated by X	492
First ones of	subvectors of Y indicated by X (< \)	421
Minima (l/) of elements of	subvectors of Y indicated by X	6
Maxima (l/) of elements of	subvectors of Y indicated by X	14
Grading down	subvectors of Y indicated by X	15
Grading up	subvectors of Y indicated by X	7
Maximum scan (l\)	subvectors of Y indicated by X	2
Minimum scan (l\)	subvectors of Y indicated by X	3
Running parity (x\)	subvectors of Y indicated by X	254
Cumulative sum (+\)	subvectors of Y indicated by X	255
Or-scan (v\)	subvectors of Y indicated by X	289
And-scan (^ \)	subvectors of Y indicated by X	290
Rotate first elements (lR) of	subvectors of Y indicated by X	21
Reversal (R) of	subvectors starting at indices X	40
Changing lengths of	subvectors to ending indicators	277
Changing starting indicators of	subvectors to lengths	423
Changing lengths of	subvectors to starting indicators	276
Lengths of	subvectors with equal elements	413
Sum elements of X marked by	succeeding identicals in Y	284
(Cyclic) compression of	successive blanks	494
Pairwise differences of	successive columns (inverse of +\)	383
Pairwise differences of	successive elements of vector X	420
Pairwise ratios of	successive elements of vector X	419
Differences of	successive elements of X along direction Y	436
Comparison of	successive rows	344
	Successive transposes of G (X after Y: X%Y%G)	523
Cumulative	sum	310
Alternating	sum	369
Matrix	sum	191
Cumulative	sum (+\)	over subvectors of Y indicated by X 255
Restoring argument of cumulative	sum (inverse of +\)	442
	Sum elements of X marked by succeeding identicals in Y	284
Column	sum of a matrix	372
Row	sum of a matrix	373
	Sum of alternating reciprocal series Y+X	238
	Sum of elements of X	374
	Sum of numbers in character matrix X	101
	Sum of reciprocal series Y+X	239
	Sum of squares of X	242
	Sum of squares of Y	246
Running	sum of Y consecutive elements of X	285
	Sum over elements of X determined by elements of Y	150



	Summation over subsets of X specified by Y	241
	Sums according to codes G	152
	Sums over (+/) subvectors of X, lengths in Y	257
	Sums over (+/) subvectors of Y indicated by X	291
Case structure with integer	switch	116
Case structure with logical	switch (preferring from start)	115
Test for	symmetricity of matrix X	86
Test for	symmetricity of square matrix X	520
	Syntax error to stop execution	629
Arithmetic precision of the	system (in decimals)	450
Maximum	table	183
Multiplication	table	199
Comparison	table	169
Divisibility	table	164
All binary representations up to X (truth	table)	52
Matrix for choosing all subsets of X (truth	table)	59
All binary representations with X bits (truth	table)	60
Extending a distance	table to next leg	224
Numeric headers (elements of X) for rows of	table Y	102
Number of permutations of X objects	Take of at most X elements from Y	394
Number of combinations of X objects	taken Y at a time	135
	taken Y at a time	142
	Taking every Y:th element of X	467
Value of	Taylor series with coefficients Y at point X	137
Value of	Taylor series with coefficients Y at point X	281
Handling array X	temporarily as a vector	592
	Temporary ravel of X for indexing with G	584
	Temporary ravel of X for indexing with G	585
Entering from	terminal data exceeding input (printing) width	598
	Test for antisymmetricity of matrix X	85
	Test for antisymmetricity of square matrix X	519
	Test for symmetricity of matrix X	86
	Test for symmetricity of square matrix X	520
	Test if all elements of vector X are equal	159
	Test if all elements of vector X are equal	214
	Test if all elements of vector X are equal	215
	Test if all elements of vector X are equal	311
	Test if all elements of vector X are equal	315
	Test if all elements of vector X are equal	316
	Test if all elements of vector X are equal	317
	Test if all elements of vector X are equal	324
	Test if all elements of vector X are equal	340
	Test if all elements of vector X are equal	341
	Test if all elements of vector X are equal	343
	Test if all elements of vector X are equal	347
	Test if all elements of vector X are equal	349
	Test if all elements of vector X are equal	352
	Test if all elements of vector X are equal	354
	Test if all elements of vector X are equal	358
	Test if an element differs from the next one	431
	Test if an element differs from the previous one	432
	Test if arrays are identical	544
	Test if arrays of equal shape are identical	357
	Test if each element of X occurs only once	353
	Test if even	473
	Test if integer	457
	Test if numeric	400
	Test if numeric	486
	Test if numeric and converting into numeric form	95
	Test if rows of X contain elements differing from Y	231
	Test if single or scalar	546
	Test if vector	547
	Test if vector Y is a row of array X	228
	Test if X and Y are permutations of each other	4
	Test if X and Y have elements in common	348
	Test if X is a leap year	463

	Test if X is a lower triangular matrix	162
	Test if X is a permutation vector	20
	Test if X is a permutation vector	158
	Test if X is a permutation vector	346
	Test if X is a valid APL name	322
	Test if X is an empty array	548
	Test if X is an integer within range [ G,H )	221
	Test if X is an upper triangular matrix	161
	Test if X is boolean	350
	Test if X is in ascending order along direction Y	268
	Test if X is in descending order along direction Y	270
	Test if X is within range [ Y[1],Y[2] )	180
	Test if X is within range [ Y[1],Y[2] ]	233
	Test if X is within range ( Y[1],Y[2] ]	234
	Test if X is within range ( Y[1],Y[2] )	235
	Test if X is within range [ Y[1],Y[2] )	564
	Test if X is within range [ Y[1],Y[2] ]	565
	Test if Y is a subset of X ( Y < X )	351
Moving all blanks to end of	text	42
Conditional in	text	508
Spacing out	text	490
Spacing out	text	580
Centering	text line X into a field of width Y	323
Centering	text line X into a field of width Y	393
Input of row Y of	text matrix X	378
Transferring	text X to right edge of field of width Y	412
Locations of	texts between and including quotes	287
Locations of	texts between and including quotes	293
Locations of	texts between quotes	288
Locations of	texts between quotes	294
Ordinal numbers of words in X	that indices Y point to	177
Zeroing elements of Y depending on	their values	545
Transpose of planes of a rank	three array	527
Replicating a dimension of rank	three array X Y-fold	200
Number of combinations of X objects taken Y at a	time	142
Number of permutations of X objects taken Y at a	time	135
Representation of current	time (24 hour clock)	64
Representation of current	time (12 hour clock)	105
Duplicating vector X Y	times	610
Replicate Y[i] X[i]	times (for all i)	250
Replicate Y[i] X[i]	times (for all i)	251
Replicate Y[i] X[i]	times (for all i)	253
Compound interest for principals Y at rates G % in	times X	146
Removing	trailing blank columns	209
Removing	trailing blank columns	272
Removing	trailing blank rows	205
Removing leading and	trailing blanks	259
Removing	trailing blanks	73
Removing	trailing blanks	266
Removing	trailing blanks	298
Removing	trailing blanks	397
Removing	trailing blanks	428
Matrix with X[i]	trailing ones on row i	167
Groups of ones in Y pointed by X (or	trailing parts)	256
Removing leading, multiple and	trailing Y's	379
Matrix with X[i]	trailing zeroes on row i	165
	Transferring text X to right edge of field of width Y	412
	Transformation from degrees to radians	134
	Transformation from radians to degrees	133
	Transformation of alphanumeric string into numeric	76
	Transforming connection matrix X into a node matrix	148
	Transforming connectivity list X into a connectivity matrix	71
	Transforming connectivity matrix X into a connectivity list	50
	Transforming node matrix X into a connection matrix	157
Extending a	transitive binary relation	230
Forming a	transitive closure	112

	Transpose matrix X on condition X	518
	Transpose of planes of a rank three array	527
Successive	transposes of G (X after Y: Xb/@G)	523
"	Transpose <sup>n</sup> of matrix X with column fields of width Y	515
Binomial distribution of X	trials with probability Y	138
Pascal's	triangle of order X (binomial coefficients)	136
Area of	triangle with side lengths in X (Heron's formula)	318
Test if X is an upper	triangular matrix	161
X*X upper	triangular matrix	195
Test if X is a lower	triangular matrix	162
X*X lower	triangular matrix	196
X first	triangular numbers	302
A way to combine	trigonometric functions (sin X cos Y)	130
All binary representations up to X (	truth table)	52
Matrix for choosing all subsets of X (	truth table)	59
All binary representations with X bits (	truth table)	60
	Turn off all ones after first one	307
	Turn off all ones after first zero	306
	Turn on all zeroes after first one	304
	Turn on all zeroes after first zero	308
Forming a	two-column matrix	589
Reshaping vector X into a	two-column matrix	591
Barchart of	two integer series (across the page)	68
Product of	two polynomials with coefficients X and Y	163
Evaluating a	two-row determinant	313
Evaluating a	two-row determinant	314
Forming a	two-row matrix	588
Identity of	two sets	345
Zero or space depending on the	type of X (fill element)	409
Reduction in dimension Y, rank	unchanged	502
Merging X, Y, Z ...	under control of G (mesh)	11
Merging X and Y	under control of G (mesh)	12
Merging X and Y	under control of G (mesh)	16
Merging X and Y	under control of G (mesh)	31
Merging X and Y	under control of G (mesh)	482
	Underlining a string	586
	Underlining words	488
Changing index of an	unfound element to zero	472
Changing index of an	unfound element to zero (not effective)	541
	Union of sets, u	497
Fifo stock Y decremented with X	units	286
Duplicating element of X belonging to Y, 1+X	until next found	297
Grade	up according to key Y	30
Grading	up subvectors of Y indicated by X	7
All primes	up to X	175
All binary representations	up to X (truth table)	52
Number of decimals (	up to Y) of elements of X	149
Incrementing cyclic counter X with	upper limit Y	61
Test if X is an	upper triangular matrix	161
X*X	upper triangular matrix	195
	Using a variable named according to X	88
	Using boolean matrix Y in expanding X	489
Test if X is a	valid APL name	322
Output of assigned numeric	value	627
Output of assigned	value	630
Arithmetic average (mean	value)	365
Positive infinity; the largest representable	value	337
Negative infinity; the smallest representable	value	331
Arithmetic average (mean	value), also for an empty array	332
Average (mean	value) of columns of matrix X	326
Average (mean	value) of elements of X along direction Y	364
Average (mean	value) of rows of matrix X	325
Arithmetic average (mean	value) of X weighted by Y	237
Giving a numeric default	value for input	97
Giving a character default	value for input	403
Limiting indices and giving a default	value G	458

Choosing a string according to boolean	value G	493
Changing X if a new input	value is given	92
Future	value of cash flows X at interest rate Y %	82
Present	value of cash flows X at interest rate Y %	77
	Value of polynomial with coefficients Y at points X	69
	Value of polynomial with coefficients Y at point X	83
	Value of polynomial with coefficients Y at point X	227
	Value of saddle point	262
Interpolated	value of series (X,Y) at G	67
	Value of Taylor series with coefficients Y at point X	137
	Value of Taylor series with coefficients Y at point X	281
	value without change of sign	475
Increasing absolute	value X (plotting a curve)	605
Indexing with boolean	value Y[1] into Y[2]	380
Changing elements in X with	value Y	94
Converting expression X to numeric form with default	value zero	572
Avoiding division by zero error (gets	values	566
Zeroing all boolean	values	545
Zeroing elements of Y depending on their	values (across the page)	171
Barchart of integer	values (down the page)	166
Barchart of integer	values of best linear fit (least squares)	125
Predicted	values of exponential (curve) fit	124
Predicted	values of expressions in X to variables named in Y	98
Assign	values of X close to zero	474
Rounding to zero	values replaced by blanks	108
Formatting with zero	values Y[1] by Y[2] in X	425
Replacing all	variable length lines	579
Separating	variable named according to X	88
Using a	variables named in Y	98
Assign values of expressions in X to	Variance (dispersion) of X	320
'Position' matrix of a	vector	143
Index origin (OIO) as a	vector	560
First column as a	vector	607
Empty numeric	vector	563
Test if	vector	547
Test if X is a permutation	vector	20
Test if X is a permutation	vector	158
Test if X is a permutation	vector	346
Handling array X temporarily as a	vector	592
Removing duplicates from an ordered	vector	422
Number of rows in array X (also of a	vector)	328
Evaluation of several expressions; results form a	vector	99
	Vector (cross) product of vectors	528
Zeroing a	vector (without change of size)	608
	Vector (X[1]p1),(X[2]p0),(X[3]p1),...	252
	Vector (X[1]p1),(Y[1]p0),(X[2]p1),...	247
	Vector (Y[1]+X[1]),(Y[2]+X[2]),(Y[3]+X[3]),...	249
Insert	vector for X[i] elements before i:th element	279
Insert	vector for X[i] zeroes after i:th subvector	265
Case structure according to key	vector G	117
Boolean	vector of length Y with ones in locations X	543
	Vector of length Y with X ones on the left, the rest zeroes	407
Boolean	vector of length Y with zeroes in locations X	539
	Vector to expand a new element after each one in X	507
Formatting a numerical	vector to run down the page	103
Expansion	vector with zero after indices Y	27
Expansion	vector with zero after indices Y	538
All indices of	vector X	556
Indices of ones in logical	vector X	41
Indices of ones in logical	vector X	280
Indices of ones in logical	vector X	506
Removing duplicate Y's from	vector X	426
Removing elements Y from	vector X	509
Moving index of width Y for	vector X	201
Index of key Y in key	vector X	552
Removing elements Y from end of	vector X	427

Removing elements Y from beginning of	vector X	435
Pairwise ratios of successive elements of	vector X	419
Catenating G elements H after indices Y in	vector X	28
Catenating G elements H before indices Y in	vector X	29
Removing elements Y from beginning and end of	vector X	416
Pairwise differences of successive elements of	vector X	420
Field lengths of	vector X; G → ending indices	414
Inserting Y *'s into	vector X after indices G	26
Test if all elements of	vector X are equal	159
Test if all elements of	vector X are equal	214
Test if all elements of	vector X are equal	215
Test if all elements of	vector X are equal	311
Test if all elements of	vector X are equal	315
Test if all elements of	vector X are equal	316
Test if all elements of	vector X are equal	317
Test if all elements of	vector X are equal	324
Test if all elements of	vector X are equal	340
Test if all elements of	vector X are equal	341
Test if all elements of	vector X are equal	343
Test if all elements of	vector X are equal	347
Test if all elements of	vector X are equal	349
Test if all elements of	vector X are equal	352
Test if all elements of	vector X are equal	354
Test if all elements of	vector X are equal	358
Reshaping numeric	vector X into a one-column matrix	203
Reshaping	vector X into a one-column matrix	534
Reshaping	vector X into a one-column matrix	594
Reshaping	vector X into a one-row matrix	595
Reshaping one-element	vector X into a scalar	371
Reshaping	vector X into a two-column matrix	591
Inserting	vector X into matrix Y after row G	375
Shifting	vector X left with Y without rotate	387
Reverse	vector X on condition Y	533
Shifting	vector X right with Y without rotate	386
Duplicating	vector X Y times	610
Multiplication of each row of X by	vector Y	611
Multiplication of each column of matrix X by	vector Y	516
Test if	vector Y is a row of array X	228
Inserting	vector Y to the end of matrix X	376
Comparing	vector Y with rows of array X	232
Scalar (dot) product of	vectors	243
Vector (cross) product of	vectors	528
Integer representation of logical	vectors	84
Index of first differing element in	Vectors as matrices in catenation	273
Merging	Vectors as matrices in catenation	274
A	vectors X and Y	551
Arithmetic average (mean value) of X	vectors X and Y alternately	578
Maximum of X with	way to combine trigonometric functions (sin X cos Y)	130
Minimum of X with	weighted by Y	237
Indexing	weights Y	222
	weights Y	223
	when rank is not known beforehand	100
	Which class do elements of X belong to	181
	Which elements of X are not in set Y (difference of sets)	552
	Widening matrix X to be compatible with Y	391
Formatting X with H decimals in fields of	width G	110
Row-by-row formatting (	width G) of X with Y decimals per row	109
Division to Y classes with	width H, minimum G	173
Ending points for X fields of	width Y	404
Starting points for X fields of	width Y	405
Centering text line X into a field of	width Y	323
Centering text line X into a field of	width Y	393
Transferring text X to right edge of field of	width Y	412
"Transpose" of matrix X with column fields of	width Y	515
Leading zeroes for positive numbers X in fields of	width Y	106
Moving index of	width Y for vector X	201

Entering from terminal data exceeding input (printing)

Editing X with Y v-  
Y-shaped array of random numbers

Test if X is an integer

Test if X is

Test if X is

Test if X is

Test if X is

Test if X is

Increasing absolute value

Square of elements of X

Zeroing a vector (

Choosing Y objects out of X

Reduction with a

Shifting vector X left with Y

Shifting vector X right with Y

First

Underlining

Ordinal numbers of

Randomizing random numbers (in XLX in a

Test if X is a leap

Number of days in month X of

Separating a date YYMMDD to

Separating a date

Turn off all ones after first

Turn on all zeroes after first

Rounding to zero values of X close to

Changing index of an unfound element to

Avoiding division by zero error (gets value

Conversion of each row into a number (default

Positive maximum, at least

Changing index of an unfound element to

Expansion vector with

Expansion vector with

Avoiding division by

Rounding to

Formatting with

Removing leading

Replacing elements of X in set Y by blanks /

Replacing elements of X not in set Y by blanks /

Turn on all

Turn on all

Insert vector for X[i]

Leading

Boolean vector of length Y with

Matrix with X[i] leading

Matrix with X[i] trailing

Replacing elements of X not fulfilling Y by blanks /

Converting

Vector of length Y with X ones on the left, the rest

Selecting elements satisfying condition Y,

width 598

wise 263

within ( X[i],X[i] ) 121

within range [ G,H ) 221

within range [ Y[i:],Y[i:] ) 233

within range [ Y[i:],Y[i:] ) 234

within range [ Y[i:],Y[i:] ) 235

within range [ Y[i:],Y[i:] ) 180

within range [ Y[i:],Y[i:] ) 564

within range [ Y[i:],Y[i:] ) 565

without change of sign 475

without change of sign 477

without change of size) 608

without replacement (deal) 123

without respect to shape 511

without rotate 387

without rotate 386

word in X 401

words 486

words in X that indices Y point to 177

workspace) 245

year 463

year Y 74

YY, MM, DD 57

YYMMDD to YY, MM, DD 57

zero 306

zero 308

zero 474

zero 472

zero) 572

zero) 93

zero (also for empty X) 334

zero (not effective) 541

zero after indices Y 27

zero after indices Y 538

Zero array of shape and size of X 624

zero error (gets value zero) 572

Zero or space depending on the type of X (fill element) 409

zero values of X close to zero 474

zero values replaced by blanks 108

zeroes 437

zeroes 480

zeroes 481

zeroes after first one 304

zeroes after first zero 308

zeroes after i,th subvector 265

zeroes for positive numbers X in fields of width Y 106

zeroes in locations X 539

zeroes on row i 168

zeroes on row i 165

zeroes 483

zeroes to Y 574

zeroes 407

Zeroing a vector (without change of size) 608

Zeroing all boolean values 566

Zeroing elements of Y depending on their values 545

zeroing others 622

1911  
1912  
1913  
1914  
1915

1916  
1917  
1918  
1919  
1920

1921  
1922  
1923  
1924  
1925

1926  
1927  
1928  
1929  
1930

1931  
1932  
1933  
1934  
1935

1936  
1937  
1938  
1939  
1940

1941  
1942  
1943  
1944  
1945

1946  
1947  
1948  
1949  
1950

1951  
1952  
1953  
1954  
1955

1956  
1957  
1958  
1959  
1960

1961  
1962  
1963  
1964  
1965

1966  
1967  
1968  
1969  
1970

1971  
1972  
1973  
1974  
1975

1976  
1977  
1978  
1979  
1980

1981  
1982  
1983  
1984  
1985

1986  
1987  
1988  
1989  
1990

1991  
1992  
1993  
1994  
1995

1996  
1997  
1998  
1999  
2000

2001  
2002  
2003  
2004  
2005

2006  
2007  
2008  
2009  
2010

2011  
2012  
2013  
2014  
2015

2016  
2017  
2018  
2019  
2020

2021  
2022  
2023  
2024  
2025

2026  
2027  
2028  
2029  
2030

